

Operator and Mounting Kits for Subsea Pipeline Valves

API STANDARD 6DSSX
FIRST EDITION, MARCH 2021

ERRATA 1, MAY 2021



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be used. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001-5571.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

	Page
1 Scope.....	1
2 Normative References	1
3 Terms, Definitions, Acronyms, Abbreviations, Symbols, and Units.....	3
3.1 Terms and Definitions	3
3.2 Acronyms, Abbreviations, Symbols, and Units	8
4 Operator Types and Configurations	9
4.1 General	9
4.2 Action on Loss of Supply Energy.....	10
4.3 Actuator Types	10
4.4 Actuator Configuration	10
4.5 Gearboxes	10
5 Design.....	11
5.1 Design Input.....	11
5.2 Design Standards and Calculations.....	13
5.3 Design Requirements	14
5.4 Pressure-containing Parts	15
5.5 Pressure Boundary Bolting and Tie Rod Design	15
5.6 Mechanically Loaded Parts.....	16
5.7 Springs and Spring Modules.....	16
5.8 Mounting Kit.....	17
5.9 Drive Trains.....	17
5.10 Design Documents	18
5.11 Sealing.....	19
5.12 Fluid Requirements.....	20
5.13 Compensation System.....	21
5.14 Lubrication	24
5.15 Retrievable Operators.....	24
5.16 Operator Override	28
5.17 Mechanical Advantage.....	29
5.18 Lifting Arrangements.....	29
5.19 Remotely Operated Tool System	31
5.20 Input Interface Operation Strength	32
5.21 Handwheels and Levers	33
5.22 Location and Orientation.....	33
5.23 Environmental and Operational Conditions	34
5.24 Actuator Hydraulic Input	34
5.25 Water Depth Performance	34
5.26 Corrosion Resistant Overlay.....	34
5.27 Cathodic Protection	34
5.28 Overpressure Protection.....	35
5.29 Hydraulic Connections.....	35
5.30 Electrical Connections	35
5.31 Wet and Dry Thermal Insulation	35
5.32 Instrumentation and Accessories.....	35
5.33 Position Indication.....	36
5.34 Travel Stops.....	36
5.35 Assembly Practice	37

Contents

	Page
6	Materials 37
6.1	Material Specification 37
6.2	Tensile Test Requirements 38
6.3	Service Compatibility 38
6.4	Cast Material 38
6.5	Forged Material 38
6.6	Composition Limits 38
6.7	Impact Test Requirements 40
6.8	Pressure Boundary Bolting 41
6.9	Cathodic Protection 41
6.10	Hydrogen-induced Cracking 42
6.11	Heat-treating Equipment Qualification 42
7	Welding 43
7.1	Welding Consumables 43
7.2	Welding Procedure and Welder/Welding Operator Qualifications 43
7.3	Impact Testing 44
7.4	Hardness Testing 45
7.5	Repairs 46
7.6	Repair of Welds 46
7.7	Structural Welding 46
8	Quality Control 47
8.1	Conformance with Standard 47
8.2	Processes Requiring Validation 47
8.3	Quality Control Procedures 47
8.4	NDE Requirements 47
8.5	Measuring and Test Equipment 48
8.6	Qualification of Personnel 49
8.7	Welding Inspectors 50
8.8	NDE of Repairs 50
8.9	Production Material Hardness Testing on Critical Parts 50
8.10	Marking, Age Control, and Storage for Nonmetallic Seals 50
9	Sizing Methodology 51
9.1	Sizing Method 51
9.2	Design and Sizing Output Data 52
10	Testing 53
10.1	Validation 53
10.2	Effect of Changes in Product 54
10.3	Factory Acceptance Test 54
10.4	Certification 58
11	Surface Protection 58
12	Marking 58
13	Preparation for Shipment 59
14	Documentation 60

Contents

	Page
14.1 Provided to Purchaser	60
14.2 Documentation Provided with the Operator	60
Annex A (informative) Optional Documentation.....	61
Annex B (normative) Purchasing Guidelines.....	62
Annex C (normative) Record Retention.....	64
Annex D (informative) Design Validation—Actuator	65
Annex E (informative) Design Validation—Gearbox.....	74
Annex F (informative) Hyperbaric Validation Testing.....	81
Annex G (normative) Requirements for Nondestructive Examination	84
Annex H (informative) Castings and Forgings.....	89
Annex I (normative) Qualification of Heat-treating Equipment	90
Bibliography.....	93

Figures

1 Relationship Between Design, Rated and Supply Pressures	14
2 Retrievable Actuator Types	25
3 Part-turn Retrievable Operator Terminology	26
4 Type 1 Lifting	30
5 Type 2 Lifting	30
6 Type 3 Lifting	31
7 Handwheel Interface.....	33
8 Charpy V-notch Weld Metal Specimen Location.....	45
9 Charpy V-notch Heat-affected Zone Specimen Location.....	45
D.1 Test Procedure for Pressure Temperature Cycle.....	72
E.1 Test Procedure for Temperature Cycle	80
I.1 Temperature Sensor Location—Rectangular Furnace (Working Zone).....	91
I.2 Temperature Sensor Locations—Cylindrical Furnace (Working Zone).....	91

Tables

1 Description and Functionality of Mechanical Override Systems.....	28
2 Handwheel Interface Applied Forces	33
3 Minimum V-notch Impact Requirements for Carbon and Low-alloy Steels (Full-size Specimen).....	40
4 Minimum V-notch Impact Requirements for Duplex and Super Duplex Stainless Steel (Full-size Specimen).....	40

Contents

	Page
5	Chemical Composition of Nickel-based Alloy UNS N06625 44
6	Marking of Electric Actuators 59
7	Marking of Hydraulic Actuators 59
8	Marking of Gearbox 59
B.1	Actuator Data Sheet 62
C.1	Record Retention 64
D.1	Design Validation for Actuator 68
E.1	Design Validation for Gearbox 77
F.1	Hyperbaric Qualification Test 81
G.1	NDE Requirements 87
G.2	Extent, Method, and Acceptance Criteria of NDE/Item Examination Code 87

Introduction

It is necessary that users of this document be aware that further or differing requirements can be needed for individual applications. This document is not intended to inhibit a vendor from offering or the purchaser from accepting alternative equipment or engineering solutions for the individual application. This can be particularly applicable where there is innovative or developing technology. Where an alternative is offered, it is the responsibility of the vendor to identify any variations from this document and provide details.

Units of measurement

In this specification, data are expressed in both SI and USC units.

Rounding

Except as otherwise required by this specification, to determine conformance with the specified requirements, observed or calculated values are rounded to the nearest unit in the last right-hand place of figures used in expressing the limiting value, in accordance with the rounding method of ASTM E29 or ISO 80000–1.

Operator and Mounting Kits for Subsea Pipeline Valves

1 Scope

This standard defines the requirements for design, mechanical integrity, and sizing of operators and related components used on subsea pipeline valves that conform to API Specification 6DSS.

This standard is applicable to the following:

- electric actuators;
- electro-hydraulic actuators;
- hydraulic actuators;
- actuator override systems;
- diver and remotely operated tool (ROT)-operated gearboxes;
- other actuators, by agreement;
- mounting kit;
- pressure and volume compensation and associated systems;
- pressure caps;
- protection covers; electrohydraulic
- position indication systems.

This standard is not applicable to the following:

- manual or powered torque tools not permanently mounted;
- actuator control system equipment/components;
- remote-located units.

2 Normative References

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any addenda) applies.

API Specification 6DSS, *Specification for Subsea Pipeline Valves*

API Specification 17D, *Design and Operation of Subsea Production System—Subsea Wellhead and Tree Equipment*

API Recommended Practice 17H, *Remotely Operated Tools and Interfaces on Subsea Production Systems*

API Recommended Practice 17U, *Recommended Practice for Wet and Dry Thermal Insulation of Subsea Flowlines and Equipment*