

# Specification for Wellhead and Tree Equipment

API SPECIFICATION 6A  
TWENTY-FIRST EDITION, NOVEMBER 2018

API MONOGRAM PROGRAM EFFECTIVE DATE: NOVEMBER 2019

ERRATA 1, APRIL 2019  
ERRATA 2, JUNE 2020  
ERRATA 3, SEPTEMBER 2020  
ERRATA 4, SEPTEMBER 2021  
ERRATA 5, MAY 2024  
ADDENDUM 1, JULY 2020  
(API MONOGRAM PROGRAM EFFECTIVE DATE: JANUARY 2021)  
ADDENDUM 2, JUNE 2021  
(API MONOGRAM PROGRAM EFFECTIVE DATE: DECEMBER 2021)  
ADDENDUM 3, AUGUST 2022  
(API MONOGRAM PROGRAM EFFECTIVE DATE: FEBRUARY 2023)



## Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be used. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Users of this specification should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for conforming to all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

*Copyright © 2018 American Petroleum Institute*

## Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this specification are as follows:

- the term “shall” denotes a minimum requirement in order to conform to the standard;
- the term “should” denotes a recommendation or that which is advised but not required in order to conform to the standard;
- the term “may” is used to express permission or a provision that is optional;
- the term “can” is used to express possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every 5 years. A one-time extension of up to 2 years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, [standards@api.org](mailto:standards@api.org).

## Contents

1	Scope.....	1
2	Normative References .....	1
3	Terms, Definitions, Abbreviated Terms, and Symbols.....	4
3.1	Terms and Definitions.....	4
3.2	Abbreviated Terms.....	15
3.3	Symbols.....	16
4	Application and Performance .....	17
4.1	Applicability .....	17
4.2	Performance Requirements—General .....	22
4.3	Service Conditions.....	22
4.3.1	Pressure Ratings.....	22
4.3.2	Temperature Ratings .....	23
4.3.3	Material Classes .....	23
4.3.4	Product Specification Level.....	25
5	Design.....	26
5.1	Design Methods.....	26
5.1.1	End and Outlet Connectors.....	26
5.1.2	Hangers, Back-pressure Valves, Lock Screws, and Stems .....	27
5.1.3	Bodies, Bonnets, and Other End Connectors.....	27
5.1.4	Other Parts.....	28
5.1.5	Equipment-specific Requirements .....	28
5.2	Design Tolerances .....	28
5.3	Design Documentation .....	28
5.4	Design Review and Verification .....	28
5.5	Design Validation .....	28
6	Materials .....	28
6.1	General .....	28
6.1.1	Applicability and Alloys.....	28
6.1.2	Material Forming Processes .....	29
6.2	Written Specifications.....	29
6.2.1	Applicability .....	29
6.2.2	Metallic Requirements .....	29
6.2.3	Nonmetallic Requirements.....	29
6.3	Bodies, Bonnets, and End and Outlet Connectors.....	30
6.3.1	Materials.....	30
6.3.2	Material Qualification Testing .....	31
6.3.3	Processing .....	33
6.3.4	Heat-treating .....	34
6.3.5	Chemical Composition .....	34
6.4	Qualification Test Coupons.....	35
6.4.1	General .....	35
6.4.2	Equivalent Round.....	36
6.4.3	Processing .....	38
6.4.4	Material Qualification .....	39
6.5	Production Heat-treating Equipment .....	40
6.5.1	General .....	40
6.5.2	Instrument Accuracy.....	40
6.5.3	Instrument Calibration .....	40
6.5.4	Production Type Equipment—Batch-type Furnaces.....	40
6.5.5	Production Type Equipment—Continuous-type Furnaces .....	41

7	Welding.....	41
7.1	General .....	41
7.2	Nonpressure-containing Welds Other Than Weld Overlays.....	41
7.2.1	Welding Procedure/Performance .....	41
7.2.2	Application.....	42
7.3	Pressure-containing Fabrication Welds .....	42
7.3.1	General .....	42
7.3.2	Joint Design.....	42
7.3.3	Materials.....	42
7.3.4	Welding Procedure Qualifications.....	42
7.3.5	Welder Performance Qualification .....	44
7.3.6	Welding Requirements .....	44
7.3.7	Post-weld Heat-treatment.....	45
7.3.8	Welding Controls.....	45
7.4	Pressure-containing Repair Welds.....	46
7.4.1	General .....	46
7.4.2	Welding Procedure Qualifications.....	46
7.4.3	Weld Repair of Castings .....	46
7.4.4	Bolt Hole, Tapped Hole, and Machined Blind Hole Repair.....	47
7.5	Weld Overlay.....	47
7.5.1	Corrosion-resistant Overlay (Including Ring Grooves) .....	47
7.5.2	Weld Overlay for Other Than Corrosion Resistance .....	49
7.5.3	Repair of Weld Overlays .....	50
8	Bolting .....	50
8.1	Closure Bolting.....	50
8.1.1	Tensile Stress .....	50
8.1.2	Quality .....	50
8.1.3	Studded Outlet Connection.....	50
8.1.4	Closure Bolting Records .....	51
8.1.5	Closure Bolting Marking.....	51
8.1.6	Impact Test Marking.....	51
8.2	Closure Bolting for Flanged and Studded End and Outlet Connectors .....	51
8.2.1	General .....	51
8.2.2	Design.....	51
8.2.3	Materials .....	51
8.3	Other Closure Bolting .....	54
8.3.1	General .....	54
8.3.2	Design.....	54
8.3.3	Materials .....	54
8.3.4	Quality .....	55
9	Packing Mechanisms, Pressure Boundary Penetrations, and Ports.....	55
9.1	Packing Mechanisms .....	55
9.1.1	Performance Requirements .....	55
9.1.2	Design.....	55
9.2	Fittings and Pressure Boundary Penetrations.....	55
9.2.1	General .....	55
9.2.2	Performance Requirements .....	55
9.2.3	Design.....	55
9.2.4	Materials .....	56
9.2.5	Marking.....	56
9.2.6	Storing and Shipping .....	56
9.2.7	Testing.....	56
9.2.8	Quality Requirements .....	56
9.3	Test, Gauge, Vent, and Injection Connector Ports .....	56
9.3.1	Sealing.....	56

9.3.2	Vent and Injection Connector Ports .....	56
9.3.3	Test and Gauge Connector Ports .....	56
10	Quality Control .....	58
10.1	Application .....	58
10.2	Measuring and Testing Equipment .....	58
10.2.1	General .....	58
10.2.2	Pressure-measuring Devices .....	59
10.3	Personnel Qualifications .....	59
10.3.1	Nondestructive Examination Personnel .....	59
10.3.2	Visual Examination Personnel .....	59
10.3.3	Welding Inspectors .....	60
10.3.4	Other Personnel .....	60
10.4	Requirements .....	60
10.4.1	General .....	60
10.4.2	Bodies, Bonnets, End and Outlet Connectors, and Clamp Hub End Connectors.....	60
10.4.3	Stems.....	73
10.4.4	Valve Bore Sealing Mechanisms and Choke Trim .....	74
10.4.5	Ring Gaskets and Nonintegral Metal Seals .....	74
10.4.6	Nonmetallic Seals.....	78
10.4.7	Assembled Equipment—General .....	80
10.4.8	Mandrel-type Hangers.....	81
10.4.9	Slip-type Hangers .....	85
10.4.10	Bullplugs, Valve-removal Plugs, Back-pressure Valves, and Fittings .....	86
11	Factory Acceptance Testing .....	87
11.1	General .....	87
11.1.1	Scope and Applicability .....	87
11.1.2	Measurement, Monitoring, and Recording Equipment .....	89
11.1.3	Test Sequence .....	89
11.1.4	Leak Detection .....	89
11.2	Hydrostatic Testing .....	89
11.2.1	Hydrostatic Testing—General Requirements.....	89
11.2.2	Hydrostatic Test Acceptance Criteria .....	90
11.2.3	Hydrostatic Shell Test.....	90
11.2.4	Hydrostatic Seat Tests and Functional Tests—Valves .....	92
11.2.5	Conditional Hydrostatic Body Test—PSL 1, PSL 2, and PSL 3 .....	94
11.2.6	Hydrostatic Testing of Back-pressure Valves.....	94
11.3	Gas Testing—PSL 3G and PSL 4 .....	94
11.3.1	Gas Testing—General Requirements.....	94
11.3.2	Gas Test Acceptance Criteria—General Requirements .....	95
11.3.3	Gas Body Test .....	95
11.3.4	Gas Seat Test—Valves.....	96
11.3.5	Gas Backseat Test—Gate Valves .....	96
11.3.6	Conditional Gas Body Test .....	97
11.4	Drift Testing .....	98
11.4.1	Full-bore Valves.....	98
11.4.2	Valves with Nonstandard Bore Sizes .....	99
11.4.3	Tree Assemblies .....	99
12	Equipment Marking .....	99
12.1	Marking Requirements.....	99
12.2	Marking Method .....	99
12.3	Nameplates .....	99
12.4	Hidden Marking .....	99
12.5	Thread Marking.....	100
12.6	Size Marking.....	101

12.7	Temperature Marking.....	101
12.8	Hardness Tests.....	101
12.9	Ring Grooves.....	101
12.10	Clamp Hub End Connectors.....	101
13	Storing and Shipping.....	101
13.1	Draining after Testing.....	101
13.2	Corrosion Protection.....	101
13.3	Sealing-surface Protection.....	102
13.4	Assembly and Maintenance Instructions.....	102
13.5	Ring Gaskets.....	102
13.6	Age Control and Storage of Nonmetallic Seals.....	102
14	Equipment-specific Requirements.....	102
14.1	Integral, Blind, and Test Flanges.....	102
14.1.1	General Application.....	102
14.1.2	Design.....	103
14.1.3	Materials.....	107
14.1.4	Quality Control/Testing.....	107
14.1.5	Marking.....	107
14.1.6	Storing and Shipping.....	108
14.2	Ring Gaskets.....	108
14.2.1	General.....	108
14.2.2	Design.....	108
14.2.3	Materials.....	109
14.2.4	Quality Control/Testing.....	110
14.2.5	Marking.....	110
14.2.6	Storing and Shipping.....	110
14.3	Threaded Connectors.....	110
14.3.1	General.....	110
14.3.2	Design.....	111
14.3.3	Materials.....	111
14.3.4	Quality Control/Testing.....	111
14.3.5	Marking.....	112
14.3.6	Storing and Shipping.....	112
14.4	Tees and Crosses.....	112
14.4.1	General.....	112
14.4.2	Design.....	112
14.4.3	Materials.....	112
14.4.4	Quality Control/Testing.....	112
14.4.5	Marking.....	112
14.4.6	Storing and Shipping.....	113
14.5	Bullplugs.....	113
14.5.1	General.....	113
14.5.2	Design.....	113
14.5.3	Materials.....	114
14.5.4	Quality Control/Testing.....	114
14.5.5	Marking.....	114
14.5.6	Storing and Shipping.....	114
14.6	Valve-removal Plugs.....	114
14.6.1	General.....	114
14.6.2	Design.....	115
14.6.3	Materials.....	115
14.6.4	Quality Control/Thread Gauging.....	115
14.6.5	Marking.....	116
14.6.6	Storing and Shipping.....	116
14.7	Top Connectors.....	116

14.7.1	General .....	116
14.7.2	Design.....	116
14.7.3	Materials .....	117
14.7.4	Quality Control/Testing/Welding.....	117
14.7.5	Marking.....	117
14.7.6	Storage and Shipping .....	117
14.8	Crossover Connectors.....	118
14.8.1	General .....	118
14.8.2	Design.....	121
14.8.3	Materials .....	122
14.8.4	Quality Control/Testing.....	122
14.8.5	Marking.....	122
14.8.6	Storing and Shipping .....	122
14.9	Other End Connectors .....	122
14.9.1	General .....	122
14.9.2	Design.....	122
14.9.3	Materials .....	123
14.9.4	Quality Control/Testing.....	123
14.9.5	Marking.....	123
14.9.6	Storing and Shipping .....	123
14.10	Spools (Adapter and Spacer) .....	123
14.10.1	General .....	123
14.10.2	Design.....	123
14.10.3	Materials .....	124
14.10.4	Quality Control/Testing.....	124
14.10.5	Marking.....	124
14.10.6	Storing and Shipping .....	124
14.11	Valves .....	124
14.11.1	General .....	124
14.11.2	Design.....	128
14.11.3	Materials .....	130
14.11.4	Quality Control/Testing.....	131
14.11.5	Marking.....	131
14.11.6	Storing and Shipping .....	132
14.12	Back-pressure Valves .....	132
14.12.1	General .....	132
14.12.2	Design.....	132
14.12.3	Materials .....	133
14.12.4	Quality Control/Testing.....	133
14.12.5	Marking.....	133
14.12.6	Storing and Shipping .....	133
14.13	Casing and Tubing Hangers (Slip- and Mandrel-type) .....	133
14.13.1	General .....	133
14.13.2	Design.....	133
14.13.3	Materials .....	137
14.13.4	Quality Control/Testing.....	139
14.13.5	Marking.....	139
14.13.6	Storing and Shipping .....	140
14.14	Casing and Tubing Heads .....	141
14.14.1	General .....	141
14.14.2	Design.....	141
14.14.3	Materials .....	145
14.14.4	Quality Control/Testing.....	145
14.14.5	Marking.....	145
14.14.6	Storing and Shipping .....	146
14.15	Chokes.....	146

14.15.1	General .....	146
14.15.2	Design.....	148
14.15.3	Materials .....	149
14.15.4	Quality Control/Testing.....	149
14.15.5	Marking.....	149
14.15.6	Storing and Shipping .....	150
14.16	Actuators.....	150
14.16.1	General .....	150
14.16.2	Design.....	150
14.16.3	Materials .....	151
14.16.4	Quality Control/Testing.....	152
14.16.5	Marking.....	153
14.16.6	Storage and Shipping .....	154
14.17	Safety Valves, Shutdown Valves, and Actuators .....	154
14.17.1	General.....	154
14.17.2	Design.....	154
14.17.3	Materials .....	157
14.17.4	Quality Control/Testing.....	157
14.17.5	Marking.....	157
14.17.6	Storage and Shipping .....	158
14.18	Tree Assemblies .....	158
14.18.1	General .....	158
14.18.2	Design.....	158
14.18.3	Materials .....	158
14.18.4	Quality Control/Testing/Assembly .....	159
14.18.5	Marking.....	159
14.18.6	Storing and Shipping .....	159
15	Records .....	159
15.1	General .....	159
15.1.1	NACE MR0175/ISO 15156 Record Requirements.....	159
15.1.2	Record Control .....	159
15.2	Records Maintained by Manufacturer .....	159
15.2.1	Records of Pressure Tests.....	159
15.2.2	Body, Bonnet, End and Outlet Connectors, Stem, Valve Bore Sealing Mechanism, Mandrel Tubing Hanger, Mandrel Casing Hanger, Slip Bowl, and Slip Segment Records .....	160
15.2.3	Ring Gaskets and Nonintegral Metal Seals Records.....	161
15.2.4	Closure Bolting Records .....	162
15.2.5	Nonmetallic Sealing Material Records .....	162
15.2.6	Bullplugs, Valve-removal Plugs, and Back-pressure Valve Records .....	162
15.2.7	Assembled Equipment Records .....	162
15.2.8	Choke Trim Records .....	162
15.3	Records Furnished to Purchaser .....	163
15.3.1	General .....	163
15.3.2	Body, Bonnet, End and Outlet Connectors, Stem, Valve Bore Sealing Mechanism, Mandrel Tubing Hanger, Casing Hanger, and Back-pressure Valve Records .....	163
15.3.3	Ring Gasket and Nonintegral Metal Seals Records.....	163
15.3.4	Closure Bolting Records .....	163
15.3.5	Nonmetallic Sealing Material Records .....	163
15.3.6	Slip Hanger Records .....	163
15.3.7	Assembled Equipment Records .....	163
15.4	SSV, USV, and BSDV Records.....	164
15.4.1	General .....	164
15.4.2	Shipping Report .....	164
15.4.3	Test Data Sheet .....	164
15.4.4	Records Furnished to Purchaser .....	164

15.4.5	Minimum Contents of Manufacturer’s Operating Manual .....	166
15.4.6	Failure Reporting.....	166
Annex A	.....	167
Annex B (informative)	Purchasing Guidelines.....	168
Annex C (informative)	Conversion Procedures—Units of Measure .....	187
Annex D (normative)	Dimensional Tables—SI Units .....	191
Annex E (normative)	Dimensional Tables—USC Units .....	253
Annex F (informative)	Design Validation Procedures for PR2 (PR2F Level) .....	315
Annex G (informative)	Design and Rating of Equipment for Use at Elevated Temperatures .....	347
Annex H (informative)	Recommended Assembly at Closure Bolting.....	351
Annex I (informative)	Recommended Bolt Lengths.....	356
Annex J (normative)	Weld-neck Flanges .....	365
Annex K (informative)	Top Connectors .....	369
Annex L (informative)	Segmented Flanges .....	382
Annex M (normative)	Heat-treat Equipment Survey .....	391
Bibliography	.....	393

**Figures**

Figure 1	—Typical Wellhead Assembly Nomenclature .....	19
Figure 2	—Typical Wellhead Assembly Nomenclature .....	20
Figure 3	—Typical Tree Nomenclature.....	21
Figure 4	—Equivalent Round Models.....	37
Figure 5	—Test and Gauge Connector Ports for 103.5 MPa and 138.0 MPa (15,000 psi and 20,000 psi) Rated Working Pressure .....	57
Figure 6	—Ring Gasket Hardness Test Location.....	77
Figure 7	—Crossover Spool with Restricted-area Packoff Supported by the Lower Head.....	119
Figure 8	—Crossover Spool with Restricted-area Packoff Supported by the Upper Spool.....	119
Figure 9	—Multistage Crossover Spool .....	120
Figure 10	—Crossover Adapter .....	120
Figure 11	—Single-string and Dual-string Multiple Valve Assemblies .....	125
Figure 12	—Regular Swing Check Valve .....	126
Figure 13	—Full-opening Swing Check Valve .....	127
Figure 14	—Regular Lift Check Valve .....	127
Figure 15	—Typical Reduced-opening Vertical Bore.....	143
Figure 16	—Typical Adjustable Choke.....	147
Figure 17	—Typical Positive Choke .....	147
Figure 18	—Example of a Safety Valve Shipping Report .....	164
Figure 19	—Example of a Safety Valve Factory Acceptance Test Data Sheet.....	165
Figure B.1	—Wellhead Equipment Data Sheet—General.....	169
Figure B.2	—Wellhead Equipment Data Sheet—Casing-head Housing .....	170
Figure B.3	—Wellhead Equipment Data Sheet—Casing-head Spool.....	171
Figure B.4	—Wellhead Equipment Data Sheet—Tubing-head Spool.....	172
Figure B.5	—Wellhead Equipment Data Sheet—Crossover Flange.....	173
Figure B.6	—Wellhead Equipment Data Sheet—Tubing-head Adapter .....	173
Figure B.7	—Wellhead Equipment Data Sheet—Tree and Choke .....	174
Figure B.8	—Wellhead Equipment Data Sheet—Multistage Crossover Spool .....	175
Figure B.9	—Wellhead Equipment Data Sheet—Wellhead Safety Valves .....	177
Figure B.10	—Equipment Data Sheet—Boarding Shutdown Valves .....	177
Figure B.11	—Wellhead Equipment Data Sheet—Choke Sizing.....	178

Figure B.12—Wellhead Equipment Data Sheet—Actuator and Bonnet .....	179
Figure B.13—Typical Wellhead and Tree Configuration for a 34.5 MPa (5000 psi) Rated Working Pressure .....	180
Figure B.14—Typical Wellhead and Tree Configuration for a 69.0 MPa (10,000 psi) Rated Working Pressure .....	181
Figure B.15—Recommended Minimum PSL for Primary Parts .....	183
Figure F.1—Test Procedure .....	320
Figure F.2—Load Cycle Testing for Hangers .....	336
Figure F.3—Group 2 and Group 3 Hangers .....	337
Figure F.4—Group 3 Hangers with Crossover Seal.....	338
Figure F.5—Pressure/Temperature Cycles for Group 3 Slip and Mandrel-type Hangers without Bottom Casing Packoff.....	340
Figure F.6—Pressure/Temperature Cycles for Group 3 Slip and Mandrel-type Hangers with Bottom Casing Packoff Tested Separately .....	341
Figure F.7—Pressure/Temperature Cycles for Group 3 Slip and Mandrel-type Hangers with Bottom Casing Packoff Tested Concurrently .....	341
Figure F.8—Pressure/Temperature Cycles for Group 3 Slip and Mandrel-type Hangers with Bottom Casing Packoff Tested Concurrently .....	342
Figure H.1—Recommended Bolting Make-up Patterns.....	352
Figure I.1—Flange Bolting Configurations .....	356
Figure I.2—Studded Bolting Configurations .....	356
Figure J.1—Weld-neck Flange Dimensions.....	366
Figure J.2—Recommended Weld End Preparation for Type 6B and 6BX Weld-end Flanges .....	368
Figure K.1—Top Connector for Tree—SI Units .....	371
Figure K.2—Top Connector for Tree—USC Units.....	375
Figure K.3—Back-up Ring for Seal—SI Units.....	379
Figure K.4—Back-up Ring for Seal—USC Units .....	381
Figure M.1—Thermocouple Locations—Rectangular Furnace (Working Zone).....	391
Figure M.2—Thermocouple Locations—Cylindrical Furnace (Working Zone) .....	392

**Tables**

Table 1—Pressure Ratings for Internal Threaded End or Outlet Connectors .....	23
Table 2—Temperature Ratings .....	23
Table 3—Material Requirements.....	24
Table 4—Applicability of Product Specification Levels .....	26
Table 5—PSL Application.....	26
Table 6—Tolerances, Unless Otherwise Stated .....	28
Table 7—Standard and Nonstandard Material Applications for Bodies, Bonnets, and End and Outlet Connectors .....	31
Table 8—Standard Material Property Requirements for Bodies, Bonnets,.....	31
Table 9—Charpy V-notch Impact Requirements—10 mm x 10 mm .....	32
Table 10—Adjustment Factors for Subsize Impact Specimens (PSL 1 to PSL 3) .....	32
Table 11—Steel Composition Limits for Bodies, Bonnets, and End and Outlet Connector Materials ....	35
Table 12—Phosphorus and Sulfur Concentration Limits .....	35

**Table 13 (intentionally removed with Addendum 2)**

Table 14—Chemical Composition of the Nickel-based Alloy UNS N06625.....	48
Table 15—Minimum Requirements for Closure Bolting.....	50
Table 16—Acceptable Closure Bolting for 6B and 6BX Flanged and Studded Connections .....	51
Table 17—Allowable Closure Bolting by Temperature Class.....	53
Table 18—Threads for Closure Bolting Used on 6B and 6BX Flanged and Studded End or Outlet Connectors .....	53
Table 19—Casting Specification Level Cross-reference to PSL .....	61
Table 20—Minimum Hardness Values .....	62
Table 21—Maximum Length of Elongated Indication.....	68
Table 22—Requirements for Welding Bodies, Bonnets, and End and Outlet Connectors .....	69

Table 23—Maximum Length of RT Discontinuities.....	71
Table 24—Maximum Length of UT Discontinuities.....	71
Table 25—Requirements for Stems.....	73
Table 26—Requirements for Valve Bore Sealing Mechanisms and Choke Trim.....	75
Table 27—Hardness Requirements.....	78
Table 28—Inspection Locations for Ring Gaskets.....	78
Table 29—Physical Property Data for Qualification of Homogeneous Elastomers.....	80
Table 30—Applicability of Factory Acceptance Testing.....	88
Table 31—Summary of Factory Acceptance Testing Requirements by Equipment Type and PSL.....	88
Table 32—Pressure-holding Periods for Hydrostatic Testing.....	91
Table 33—Hydrostatic Shell Test Pressure.....	92
Table 34—Drift Dimensions for Individual Valves and Trees.....	98
Table 35—Guide to Marking Requirements.....	100
Table 36—Rated Working Pressures and Size Ranges of Flanges.....	103
Table 37—Marking for Blind and Test Flanges.....	107
Table 38—Marking for Studded and Flanged Outlet Connectors.....	108
Table 39—Marking for Ring Gaskets.....	110
Table 40—Marking for Tees and Crosses.....	113
Table 41—Recommended Bullplug Installation Procedure.....	114
Table 42—Marking for Top Connectors.....	118
Table 43—Performance Requirements for Crossover Connectors.....	121
Table 44—Marking for Crossover Connectors.....	122
Table 45—Performance Requirements for Other End Connectors.....	123
Table 46—Marking for Spools.....	124
Table 47—Operating Cycle Requirements for Valves.....	128
Table 48—Marking for Valves.....	132
Table 49—Marking for Actuated Valves (Assemblies of Actuators with Valves Prepared for Actuators).....	132
Table 50—Performance Requirements for Slip Hangers.....	135
Table 51—Performance Requirements for Mandrel Hangers.....	135
Table 52—Marking for Hangers.....	140
Table 53—Performance Requirements for Group 1 Tubing-head Adapters.....	141
Table 54—Performance Requirements for Group 2 Tubing-head Adapters.....	141
Table 55—Marking for Wellhead Equipment.....	145
Table 56—Marking for Wellhead Connectors.....	146
Table 57—Performance Requirements for Chokes.....	148
Table 58—Marking for Chokes.....	149
Table 59—Marking for Choke Beans.....	150
Table 60—Performance Requirements for Actuators.....	151
Table 61—Marking for Actuators.....	153
Table 62—Summary of Validation Requirements for Safety Valves.....	155
Table 63—Marking for Safety Valves.....	158
Table 64—Marking for Trees.....	159
Table B.1—Relative Corrosivity of Retained Fluids as Indicated by CO <sub>2</sub> Partial Pressure.....	186
Table B.2—Recommended Service Limits for Castings.....	186
Table C.1—Pressure Rating Conversion between SI and USC for API 6A Equipment.....	188
Table C.2—Conversions for the Radius at Back Face.....	188
Table C.3—Rounding Values for Hole Sizes and Tolerances.....	189
Table D.1—Type 6B Flanges for 13.8 MPa.....	193
Table D.2—Type 6B Flanges for 20.7 MPa.....	195
Table D.3—Type 6B Flanges for 34.5 MPa.....	197
Table D.4—Type 6BX Flanges for 69.0 MPa.....	199
Table D.5—Type 6BX Flanges for 103.5 MPa.....	201
Table D.6—Type 6BX Flanges for 138.0 MPa.....	203
Table D.7—Type 6BX Large-bore Flanges for 13.8 MPa, 20.7 MPa, and 34.5 MPa.....	205
Table D.8—Type R Ring Grooves.....	207
Table D.9—Type R Ring Gaskets.....	209

Table D.10—Type RX Ring Gaskets .....	211
Table D.11—Type BX Ring Grooves.....	213
Table D.12—Type BX Ring Gaskets .....	215
Table D.13—Flanged Crosses and Tees .....	217
Table D.14—Studded Crosses and Tees .....	221
Table D.15—Bullplugs .....	225
Table D.16—VR Plug Dimensions, 13.8 MPa, 20.7 MPa, 34.5 MPa, and 69.0 MPa .....	227
Table D.17—VR Preparation Dimensions, 13.8 MPa, 20.7 MPa, 34.5 MPa, and 69.0 MPa.....	229
Table D.18—VR Plug Thread Gauging Dimensions, 13.8 MPa, 20.7 MPa, 34.5 MPa, and 69.0 MPa ....	231
Table D.19—VR Preparation Thread Gauging Dimensions, 13.8 MPa, 20.7 MPa, 34.5 MPa, and 69.0 MPa...	232
Table D.20—HPVR Plug Dimensions, 103.5 MPa and 138.0 MPa .....	233
Table D.21—HPVR Preparation Dimensions, 103.5 MPa and 138.0 MPa.....	235
Table D.22—Flanged Full-bore Gate Valves .....	237
Table D.23—Flanged Plug and Ball Valves.....	239
Table D.24—Flanged Swing and Lift Check Valves .....	241
Table D.25—Center Spacing of Conduit Bores for Dual Parallel Bore Valves for 13.8 MPa, 20.7 MPa, 34.5 MPa, and 69.0 MPa .....	243
Table D.26—Center Spacing of Conduit Bores for Triple, Quadruple, and Quintuple Parallel Bore Valves for 13.8 MPa, 20.7 MPa, 34.5 MPa, and 69.0 MPa.....	245
Table D.27—Maximum Hanger Outside Diameter for Wellheads .....	247
Table D.28—Minimum Vertical Full-opening Wellhead Body Bores and Maximum Casing Sizes .....	248
Table D.29—Pipe Thread Counterbore and Standoff Dimensions .....	249
Table D.30—Gauging of Casing and Tubing Threads .....	251
Table E.1—Type 6B Flanges for 2000 psi .....	255
Table E.2—Type 6B Flanges for 3000 psi .....	257
Table E.3—Type 6B Flanges for 5000 psi .....	259
Table E.4—Type 6BX Flanges for 10,000 psi.....	261
Table E.5—Type 6BX Flanges for 15,000 psi.....	263
Table E.6—Type 6BX Flanges for 20,000 psi.....	265
Table E.7—Type 6BX Large-bore Flanges for 2000 psi, 3000 psi, and 5000 psi.....	267
Table E.8—Type R Ring Grooves .....	269
Table E.9—Type R Ring Gaskets .....	271
Table E.10—Type RX Ring Gaskets.....	273
Table E.11—Type BX Ring Grooves.....	275
Table E.12—Type BX Ring Gaskets.....	277
Table E.13—Flanged Crosses and Tees .....	279
Table E.14—Studded Crosses and Tees.....	283
Table E.15—Bullplugs.....	287
Table E.16—VR Plug Dimensions, 2000 psi, 3000 psi, 5000 psi, and 10,000 psi.....	289
Table E.17—VR Preparation Dimensions, 2000 psi, 3000 psi, 5000 psi, and 10,000 psi.....	291
Table E.18—VR Plug Thread Gauging Dimensions, 2000 psi, 3000 psi, 5000 psi, and 10,000 psi .....	293
Table E.19—VR Preparation Thread Gauging Dimensions, 2000 psi, 3000 psi, 5000 psi, and 10,000 psi.....	294
Table E.20—HPVR Plug Dimensions, 15,000 psi and 20,000 psi.....	295
Table E.21—HPVR Preparation Dimensions, 15,000 psi and 20,000 psi .....	297
Table E.22—Flanged Full-bore Gate Valves .....	299
Table E.23—Flanged Plug Valves and Ball Valves .....	301
Table E.24—Flanged Swing and Lift Check Valves .....	303
Table E.25—Center Spacing of Conduit Bores for Dual Parallel Bore Valves for 2000 psi, 3000 psi, 5000 psi, and 10,000 psi .....	305
Table E.26—Center Spacing of Conduit Bores for Triple, Quadruple, and Quintuple Parallel Bore Valves for 2000 psi, 3000 psi, 5000 psi, and 10,000 psi .....	307
Table E.27—Maximum Hanger Outside Diameter for Wellheads .....	309
Table E.28—Minimum Vertical Full-opening Wellhead Body Bores and Maximum Casing Sizes.....	310
Table E.29—Pipe Thread Counterbore and Standoff Dimensions .....	311
Table E.30—Gauging of Casing and Tubing Threads .....	313
Table F.1—Ambient Temperature Gas Leakage Acceptance Criteria.....	317

Table F.2—Standard Test Fluids for Nonmetallic Seals.....	322
Table F.3—Nominal End Connector Sizes .....	325
Table F.4—Nominal Pipe Sizes .....	325
Table F.5—Scaling for Nonmetallic Seals.....	326
Table F.6—Summary of Design Validation Requirements for Valves.....	329
Table F.7—Summary of Design Validation Requirements for Actuators .....	332
Table F.8—Summary of Design Validation Requirements for Chokes .....	333
Table F.9—Summary of Design Validation Requirements for Casing-head Housings, Casing-head .....	335
Table F.10—Summary of Design Validation Requirements for Group 2 Slip-type Hangers .....	336
Table F.11—Summary of Design Validation Requirements for Group 3 Slip-type Hangers .....	337
Table F.12—Summary of Design Validation Requirements for Group 4 Slip-type Hangers .....	338
Table F.13—Summary of Design Validation Requirements for Group 1 Mandrel-type Hangers .....	339
Table F.14—Summary of Design Validation Requirements for Group 2 Mandrel-type Hangers .....	339
Table F.15—Summary of Design Validation Requirements for Group 3 Mandrel-type Hangers .....	340
Table F.16—Summary of Design Validation Requirements for Group 4 Mandrel-type Hangers .....	342
Table F.17—Summary of Design Validation Requirements for Group 5 Mandrel-type Hangers .....	343
Table F.18—Summary of Design Validation Requirements for Packing Mechanisms .....	344
Table F.19—Summary of Design Validation Requirements for Group 2 Tubing-head Adapters.....	344
Table F.20—Summary of Design Validation Requirements for Other End Connectors .....	345
Table G.1—Temperature Ratings.....	347
Table G.2—Optional Pressure-temperature Ratings for 6B Flanges .....	347
Table G.3—Optional Material De-rating Factors for Elevated Temperature.....	350
Table G.4—Optional Material De-rating Factors for Elevated Temperature.....	350
Table H.1—Recommended Torques for Flange Bolting (SI Units).....	353
Table H.2—Recommended Torques for Flange Bolting (USC Units).....	354
Table I.1—Stud Bolt Length Table for 6B Flange Connectors with “R” and “RX” Gaskets .....	358
Table I.2—Stud Bolt Length Table for 6BX Flange Connectors .....	359
Table I.3—Tap End Stud Length Table for 6B Studded Flange Connectors with “R” and “RX” Gaskets .....	361
Table I.4—Tap End Stud Length Table for 6BX Studded Flange Connectors .....	362
Table I.5—Stud Bolt Length Table for 6B Flange Connectors with “R” Gaskets (USC Units) .....	363
Table I.6—Tap End Stud Length Table for 6B Studded Flange Connectors with “R” Gaskets .....	364
Table K.1—Standard Top Connector Sizes .....	370
Table K.2—Top Connector Body, Inside and Outside Diameter Combinations .....	370
Table K.3—Dimensions for Top Connectors—SI Units.....	372
Table K.4—Dimensions for Top Connectors—USC Units .....	376
Table K.5—Seals for Top Connector Plugs for H <sub>2</sub> S Service .....	380
Table K.6—Back-up Ring for Seal—SI Units .....	380
Table K.7—Back-up Ring for Seal—USC Units .....	381
Table L.1—Dimensions for 34.5 MPa Rated Working Pressure, Segmented Flanges for Dual Completion.....	383
Table L.2—Dimensions for Type RX Ring Grooves and Ring Gasket Used on Segmented Flanges for Dual Completion.....	387

## **Introduction**

The International System of Units (SI) is used in this specification. However, nominal sizes are shown as fractions in the inch system.

The fractions and their decimal equivalents are equal and interchangeable. Metric conversions and inch dimensions in this specification are based on the original fractional inch designs. Functional dimensions have been converted into the metric system to ensure interchangeability of products manufactured in metric or inch systems; see also Annex C.

An “—” symbol when used in tables means that the applicable size, value, or dimension does not apply.

It is necessary that users of this specification be aware that further or differing requirements can be needed for individual applications. This specification is not intended to inhibit a vendor from offering, or the purchaser from accepting, alternative equipment or engineering solutions for the individual application. This can be particularly applicable where there is innovative or developing technology. Where an alternative is offered, it is the responsibility of the vendor to identify any variations from this specification and provide details.



# Specification for Wellhead and Tree Equipment

## 1 Scope

This specification identifies requirements and gives recommendations for the performance, dimensional and functional interchangeability, design, materials, testing, inspection, welding, marking, handling, storing, shipment, and purchasing of wellhead and tree equipment for use in the petroleum and natural gas industries.

This specification does not apply to field use or field testing. This specification also does not apply to repair of wellhead and tree equipment except for weld repair in conjunction with manufacturing. Tools used for installation and service (e.g. running tools, test tools, wash tools, wear bushings, and lubricators) are outside the scope of this standard.

This specification is applicable to the equipment identified in 4.1 and Section 14.

This specification establishes requirements for four product specification levels (PSLs): PSL 1, PSL 2, PSL 3, and PSL 4. A supplemental designation of PSL 3G applies to PSL 3 products that have satisfied the additional requirements of gas testing. The PSL designations define different levels of technical quality requirements.

Subject matter of Annexes B, C, D, E, F, G, H, I, J, K, L, and M has been arranged in a way that minimizes the impact of changes on users of this document.

## 2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies, except that new editions may be used on issue and shall become mandatory upon the effective date specified by the publisher or 12 months from the date of the revision (where no effective date is specified).

API Recommended Practice 5A3, *Recommended Practice on Thread Compounds for Casing, Tubing, Line Pipe, and Drill Stem Elements*

API Specification 5B, *Threading, Gauging, and Inspection of Casing, Tubing, and Line Pipe Threads*

API Specification 5CT, *Casing and Tubing*

API Standard 6ACRA, *Age-hardened Nickel-based Alloys for Oil and Gas Drilling and Production Equipment*

API Standard 6AV1, *Validation of Safety and Shutdown Valves for Sandy Service*

API Standard 6X, *Design Calculations for Pressure-containing Equipment*

API Recommended Practice 14F, *Design, Installation, and Maintenance of Electrical Systems for Fixed and Floating Offshore Petroleum Facilities for Unclassified and Class 1, Division 1 and Division 2 Locations*

API Specification 16A, *Specification for Drill-through Equipment*