

Manual of Petroleum Measurement Standards Chapter 13—Statistical Aspects of Measuring and Sampling

Section 2—Methods of Evaluating Meter Proving Data

SECOND EDITION, APRIL 2018



AMERICAN PETROLEUM INSTITUTE

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Copyright © 2018 American Petroleum Institute

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this specification are as follows:

- the term “shall” denotes a minimum requirement in order to conform to the standard;
- the term “should” denotes a recommendation or that which is advised but not required in order to conform to the standard;
- the term “may” is used to express permission or a provision that is optional;
- the term “can” is used to express possibility or capability.

Informative elements—As used in a standard, “informative” denotes elements that identify the document, introduce its content, and explain its background, development, and its relationship with other documents or provide additional information intended to assist the understanding or use of the document.

Normative elements—As used in a standard, “normative” denotes elements that describe the scope of the document and that set out provisions that are required to implement the standard.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Contents

	Page
1 Scope	1
2 Normative References	1
3 Terms, Definitions, and Acronyms	1
4 Significance and Use	3
5 Elements that Influence Meter Factors	3
6 General Suggestions to Improve the Monitoring Process	4
7 Data Signals	4
8 Ways to Monitor Meter Factors	5
8.1 General	5
8.2 Logging	5
8.3 Run Charting	8
8.4 Univariate Control Charting	10
8.5 Multivariate Control Charts for Meter Factors	14
Annex A (informative) Tests for Normality	17
Annex B (informative) Other Charts	21
Annex C (informative) Data Tables for Charts in Main Body	24
Annex D (informative) Runs Rules	30
Bibliography	31

Figures

1 Three Patterns that Suggest Further Investigation	8
2 Basic Run Charts	9
3 Run Chart of Deviations from the Curve with Fixed Limits of ± 0.15 % Deviation from the Curve on the Primary y-axis and Relative Density on the Secondary y-axis	10
4 Control Chart of Meter Factors using <i>sd</i> of Trial Factors	11
5 Control Chart of Meter Factors using Range % of the Trial Factors	12
6 Control Chart of Meter Factors using Moving Range (mR) of the Meter Factors	12
7 Control Chart of Meter Factors Using Limits Calculated from Moving Averages	13
8 Generalized Multivariate Chart	15
9 Multivariate Chart for Table 3 Data and the Associated Four Univariate Charts	16
A.1 Normal Probability Plot for Table 3 Data	17
A.2 Normal Probability Plots for Non-normal Data	19
B.1 Run Chart using Policy Run-to-Run Limit of 0.05 %	21
B.2 Control Chart with Limits Calculated from Percentiles of the Meter Factors	22

Tables

1 Responses to Consider when Limits are Exceeded	4
2 Meaning of Column Titles in Table 3	6
3 Meter Factor Log	7
4 Relative Contribution of Each Component to the T-squared Statistic	16
A.1 Data for the QQ Plot in Figure A.1	18
A.2 Anderson-Darling Statistics for Table 3 Data	20
A.3 Shapiro-Wilk Statistics for Table 3 Data	20

Contents

	Page
Tables (Continued)	
B.2 Data Set for the Control Chart Based on Percentiles	22
C.4 Underlying Data for Figure 4	24
C.5 Underlying Data for Figure 5	26
C.6 Underlying Data for Figure 6	27
C.7 Underlying Data for Figure 7	29

Introduction

Minimizing petroleum measurement errors, estimating remaining errors and informing affected parties of errors is important to the petroleum industry. A consistent basis for estimating the size and significance of errors is essential for communication among affected parties. A fundamental source of measurement error is the inaccuracy of the meter factor which is a number that represents the performance of a meter throughout a batch.

Meter factors are monitored to gain confidence in the reported volumes and to detect trends or sudden deviations as indications of when to perform maintenance on or calibration of measurement equipment. The purpose of this standard is to suggest procedures for monitoring variations in meter factors so that uncertainties are understood and consistent with the objectives of parties affected by the measurement operations. The procedures for monitoring meter performance, limits on meter factor variations and actions to take because of these variations are left to the agreement among the parties affected by the measurement operations which can depend on company policy, contract agreements, regulations and laws.

Section 2—Methods of Evaluating Meter Proving Data

1 Scope

This standard establishes the basic concepts and procedures to estimate and report meter performance uncertainty in consistent and comparable ways.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the reference document (including any amendments) applies.

API Manual of Petroleum Measurement Standards (MPMS) Chapter 1, Online Terms and Definitions Database

API MPMS Chapter 4, Proving Systems

API MPMS Chapter 5, Metering

API MPMS Chapter 12, Calculation of Petroleum Quantities

API MPMS Chapter 13.3, Measurement Uncertainty Quantities

3 Terms, Definitions, and Acronyms

For the purposes of this document, the following terms and definitions apply. Terms of more general use may be found in the *API MPMS Chapter 1, Online Terms and Definitions Database*. Acronyms are defined in the text at first use.

3.1

3 standard deviation limit

A control limit equal to 3 standard deviations from the arithmetic mean of the set.

NOTE For a set of normal data this limit is also known as the 3-sigma limit.

3.2

action limits

Horizontal lines found on a run chart or control chart which, if exceeded, suggests that some sort of action is necessary to modify the underlying process or to modify the reports generated from the process. Related terms: tolerance limit, warning limit.

3.3

central line

A line on a control chart or run chart that represents the central value.

3.4

central value

The mean value of the statistic under consideration. Synonym: central tendency.

3.5

control chart

A graphical method for evaluating whether a process is in or out of statistical control.