

# **Manual of Petroleum Measurement Standards Chapter 10.3**

## **Standard Test Method for Water and Sediment in Crude Oil by the Centrifuge Method (Laboratory Procedure)**

FIFTH EDITION, DECEMBER 2022



## Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Users of this Standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Where applicable, authorities having jurisdiction should be consulted.

Work sites and equipment operations may differ. Users are solely responsible for assessing their specific equipment and premises in determining the appropriateness of applying the instructions. At all times users should employ sound business, scientific, engineering, and judgment safety when using this Standard.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Washington, DC 20001.

*Copyright © 2013 American Petroleum Institute*

## Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Washington, DC 20001, [standards@api.org](mailto:standards@api.org).



## Contents

	Page
1 Scope .....	1
2 Referenced Documents .....	1
3 Terminology .....	2
4 Summary of Test Method .....	2
5 Significance and Use .....	2
6 Apparatus .....	2
7 Solvent .....	3
8 Sampling .....	3
9 Procedure .....	5
10 Calculation .....	5
11 Precision and Bias .....	5
12 Keywords .....	5
<b>Annex A1 (Mandatory Information) Procedure to Water-saturate Toulene .....</b>	<b>6</b>
<b>Appendix X1 (Nonmandatory Information) Precision and Accuracy of Methods for Determining Water in Crude Oils .....</b>	<b>7</b>
<b>Summary of Changes .....</b>	<b>13</b>
<b>Figures</b>	
1 Eight-Inch (203-mm) Centrifuge Tube .....	3
2 Procedure for Reading Water and Sediment When Using an ASTM 100-mm Cone-Shaped Centrifuge Tube .....	4
3 Basic Sediment and Water Precision .....	6
A1.1 Solubility of Water in Toluene .....	6
X1.1 Basic Sediment and Water Precision for ASTM Test Method D95 (API <i>MPMS</i> Chapter 10.5) Distillation (Based on Seven Laboratories) .....	11
X1.2 Basic Sediment and Water Precision for ASTM Test Method D1796 (API <i>MPMS</i> Chapter 10.6) Centrifuge (Based on Five Laboratories) .....	12
X1.3 Basic Sediment and Water Precision for ASTM Test Method D1796 (API <i>MPMS</i> Chapter 10.6) Centrifuge (Based on Six Laboratories) .....	12
<b>Tables</b>	
1 Centrifuge Tube Calibration Tolerances for 203-mm (8-in.) Tube .....	3
2 Expression of Results, mL .....	5
X1.1 Base Case—Water Content of Crudes .....	8
X1.2 Water Content of Crude Oil Samples .....	8
X1.3 Determination of Water in Crude Oils, % H <sub>2</sub> O .....	9
X1.4 Corrections to be Applied to Measured Values to Obtain “True” Water Content .....	9
X1.5 Bias of Methods Estimated from Spiked Samples .....	9
X1.6 Round-Robin Results of Water in Crude Oils by ASTM D95 (API <i>MPMS</i> Chapter 10.5) and ASTM D1796 (API <i>MPMS</i> Chapter 10.6) .....	10
X1.7 Constants .....	10
X1.8 ASTM Precision Intervals: ASTM D95 (API <i>MPMS</i> Chapter 10.5) (7 Laboratories) .....	11
X1.9 Limiting Repeatabilities and Reproducibilities .....	12





Designation: D4007 – 22



Manual of Petroleum Measurement Standards (MPMS), Chapter 10.3

## Standard Test Method for Water and Sediment in Crude Oil by the Centrifuge Method (Laboratory Procedure)<sup>1</sup>

This standard is issued under the fixed designation D4007; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\epsilon$ ) indicates an editorial change since the last revision or reapproval.

### 1. Scope\*

1.1 This test method describes the laboratory determination of water and sediment in crude oils by means of the centrifuge procedure. This centrifuge method for determining water and sediment in crude oils is not entirely satisfactory. The amount of water detected is almost always lower than the actual water content. When a highly accurate value is required, the revised procedures for water by distillation, Test Method D4006 (API MPMS Chapter 10.2) (Note 1), and sediment by extraction, Test Method D473 (API MPMS Chapter 10.1), shall be used.

NOTE 1—Test Method D4006 (API MPMS Chapter 10.2) has been determined to be the preferred and most accurate method for the determination of water.

1.2 The values stated in SI units are to be regarded as standard.

1.2.1 *Exception*—The values given in parentheses are for information only.

1.3 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety, health, and environmental practices and determine the applicability of regulatory limitations prior to use.* Specific warning statements appear in 7.1, 9.3, and A1.5.4.

1.4 *This international standard was developed in accordance with internationally recognized principles on standardization established in the Decision on Principles for the Development of International Standards, Guides and Recommendations issued by the World Trade Organization Technical Barriers to Trade (TBT) Committee.*

<sup>1</sup> This test method is under the jurisdiction of ASTM Committee D02 on Petroleum Products, Liquid Fuels, and Lubricants and the API Committee on Petroleum Measurement and is the direct responsibility of Subcommittee D02.02/COMQ the joint ASTM-API Committee on Hydrocarbon Measurement for Custody Transfer (Joint ASTM-API). This test method has been approved by the sponsoring committees and accepted by the Cooperating Societies in accordance with established procedures.

Current edition approved Oct. 1, 2022. Published October 2022. Originally approved in 1981. Last previous edition approved in 2016 as D4007 – 11 (2016) <sup>$\epsilon$ 1</sup>. DOI: 10.1520/D4007-22.

### 2. Referenced Documents

#### 2.1 ASTM Standards:<sup>2</sup>

D95 Test Method for Water in Petroleum Products and Bituminous Materials by Distillation (API MPMS Chapter 10.5)

D473 Test Method for Sediment in Crude Oils and Fuel Oils by the Extraction Method (API MPMS Chapter 10.1)

D665 Test Method for Rust-Preventing Characteristics of Inhibited Mineral Oil in the Presence of Water

D1796 Test Method for Water and Sediment in Fuel Oils by the Centrifuge Method (Laboratory Procedure) (API MPMS Chapter 10.6)

D4006 Test Method for Water in Crude Oil by Distillation (API MPMS Chapter 10.2)

D4057 Practice for Manual Sampling of Petroleum and Petroleum Products (API MPMS Chapter 8.1)

D4175 Terminology Relating to Petroleum Products, Liquid Fuels, and Lubricants

D4177 Practice for Automatic Sampling of Petroleum and Petroleum Products (API MPMS Chapter 8.2)

D4928 Test Method for Water in Crude Oils by Coulometric Karl Fischer Titration (API MPMS Chapter 10.9)

D5854 Practice for Mixing and Handling of Liquid Samples of Petroleum and Petroleum Products (API MPMS Chapter 8.3)

E969 Specification for Glass Volumetric (Transfer) Pipets

#### 2.2 API Standards:<sup>3</sup>

MPMS Chapter 1 Terms and Definitions Database

MPMS Chapter 8.1 Manual Sampling of Petroleum and Petroleum Products (ASTM Practice D4057)

MPMS Chapter 8.2 Automatic Sampling of Petroleum and Petroleum Products (ASTM Practice D4177)

MPMS Chapter 8.3 Mixing and Handling of Liquid Samples

<sup>2</sup> For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

<sup>3</sup> Available from American Petroleum Institute (API), 1220 L. St., NW, Washington, DC 20005-4070, www.api.org.

\*A Summary of Changes section appears at the end of this standard