

Manual of Petroleum Measurement Standards Chapter 14.1

Collecting and Handling of Natural Gas Samples for Analysis by Gas Chromatography

GPA 2166

EIGHTH EDITION, SEPTEMBER 2022



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

API Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

GPA Disclaimer

GPA Midstream Association publications necessarily address problems of a general nature and may be used by anyone desiring to do so. Every effort has been made by GPA Midstream to ensure accuracy and reliability of the information contained in this publication. Each person who uses or refers to this publication will need to make their own decisions based on consideration of their own internal best practices, recommendations, and engineering judgment. GPA Midstream and its members do not guarantee the accuracy, completeness, efficacy, timeliness, or correct sequencing of such information, including without limitation, the reference material and information of the various other industry associations that may be provided herein. Use of the information provided in this publication is voluntary, and reliance on it should be undertaken only after an independent review of its accuracy, completeness, efficacy, timeliness, and consideration of the applicability of any local, state, and federal laws and regulations.

It is not the intent of GPA Midstream to assume the duties of employers, manufacturers, or suppliers to warn and properly train employees, or others exposed, concerning health and safety risks or precautions. Reference herein to any specific commercial product, process, or service by trade name, trademark, service mark, manufacturer, or otherwise does not constitute or imply endorsement, recommendation, or favoring by GPA Midstream.

GPA Midstream makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any federal, state, or municipal regulation with which this publication may conflict, or for any infringement of letters of patent regarding apparatus, equipment, or method so covered.

Contents

1	Scope	1
2	Normative References	1
3	Terms, Definitions, Acronyms, and Abbreviations	1
3.1	Terms and Definitions	1
3.2	Acronyms and Abbreviations	5
4	Hydrocarbon Dew Point.....	5
4.1	General	5
4.2	Initial Sampling of a Gas Stream of Unknown Hydrocarbon Dew Point and Composition	5
5	General Considerations for the Design of a Natural Gas Sampling System	6
5.1	General	6
5.2	The Components of Typical Sampling Systems	6
6	Flow Characteristics	8
6.1	General	8
6.2	Single-phase Flow	9
6.3	Causes of Gas Sample Distortion.....	9
6.4	Phase Changes	9
6.5	Flowing and Sampling Conditions	9
6.6	Adsorption	11
6.7	Liquid/Gas Interfaces	11
6.8	Plastic Tubing	11
6.9	Residual Impurities	12
6.10	Revaporization.....	12
6.11	Cleanliness.....	12
6.12	General Discussion of Heating	13
7	Sample Probes.....	15
7.1	General Design Considerations.....	15
7.2	Application	16
7.3	Types	17
7.4	Probe Installation	18
8	Sample Loops and Transfer Lines.....	21
8.1	General Design Considerations.....	21
8.2	Pressure Drop in a Sample Loop.....	21
8.3	Tubing.....	21
8.4	Pressure Regulators	23
8.5	Pumps.....	23
8.6	Filters	23
8.7	Separators	24
9	Sample Containers	24
9.1	General Design Considerations.....	24
9.2	Types of Sample Containers	25
9.3	Pressure Regulators and Regulating Probes	28
9.4	Composite Sampling Systems	29
9.5	Calibration Standards	29
10	Materials for Sweet and Sour Gas Service	29
10.1	General Considerations	29
10.2	Carbon Steel	29
10.3	Dissimilar Materials.....	29

11	System Considerations	30
11.1	General	30
11.2	Timers	30
11.3	Flow Computers	30
11.4	Power Supplies	30
12	Spot Sampling Methods	30
12.1	General	30
12.2	Evacuated Container Method	31
12.3	Reduced Pressure Method	33
12.4	Helium Pop Method	34
12.5	Floating Piston Container Method	35
12.6	Glycol or Water Displacement Method	37
12.7	Purging-fill and Empty Method	39
12.8	Purging-controlled Rate Method	43
12.9	Vacuum-gathering System Method	45
12.10	Portable and Online Gas Chromatograph Method (see GPA 2261)	48
12.11	Use of Thermal Isolation and Throttling Devices	49
13	Automatic Sampling	50
13.1	Composite Samplers	50
13.2	Continuous Sampling Systems for Online Analyzers	51
14	Sampling Intervals	51
14.1	General Considerations	51
14.2	Composite Sample Intervals	51
14.3	Spot Sampling Intervals	51
15	Labeling, Handling, and Transportation of Containers	52
15.1	Labeling	52
15.2	Handling and Transportation of Containers	53
15.3	Sample Handling in the Laboratory	54
15.4	Sample Receipt and Storage	54
15.5	Sample Handling Prior to Analysis	54
15.6	Sample Disposal and Container Cleaning	54
16	Autoignition of Natural Gas	54
Annex A	(informative) The Phase Diagram	55
Annex B	(informative) Fluid Mechanical Considerations in Gas Sampling	60
Annex C	(informative) Lessons Learned during Sampling in Hydrocarbon-saturated and Two-phase Natural Gas Streams	63
Annex D	(informative) Hydrogen Sulfide Warning	65
Annex E	(informative) API Laboratory Inspection Checklist	66
Annex F	(informative) New Spot or Composite Sample Method Performance Verification Procedure	70
Annex G	(informative) Method for Measuring Hydrocarbon Dew Point Temperatures Using a Bureau of Mines Manual Chilled Mirror Dew Point Apparatus	74
Annex H	(informative) Gas Sampling Checklists	83
Annex I	(normative) Cleaning	87
Annex J	(informative) Gas Sampling Separators	89
Annex K	(informative) Portable Gas Chromatograph Considerations	92
Annex L	(informative) Sampling Systems for Online Analyzers	93
Bibliography	98

Figures

1	Typical Spot Sampling System and Typical Composite Sampling System within a Heated Enclosure.....	7
2	Typical Continuous (Online) Sampling System/Mobile Sampling System	8
3	Examples of Thermodynamic Processes Associated with Sampling System Design and Sampling Methods	10
4	Straight Tube Sample Probe	16
5	Typical Regulated Sample Probe	17
6	Probe Dimensions Used to Determine Maximum Recommended Probe Length	20
7A	Typical Double-valve Sample Container.....	26
7B	Single-valve Sample Container	26
7C	Typical Floating Piston Container.....	28
8	Evacuated Container Method, Reduced Pressure Method, Helium Pop Method.....	32
9	Floating Piston Method	36
10	Displacement Method.....	38
11	Direct Mounting for Purging-fill and Empty, Purging-controlled Rate Methods	41
12	Close Coupling for Purging-fill and Empty, Purging-controlled Rate Methods	41
13	Vacuum-gathering System Method.....	46
14	Alternative Method for Sampling from a Vacuum-gathering System	47
15	Flow Plug $\frac{1}{8}$ Port	50
16	Typical Sample Label Information.....	53
A.1	Pressure-Volume and Pressure-Temperature Diagrams for a Pure Component.....	57
A.2	Pressure-Volume and Pressure-Temperature Diagrams for a Mixture	58
A.3	Retrograde Condensation	59
A.4	Examples of Thermodynamic Processes of Natural Gas	59
B.1	Laminar Flow in the Entrance Region of the Pipe	62
B.2	Comparison of Laminar and Turbulent Velocity Profiles for Flow in a Pipe	62
G.1	Diagram of a Typical Bureau of Mines Chilled Mirror Dew Point Apparatus.....	75
J.1	GPA Gas Separator.....	90
L.1	Typical Online Chromatograph Configuration.....	93
L.2	Typical Sample Probe with Regulator Installation	94
L.3	Cutaway Diagram of Heat Traced Tubing.....	95
L.4	Typical Sample Bypass Loop	96

Tables

1	Maximum Recommended Probe Lengths	18
2	Fill and Empty Cycles.....	40
G.1	Examples of Hydrocarbon Dew Formations on a Chilled Mirror Surface	79
G.2	Examples of Other Condensations on a Chilled Mirror Surface	80
L.1	Sample Transport Time	96

Introduction

This standard focuses on natural gas sampling systems and procedures, recognizing the critical impact of hydrocarbon dew point consideration to the overall accuracy and success of these practices and procedures.

Not all methods are appropriate for all sampling conditions, so it is important to have a thorough knowledge of the phase behavior of the product to be sampled and of the Joule-Thomson effect.

Analyses of gas samples are used for many purposes and are applied to various calculations, some of which have an impact on the accuracy of quantity and quality calculations.

This standard address collection and handling of representative natural gas samples from streams at or above the hydrocarbon dew point, streams that may contain water vapor up to the point of saturation, and streams that may be sour or sweet.

It is not the intent of this standard to recommend particular equipment suppliers or manufacturers.

Collecting and Handling of Natural Gas Samples for Analysis by Gas Chromatography

1 Scope

The purpose of the standard is to provide comprehensive guidelines and procedures for properly extracting, collecting, conditioning, and handling a sample from a flowing natural gas stream at or above its dew point temperature and that represents the composition of the vapor-phase portion of the source fluid. This standard considers spot, composite, continuous, online, and mobile sampling systems and does not include sampling of liquid or multiphase streams.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

GPA 2198-16 ¹, *Selection, Preparation, Validation, Care and Storage of Natural Gas and Natural Gas Liquids Reference Standard Blends*

GPA 2261-20, *Analysis for Natural Gas and Similar Gaseous Mixtures by Gas Chromatography*

3 Terms, Definitions, Acronyms, and Abbreviations

3.1 Terms and Definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

absorption

Occurs when natural gas constituents are dissolved into a liquid or solid that is not considered to be the mixture's liquid phase.

3.1.2

adsorption

Occurs when a thin film of molecules adheres to a liquid or solid surface.

3.1.3

chilled mirror test

Used to determine dew points of water and/or hydrocarbon by passing the natural gas over a mirror while gradually reducing the temperature of the mirror until condensation forms. A Bureau of Mines–type of dew point apparatus is commonly used for chilled mirror tests.

3.1.4

continuous sampling systems

Provides for an uninterrupted flow of sample.

3.1.5

cricondenbar

The point of maximum pressure on a hydrocarbon dew point curve. This is the highest pressure at which a hydrocarbon mixture can exist separately as gas and liquid.

¹ GPA Midstream Association, 6060 American Plaza, Suite 700, Tulsa, Oklahoma 74135, <https://gpamidstream.org>.