



PROCESS
INDUSTRY
PRACTICES

COMPLETE REVISION
December 2016

Civil

**PIP CVS02830
Chain Link Fence and Gates
Installation Specification**

PURPOSE AND USE OF PROCESS INDUSTRY PRACTICES

In an effort to minimize the cost of process industry facilities, this Practice has been prepared from the technical requirements in the existing standards of major industrial users, contractors, or standards organizations. By harmonizing these technical requirements into a single set of Practices, administrative, application, and engineering costs to both the purchaser and the manufacturer should be reduced. While this Practice is expected to incorporate the majority of requirements of most users, individual applications may involve requirements that will be appended to and take precedence over this Practice. Determinations concerning fitness for purpose and particular matters or application of the Practice to particular project or engineering situations should not be made solely on information contained in these materials. The use of trade names from time to time should not be viewed as an expression of preference but rather recognized as normal usage in the trade. Other brands having the same specifications are equally correct and may be substituted for those named. All Practices or guidelines are intended to be consistent with applicable laws and regulations including OSHA requirements. To the extent these Practices or guidelines should conflict with OSHA or other applicable laws or regulations, such laws or regulations must be followed. Consult an appropriate professional before applying or acting on any material contained in or suggested by the Practice.

This Practice is subject to revision at any time.

© Process Industry Practices (PIP), Construction Industry Institute, The University of Texas at Austin, 3925 West Braker Lane (R4500), Austin, Texas 78759. PIP Member Companies and Subscribers may copy this Practice for their internal use. Changes or modifications of any kind are not permitted within any PIP Practice without the express written authorization of PIP. Authorized Users may attach addenda or overlays to clearly indicate modifications or exceptions to specific sections of PIP Practices. Authorized Users may provide their clients, suppliers and contractors with copies of the Practice solely for Authorized Users' purposes. These purposes include but are not limited to the procurement process (e.g., as attachments to requests for quotation/ purchase orders or requests for proposals/contracts) and preparation and issue of design engineering deliverables for use on a specific project by Authorized User's client. PIP's copyright notices must be clearly indicated and unequivocally incorporated in documents where an Authorized User desires to provide any third party with copies of the Practice.

PUBLISHING HISTORY

May 2003 *Issued*
January 2010 *Complete Revision*
December 2016 *Complete Revision*

Not printed with State funds



PIP CVS02830 Chain Link Fence and Gates Installation Specification

Table of Contents

1. Scope.....	2	4. Requirements	3
2. References	2	4.1 General	3
2.1 Process Industry Practices	2	4.2 Quality Control	4
2.2 Industry Codes and Standards	2	4.3 Quality Assurance	4
3. Definitions	3	4.4 Submittals	4
		4.5 Materials	4
		4.6 Execution	7

1. Scope

This Practice provides requirements for providing and installing heavy industrial chain link fences and gates.

This Practice covers materials, fabrication, and installation of heavy industrial chain link fencing using galvanized steel and polymer-coated steel.

2. References

Applicable parts of the following industry codes and standards shall be considered an integral part of this Practice. The edition in effect on the date of contract award shall be used, except as otherwise noted. Short titles are used herein where appropriate.

2.1 Process Industry Practices (PIP)

- PIP ELIGD000 - *Grounding Installation Details*

2.2 Industry Codes and Standards

ASTM International (ASTM)

- ASTM A121 - *Standard Specification for Metallic-Coated Carbon Steel Barbed Wire*
- ASTM A392 - *Standard Specification for Zinc-Coated Steel Chain-Link Fence Fabric*
- ASTM A824 - *Standard Specification for Metallic-Coated Steel Marcellled Tension Wire for Use With Chain Link Fence*
- ASTM C94/C94M - *Standard Specification for Ready-Mixed Concrete*
- ASTM F567 - *Standard Practice for Installation of Chain-Link Fence*
- ASTM F626 - *Standard Specification for Fence Fittings*
- ASTM F668 - *Standard Specification for Polyvinyl Chloride (PVC), Polyolefin and Other Polymer-Coated Steel Chain Link Fence Fabric*
- ASTM F900 - *Standard Specification for Industrial and Commercial Steel Swing Gates*
- ASTM F934 - *Standard Specification for Standard Colors for Polymer-Coated Chain Link Fence Materials*
- ASTM F1043 - *Standard Specification for Strength and Protective Coatings on Steel Industrial Fence Framework*
- ASTM F1083 - *Standard Specification for Pipe, Steel, Hot-Dipped Zinc-Coated (Galvanized) Welded, for Fence Structures*
- ASTM F1184 - *Standard Specification for Industrial and Commercial Horizontal Slide Gates*
- ASTM F1664 - *Standard Specification for Poly(Vinyl Chloride) (PVC) and Other Conforming Organic Polymer-Coated Steel Tension Wire Used with Chain-Link Fence*