



**CSA  
Group**

**B149.1-15**

# Natural gas and propane installation code



# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# ***Standards Update Service***

***B149.1-15***

***August 2015***

**Title:** *Natural gas and propane installation code*

**Pagination:** **303 pages** (xiv preliminary and 279 text), each dated **August 2015**

To register for e-mail notification about any updates to this publication

- go to **shop.csa.ca**
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2423380**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [csagroup.org/legal](http://csagroup.org/legal) to find out how we protect your personal information.



*B149.1-15*  
***Natural gas and propane installation code***



*™A trade-mark of the Canadian Standards Association, operating as "CSA Group"*

*Published in August 2015 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Blvd., Toronto, Ontario, Canada M9W 1R3  
1-800-463-6727 • 416-747-4044*

***Visit our Online Store at [shop.csa.ca](http://shop.csa.ca)***

To purchase standards and related publications, visit our Online Store at **shop.csa.ca** or call toll-free 1-800-463-6727 or 416-747-4044.

ISBN 978-1-77139-761-2

© 2015 CSA Group

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

# Contents

Technical Committee on Installation Code for Natural Gas and Propane Appliances *vii*

Interprovincial Gas Advisory Council (IGAC) *xi*

Preface *xiii*

## **1 Scope** 1

## **2 Reference publications** 2

## **3 Definitions** 6

## **4 General** 18

- 4.1 Application 18
- 4.2 Approval of appliances, accessories, components, equipment, and material 19
- 4.3 Responsibilities of the installer 19
- 4.4 Training and quality of labour 20
- 4.5 Suitability of use 20
- 4.6 Meter and service regulator installations 21
- 4.7 Electrical connections and components 21
- 4.8 Mobile homes 21
- 4.9 Hazardous locations 22
- 4.10 Smoking 22
- 4.11 Isolation of safety devices 22
- 4.12 Leak detection 22
- 4.13 Appliance clearances to combustibile material 22
- 4.14 Accessibility 26
- 4.15 Outdoor installations 27
- 4.16 Appliances in garages 27
- 4.17 Appliance ductwork connections 27
- 4.18 Combined heating systems 27
- 4.19 Appliances protected by automatic fire-extinguishing systems 28
- 4.20 Control of appliances with self-energized pilots 28
- 4.21 Defective heat exchangers 28
- 4.22 High-altitude installations 28
- 4.23 Protection of appliances from physical damage 29
- 4.24 Odorization 29
- 4.25 Mobile homes and recreational vehicles 29

## **5 Pressure controls** 31

- 5.1 Gas system pressure 31
- 5.2 Pressure regulators 33
  - 5.2.1 General 33
  - 5.2.2 Additional requirements for pressure regulators for propane applications 33
  - 5.2.3 Additional requirements for pressure regulators for natural gas applications 34
- 5.3 Relief devices 34
- 5.4 Hydrostatic relief devices for propane applications 34
- 5.5 Venting of pressure control devices 35
- 5.6 Appliance and pilot pressure regulators 37
  - 5.6.1 Appliance and pilot pressure regulators in propane applications 37
  - 5.6.2 Appliance and pilot pressure regulators in natural gas applications 37

<b>6</b>	<b>Piping and tubing systems, gas hose, and fittings</b>	<b>37</b>
6.1	General	37
6.2	Material	37
6.3	Size	39
6.4	Volume of gas to be used for sizing piping and tubing systems	41
6.5	Allowable pressure and pressure drop	41
6.6	Extensions	41
6.7	Location	42
6.8	Piping practices	42
6.9	Joints and connections	43
6.10	Branch piping outlets	44
6.11	Appliance connections	44
6.12	Piping outlets	45
6.13	Drip and dirt pockets	46
6.14	Prohibited practices	46
6.15	Underground piping and tubing	47
6.16	Protection of piping and tubing	48
6.17	Identification of piping or tubing	50
6.18	Manual shut-off valves	50
6.19	Manual-reset valves	51
6.20	Gas hose and fittings	51
6.21	Gas connectors	53
6.22	Testing of piping, tubing, hose, and fittings	53
6.23	Purging of piping and tubing systems and hose after leak testing	55
6.24	Purging gas from a piping or tubing system	56
6.25	Rooftop gas piping and tubing	56
6.26	Inspection	57
6.27	Highway vehicles, recreational vehicles, outdoor food service unit, and wash-mobiles	57
<b>7</b>	<b>Installation of specific types of appliances</b>	<b>57</b>
7.1	Boilers	57
7.2	Generators, compressors/pressure boosters, stationary engines, and turbines	58
7.2.1	General requirements	58
7.2.2	Compressors/pressure boosters	59
7.2.3	Emergency use generators	60
7.2.4	Stationary gas engines and turbines	60
7.2.5	Stationary gas engines and turbines in buildings	62
7.3	Carbon dioxide generators	63
7.4	Commercial-type clothes dryers	63
7.5	Domestic-type clothes dryers	64
7.6	Conversions	64
7.7	Conversion burners	65
7.8	Conversion of warm air furnaces	65
7.9	Conversion of ranges	66
7.10	Counter appliances	66
7.11	Direct-vent appliances	66
7.12	Furnaces used with cooling units	67
7.13	Central furnaces	67
7.14	Downflow furnaces	68
7.15	Duct furnaces	68
7.16	Horizontal furnaces	69
7.17	Wall furnaces (recessed heaters)	69
7.18	Construction heaters and torches	69
7.19	Direct-fired door air heaters	70

7.20	Direct-fired make-up air heaters (DFMAH)	71
7.21	Non-recirculating direct gas-fired industrial air heaters (DFIAH)	72
7.22	Direct gas-fired process air heaters (DFPAH)	74
7.23	Infrared heaters	75
7.24	Room heaters	76
7.25	Decorative appliances and gas logs	77
7.26	Pool heaters	78
7.27	Water heaters	79
7.28	Unit heaters	79
7.29	Hotplates	80
7.30	Incinerators	80
7.31	Lighting	81
7.32	Commercial cooking appliances	81
7.33	Residential-type ranges	81
7.34	Refrigerators	82

## **8 Venting systems and air supply for appliances** 83

8.1	General	83
8.2	Air-supply determination for central-heating furnaces, boilers, and hot-water heaters	83
8.3	Air-supply openings and ducts	88
8.4	Air-supply requirements for appliances having a total input exceeding 400 000 Btuh (120 kW)	89
8.5	Air-supply dampers, louvres, and grilles	89
8.6	Conditions created by exhaust fans, air-supply fans, circulating fans, or fireplaces	90
8.7	Engineered installations	90
8.8	Air supply by mechanical means	90
8.9	Appliance venting	90
8.10	Methods of venting appliances	91
8.11	Vent and chimney requirements	93
8.12	Chimneys	93
8.13	Vent and chimney sizing	95
8.14	Vent and chimney termination	95
8.15	Vent and chimney support	98
8.16	Vents and chimneys serving two or more appliances	98
8.17	Vents outside buildings	98
8.18	Vent connectors	99
8.19	Chimney connections	102
8.20	Size and height of interconnected vent connectors	102
8.21	Multi-storey venting	102
8.22	Dampers and attachments	103
8.23	Draft hoods	103
8.24	Venting arrangements	104
8.25	Draft regulators	105
8.26	Automatic vent damper or automatic flue damper	105
8.27	Manually operated flue dampers	106
8.28	Installation of draft-control devices	106
8.29	Induced- or forced-draft devices	106
8.30	Venting of appliances into canopies	106
8.31	Heat reclaimers	107

## **9 Natural gas compressors and cylinders** 107

9.1	Installation of compressors	107
9.2	Requirements for cylinders	108
9.3	Cylinder filling and cylinders	108
9.4	Cylinder storage	109
9.5	Cylinders connected for use	110

**10 Vehicle refuelling appliances (VRA) without storage (for natural gas only) 110**

- 10.1 Installation 110
- 10.2 Pressure relief devices and other vents and vent lines 111
- 10.3 Piping, tubing, and hose 111
- 10.4 Testing of piping, hose, and fittings 112
- 10.5 Installation of safety equipment, signs, and/or symbols 112
- 10.6 Refuelling of vehicles 112

**Annexes**

- A** (informative) — Sizing and capacities of piping and tubing for natural gas 113
- B** (informative) — Sizing and capacities of piping and tubing for propane 148
- C** (informative) — Vent sizing tables for Category I natural gas and propane appliances 174
- D** (informative) — Customer's meter and regulator installations 239
- E** (informative) — Example of piping design sizing (imperial and metric) 241
- F** (informative) — Suggested general dimensions for draft hoods 244
- G** (informative) — Piping expansion and flexibility 248
- H** (normative) — Purging of piping and tubing systems where a readily accessible burner is not available or where an appliance is not equipped with a continuous pilot 250
- I** (informative) — General information 253

**Index 263**

---

**Tables**

- 4.1** — Appliance clearance reductions with specified forms of protection 24
- 5.1** — Pressure inside buildings 32
- 5.2** — Clearance from discharge, ft (m) 36
- 6.1** — Maximum allowable pressure drop 40
- 6.2** — Spacing of supports for piping 43
- 6.3** — Pressure test requirements 54
- 8.1** — Combustion/dilution air requirements for appliances having draft-control devices when the combined input is up to and including 400 000 Btuh (120 kW) and the structure complies with Clause 8.2.1(a) or (b) 84
- 8.2** — Combustion air requirements for appliances not having draft-control devices when the combined input is up to and including 400 000 Btuh (120 kW) and the structure complies with Clause 8.2.1(a) or (b) 85
- 8.3** — Combustion/dilution air requirements for appliances having draft-control devices when the combined input is up to and including 400 000 Btuh (120 kW) and the structure does not comply with Clause 8.2.1(a) or (b) 86
- 8.4** — Combustion air requirements for appliances not having draft-control devices when the combined input is up to and including 400 000 Btuh (120 kW) and the structure does not comply with Clause 8.2.1(a) or (b) 87
- 8.5** — Type of venting system to be used 92
- 8.6** — Appliance vent connector clearances 100
- 8.7** — Vent connector clearance reductions with specified forms of protection 101

---

**Figures**

- 8.1**—Vent passing through a pitched roof 96

# ***Technical Committee on Installation Code for Natural Gas and Propane Appliances***

<b>B. Diggins</b>	MJS Mechanical Ltd., Calgary, Alberta	<i>Chair</i>
<b>D. Stainrod</b>	D.J. Stainrod & Associates Ltd., Bowmanville, Ontario	<i>Vice-Chair</i>
<b>A. Ali</b>	Government of Nunavut Community & Government Services, Iqaluit, Nunavut	
<b>J. Angus</b>	J.M.A. Associates, Representing EnerCare Solutions, Midland, Ontario	
<b>P. Baker</b>	Maxitrol Company, Port Dover, Ontario	
<b>D. Baxter</b>	Enbridge Gas Distribution, Thorold, Ontario	
<b>R. Brousseau</b>	Régie du bâtiment du Québec, Montréal, Québec	<i>Associate</i>
<b>K. Carlisle</b>	Karl Dungs Inc., Blaine, Minnesota, USA	<i>Associate</i>
<b>B. Cavens</b>	Cavens & Associates, Roberts Creek, British Columbia	<i>Associate</i>
<b>R. Charbonneau</b>	Budget Propane (1998) Inc., Valleyfield, Québec	
<b>P. Christensen</b>	Yukon Government, Whitehorse, Yukon	
<b>C. Côté</b>	Gaz Métro, Montréal, Québec	
<b>M. Davidson</b>	Province of New Brunswick Department of Public Safety, Fredericton, New Brunswick	
<b>D. Eastman</b>	Service NL Newfoundland and Labrador, St. John's, Newfoundland and Labrador	
<b>D. Evans</b>	Bruce Sutherland Associates Ltd., Dartmouth, Nova Scotia	

<b>G. Fabbruzzo</b>	Enbridge Gas Distribution, Toronto, Ontario	<i>Associate</i>
<b>D. Faucher Larochelle</b>	CMMTQ, Montréal, Québec	
<b>P. Fowler</b>	Nova Scotia Department of Labour and Advanced Education, Halifax, Nova Scotia	
<b>Z. Fraczkowski</b>	Technical Standards & Safety Authority (TSSA), Toronto, Ontario	<i>Associate</i>
<b>J. Good</b>	Autogas Propane Ltd., Burnaby, British Columbia	
<b>A. Gould</b>	Reliance Home Comfort, Cambridge, Ontario	
<b>D. Green</b>	National Research Council Canada, Canadian Codes Centre, Ottawa, Ontario	
<b>D. Hird</b>	SaskPower, Regina, Saskatchewan	
<b>J. Jachniak</b>	ENEFEN Energy Efficiency Engineering Ltd., Leduc, Alberta	<i>Associate</i>
<b>J. Jones</b>	J.M. Jones Consulting Services, Leamington, Ontario	<i>Associate</i>
<b>S. Katz</b>	S. Katz and Associates Inc., North Vancouver, British Columbia	
<b>M. Kulik</b>	Technical Standards & Safety Authority (TSSA), Toronto, Ontario	
<b>W. LaRose</b>	Edmonton, Alberta	
<b>C. Lashek</b>	Province of Manitoba Office of the Fire Commissioner, Winnipeg, Manitoba	<i>Associate</i>
<b>M. LeBlanc</b>	Province of New Brunswick Department of Public Safety, Grand Falls, New Brunswick	<i>Associate</i>
<b>W. Lock</b>	British Columbia Safety Authority (BCSA), New Westminster, British Columbia	<i>Associate</i>
<b>S. Manning</b>	Alberta Municipal Affairs Safety Services, Edmonton, Alberta	
<b>J. Marshall</b>	Technical Standards & Safety Authority (TSSA), Toronto, Ontario	<i>Associate</i>

<b>S. McCarthy</b>	CSA Group, Independence, Ohio, USA	<i>Associate</i>
<b>J. McCormack</b>	Superior Propane Inc., Moncton, New Brunswick	
<b>R. McRae</b>	Government of the NWT Public Works & Services, Yellowknife, Northwest Territories	
<b>H. Nachaj</b>	Le Groupe Charbonneau Inc., Montréal, Québec	
<b>G. Potter</b>	Heater Technologies, LLC, Marthasville, Missouri, USA	
<b>T. Poulin</b>	A.O. Smith Enterprises Ltd., Fergus, Ontario	
<b>G. Prociw</b>	Union Gas Limited, Chatham, Ontario	
<b>V. Quiring</b>	Engineered Air, Division of Airtex Manufacturing Partnership, Calgary, Alberta	
<b>B. Reid</b>	PEI Department of Environment, Energy and Forestry, Charlottetown, Prince Edward Island	
<b>J. Renaud</b>	Régie du bâtiment du Québec, Montréal, Québec	
<b>W. Simpson</b>	North American Standards Assessment Corp., Sherwood Park, Alberta	<i>Associate</i>
<b>C. Snow</b>	Enbridge Gas New Brunswick, Rothesay, New Brunswick	
<b>S. Thenappan</b>	Rheem Manufacturing Co., Montgomery, Alabama, USA	
<b>G. Tremblett</b>	Service NL Newfoundland & Labrador, St. John's, Newfoundland and Labrador	<i>Associate</i>
<b>I. Turnbull</b>	FortisBC Energy Inc (FEI), Surrey, British Columbia	
<b>C. Valliere</b>	Alberta Municipal Affairs Safety Services, Edmonton, Alberta	<i>Associate</i>
<b>M. Wani</b>	Government of Nunavut, Department of Community and Government Services, Iqaluit, Nunavut	
<b>G. Warkentin</b>	Manitoba Hydro, Winnipeg, Manitoba	

**D. Weishuhn**

Blue Flame Heating & Air Conditioning,  
Toronto, Ontario

**B. Zinn**

British Columbia Safety Authority (BCSA),  
Coquitlam, British Columbia

**K. Penn**

CSA Group,  
Toronto, Ontario

*Project Manager*

# ***Interprovincial Gas Advisory Council (IGAC)***

<b>J. Marshall</b>	Technical Standards & Safety Authority (TSSA), Toronto, Ontario	<i>Chair</i>
<b>M. Davidson</b>	Province of New Brunswick, Fredericton, New Brunswick	<i>Vice-Chair</i>
<b>J. Renaud</b>	Régie du bâtiment du Québec, Montréal, Québec	<i>Vice-Chair</i>
<b>A. Ali</b>	SaskPower, Regina, Saskatchewan	
<b>R. Brousseau</b>	Régie du Bâtiment du Québec, Montréal, Québec	<i>Alternate</i>
<b>P. Christensen</b>	Yukon Government, Whitehorse, Yukon	
<b>D. Hird</b>	SaskPower Regina, Saskatchewan	<i>Alternate</i>
<b>P. Fowler</b>	Nova Scotia Department of Labour Advanced Education, Halifax, Nova Scotia	
<b>Z. Fraczkowski</b>	Technical Standards & Safety Authority (TSSA), Toronto, Ontario	<i>Alternate</i>
<b>C. Lashek</b>	Office of the Fire Commissioner, Winnipeg, Manitoba	
<b>W. Lock</b>	British Columbia Safety Authority (BCSA), Coquitlam, British Columbia	<i>Alternate</i>
<b>S. Manning</b>	Alberta Municipal Affairs Safety Services, Edmonton, Alberta	
<b>R. McRae</b>	Government of the NWT Public Works & Services, Yellowknife, Northwest Territories	
<b>B. Reid</b>	Department of Environment, Energy and Forestry, Charlottetown, Prince Edward Island	
<b>G. Slingerland</b>	Standards Council of Canada (SCC), Ottawa, Ontario	<i>Associate</i>
<b>G. Tremblett</b>	Service NL, Newfoundland & Labrador, St. John's, Newfoundland and Labrador	

<b>C. Valliere</b>	Alberta Municipal Affairs Safety Services, Edmonton, Alberta	<i>Alternate</i>
<b>M. Wani</b>	Government of Nunavut Dept. of Community & Government Services, Iqaluit, Nunavut	
<b>B. Zinn</b>	British Columbia Safety Authority (BCSA), Coquitlam, British Columbia	

# Preface

This is the fifteenth edition of CSA B149.1, *Natural gas and propane installation code*. It supersedes the previous editions, published in 2010, 2005, and 2000 by the CSA Group (CSA) as CAN/CSA-B149.1, in 1995, 1991, 1986, 1980, 1978, 1976, and 1974 by the Canadian Gas Association (CGA), and in 1971, 1966, 1962, and 1958 by the CSA Group.

In 1958, the CSA Group published the first edition of CSA B149, *Installation Code for Gas Burning Appliances and Equipment*. It was superseded by later editions in 1962, 1966, and 1971. Following the publication of the 1966 edition, the decision was made to split the Code into two parts: B149.1, dealing with the installation of appliances and equipment burning natural gas, and B149.2, dealing with the installation of appliances and equipment burning propane. As a first step, B149.2 was prepared and first published in 1969.

The Canadian Gas Association was accredited by the Standards Council of Canada as the standards development organization responsible for preparing standards for gas-burning appliances and equipment, and in this connection took over responsibility for the B149 Code in 1974. New editions of the Code were subsequently published in 1974, 1976, 1978, 1980, 1986, 1991, and 1995.

On June 30, 1997, the CSA Group acquired International Approval Services (IAS), which was until then a joint venture of the American Gas Association (AGA) and the Canadian Gas Association. Under this agreement, CSA acquired the complete range of IAS standards administration, certification, and registration products and services for appliances and accessories fuelled by natural and liquefied petroleum gases. In 1998, the CSA B149 Installation Code Committee agreed to publish a *Natural Gas and Propane Installation Code* that would amalgamate the first seven sections of CAN/CGA-B149.1 and CAN/CGA-B149.2 to become CAN/CSA-B149.1-00. This amalgamation was in response to the trend among the authorities having jurisdiction of combining licensing and training for natural gas and propane. The remaining sections 8 to 14 of CAN/CGA-B149.2 became CAN/CSA-B149.2-00, *Propane Storage and Handling Code*.

In this 2015 edition, where a major change or addition to the previous edition of the Code has been made, the clause, table, or figure affected is identified by the symbol delta ( $\Delta$ ) in the margin. Users of the Code are advised that the change markers in the text are not intended to be all-inclusive and are provided as a convenience only; such markers cannot constitute a comprehensive guide to the revisions made to the Code. Care must therefore be taken not to rely on the change markers to determine the current requirements of the Code. As always, users of the Code must consider the entire Code and any local amendments.

The CSA B149.1 Code Committee, which is responsible for preparing this Code, consists of members of the provincial gas inspection authorities, natural gas utilities, propane distributors, appliance, equipment, and accessory manufacturers, certification organizations, and representatives from the Heating, Refrigeration and Air Conditioning Institute of Canada, the Mechanical Contractors Association of Canada and federal government departments. This Code has been formally approved by the CSA B149.1 Technical Committee for the Natural Gas and Propane Installation Code and by the Interprovincial Gas Advisory Council.

## Notes:

- (1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- (2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- (3) This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.
- (4) To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:
  - (a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
  - (b) provide an explanation of circumstances surrounding the actual field condition; and

(c) where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).

**(5)** This Standard is subject to review five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Proposal for change” in the subject line:

- (a) Standard designation (number);
- (b) relevant clause, table, and/or figure number;
- (c) wording of the proposed change; and
- (d) rationale for the change.

# B149.1-15

## ***Natural gas and propane installation code***

### **1 Scope**

#### **1.1**

This Code applies to the installation of

- (a) ***appliances, equipment, components, and accessories*** where gas is to be used for fuel purposes;
- (b) piping and tubing systems extending from the termination of the utility installation or from the distributor's propane tank;
- (c) vehicle-refuelling appliances and associated equipment meeting the requirements of a general-purpose appliance to fill a natural-gas-fuelled vehicle; and
- (d) stationary gas ***engines*** and ***turbines***.

#### **1.2**

This Code does not apply to

- (a) marine or pipeline terminals;
- (b) gas where used as a feedstock in petroleum refineries or chemical plants;
- (c) utility pipeline distribution and transmission pipelines;
- (d) storage and handling of liquefied natural gas or underground reservoirs for natural gas;
- (e) the installation of ***NGV*** fuel systems, ***containers***, and refuelling stations;
- (f) the storage and utilization of compressed natural gas on boats;
- (g) the installation of vehicle-refuelling appliances when ***NGV*** storage ***containers*** are installed as part of the system;
- (h) refrigerated storage or underground reservoirs for propane;
- (i) propane used on boats;
- (j) propane used as a propellant in aerosol containers;
- (k) butane fuel cylinders of 150 g capacity or less; and
- (l) the installation of ***containers*** and ***equipment*** to be used for propane in distribution locations and filling plants and on tank trucks, tank trailers, and cargo liners.

#### **1.3**

Where the term "gas" is used, the requirements of this Code include, and apply equally to, any of the following gases or mixtures of them: natural gas, manufactured gas, or mixtures of propane gas and air, propane, propylene, butanes (normal butane or isobutane), and butylenes.

#### **1.4**

This Code and any Standards referenced in it do not make or imply any assurance or guarantee with respect to the life expectancy, durability, or operating performance of equipment and materials referenced in the Code.

#### **1.5**

The values given in yard/pound units are the standard. This Code contains SI (metric) equivalents to yard/pound units so that the Code can be used in SI (metric) units. SI (metric) equivalents may be approximate.

## 1.6

In this Code, unless *approved* otherwise by the *authority having jurisdiction*, “shall” indicates a mandatory requirement; “should” indicates a recommendation or that which is advised but not mandatory; and “may” indicates an advisory or optional statement. Notes to the text do not include mandatory or alternative requirements. The purpose of a note is to separate from the text explanatory or informative material that is not properly a part of this Code. Notes to figures and tables, however, are considered part of the figure or table and may be written as mandatory requirements. Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.

## 2 Reference publications

This Code refers to the following publications, and where such reference is made, it shall be to the edition listed below, including all amendments published thereto.

### CSA Group

**Note:** *CGA Standards, Recommended Practices, and Codes are now published by CSA Group.*

ANSI Z21.13-2014/CSA 4.9-2014

*Gas-fired low pressure steam and hot water boilers*

ANSI Z21.21-2012/CSA 6.5-2012

*Automatic valves for gas appliances*

ANSI Z21.24-2006/CSA 6.10-2006 (R2011)

*Connectors for gas appliances*

ANSI Z21.41-2014/CSA 6.9-2014

*Quick disconnect devices for use with gas fuel appliances*

ANSI Z21.50-2014/CSA 2.22-2014

*Vented gas fireplaces*

ANSI Z21.69-2009/CSA 6.16-2009 (R2014)

*Connectors for movable gas appliances*

ANSI Z21.75-2007/CSA 6.27-2007

*Connectors for outdoor gas appliances and manufactured homes*

ANSI Z21.80-2011/CSA 6.22-2003 (R2011)

*Line pressure regulators*

ANSI Z21.90-2001/CSA 6.24-2001 (R2011)

*Gas convenience outlets and optional enclosures*

ANSI Z21.101-2012/CSA 8.5-2012

*Gas hose connectors for portable and moveable gas appliances*

ANSI Z83.4-2013/CSA 3.7-2013

*Non-recirculating direct gas-fired industrial air heaters*

ANSI Z83.11-2006/CSA 1.8-2006 (R2011)

*Gas food service equipment*