


Stay Current!



CANADIAN STANDARDS
ASSOCIATION

Shop online at www.ShopCSA.ca
for more CE Code products!

- **2006 CE Code Handbook** –
An explanation of Rules of the Canadian Electrical Code, Part I. Available in an easy-to-use spiral-bound format.
- **2006 CE Code Smart CD-ROM** –
Contains the full text of the 2006 CE Code and Handbook with many interactive calculations, all in an easy-to-navigate format.
- **Electrician's Self-Assessment Tool** –
An invaluable self-assessment tool in CD-ROM format to help apprentices and journeypersons pass their Interprovincial Certificate of Qualifications exams.
- **Wiring for Canadian Homes and Cottages** –
A practical guide to the residential requirements of the Canadian Electrical Code, Part I.




CE Code Training

Sign up for a seminar*

with the  CSA LEARNING CENTRE

- Canadian Electrical Code 2006 Essentials
- Design, Installation and Maintenance of Electrical Equipment in Hazardous Locations
- Communication Systems and EMI
- Grounding and Bonding of Electrical Equipment
- NEC/CEC – A Comparison of Requirements

*Seminars can also be arranged at your own location.



Look for the
CSA mark
on electrical
products.

To register for a seminar or to order a product,
call **1-800-463-6727** or visit www.ShopCSA.ca

Regional Sales Offices:

Toronto
(416) 747-4044

Montreal
(514) 428-2418

Edmonton
(780) 490-2007

Vancouver
(604) 244-6652

Update No. 1

C22.1-06

February 2007

Note: *General Instructions for CSA Standards are now called Updates. Please contact CSA Information Products Sales or visit www.ShopCSA.ca for information about the **CSA Standards Update Service**.*

Title: *Canadian Electrical Code, Part I, Twentieth Edition* — originally published January 2006

The following is a list of errata that have been identified in the 2006 edition of the *Canadian Electrical Code, Part I*; the list also includes editorial changes that will be made in the next edition (2009).

Section 78, Subcommittee — “T. Branch” should read “R. Branch”.

Reference publications — “CSA C22.2 No. 59” should read “C22.2 No. 159”.

Reference publications — Delete the Standard CSA C22.2 No. 59.1.

Section 0, Definitions — Delete the definition for “Repellent”.

Rule 2-102(4) — Add a delta symbol in the margin.

Rule 10-1102(1) — The Subrule should read “Neutral grounding devices shall be permitted to be used only on systems where all neutral conductors are insulated to the nominal system voltage”.

Rule 10-1108(2) — Delete the word “that”.

Rule 12-318(b)(i) and (ii) — “NS-75” and “NS-90” should read “NS75” and “NS90”.

Rule 12-806(h) — “3 A” should read “30 A”.

Rule 20-012(2) — “Rules 18-108(1)(a)(iii) and 18-158(1)(a)(ii)” should read “Rules 18-108(3)(c) and 18-158(3)(b)”.

Rule 20-108(1) — “Rule 18-158(1)(a)(ii)” should read “Rule 18-158(3)(b)”.

Rule 26-260(1) — “Subrules (2), (3), and (4)” should read “Subrules (2) and (3)”.

Rule 70-122(4) — The second “(a)” should read “(b)”.

Appendix B Note to Rule 10-814(3) — Delete.

Appendix B Note to Rule 18-108(6)(a) — “Subrule (2)(a)(i) and (ii)” should read “Subrule (6)(a)(i) and (ii)” and “Subrule (2)(a)(ii)” should read “Subrule (6)(a)(ii)”.

Appendix B Note to Rules 18-114, 28-314 — Delete Item (a) from the reference list.

Appendix B Note to Rule 32-200 — At the end of Item (b), the word “and” should read “or”.

Appendix B Note to Rule 72-110 — In the first sentence, “Subrule (1)(b)” should read “Subrule (1)(c)”. The second sentence should read “The 5-15R, 5-20RA and 14-50R receptacle configurations referred to in Subrules (1)(a), 1(b) and (1)(d) are shown in Diagram 1.”

Appendix D, Table D3, Note (3) — In the last sentence, “...calculation of allowable ampacity...” should read “...calculation and the allowable ampacity...”.

Appendix D, Table D3, Note (9) —

Delete the sentence, “Beyond this distance a larger size of conductor is required, e.g., No. 10 AWG (30 A allowable ampacity) beyond 37 m up to and including 62 m”.

Delete the calculation, “ $9.7 \text{ m} \times 3(\%) \times 1.06 \times \frac{240 \text{ V}}{120 \text{ V}} = 62 \text{ m}$ ”.

Appendix D, Table D16 — Add “See Rules 28-106, 28-200, and 28-208” beneath the title.

Appendix J, Rule J18-158(3)(b) — “Zone” should read “Division”.

Update No. 1 (continued)

Appendix J, Rule J20-062(1) — Replace all of Subrule (1) with the following:

- “(1) The areas surrounding compressors shall be classified as follows:
- (a) in an outdoor location the space within 4.5 m in all directions from the compressor shall be considered to be a Class I, Division 2 location;
 - (b) if the compressor is enclosed, the space within the compressor enclosure shall be considered a Class I, Division 1 location;
 - (c) if the compressor is enclosed, the space within 3 m in all directions from non-gas-tight, non-welded seams and openings in the enclosure shall be considered a Class I, Division 2 location;
 - (d) a compressor shall be regarded as enclosed when it is sheltered by a building or enclosure having four sides, a roof, and limited ventilation; and
 - (e) when a gas-tight wall is located within the distances specified in Items (a) and (c), the distances shall be measured around the end of the wall, over the wall, or through any doors, windows, or openings in the wall.”

Index — All index references to the 12-3002 to 12-3038 series of Rules should have 2 subtracted, e.g., 12-3038 should read 12-3036. (37 occurrences)

Index — “Cables, Travelling” — “36-008” should read Rules 38-012, 38-021, 38-036, 38-041, 38-043, 38-044, and 60-312”.

Index — “Ground fault circuit interrupters” — “30-322” should read “Rule 30-320”. Delete “24-106” and “26-714” from the list.

Index — “Grounding, electrodes, interconnection of” and “Interconnection, ground electrodes” — Delete “10-706” and “54-308”, and add “54-304” and “60-710”.

Index — “Insulation, integrity” — “2-130” should read “2-132”.

Index — “Switches, transfer” — “32-206” should read “32-208”.

CSA Standards Update Service

C22.1-06

January 2006

Title: *Canadian Electrical Code, Part I*

Pagination: **605 pages** (xxxi preliminary and 574 text)

Automatic notifications about any updates to this publication are available online.

To register for e-mail notifications, and/or to download any existing updates in PDF, enter the Online Store at **www.ShopCSA.ca** and click on **My Account** on the navigation bar. Then, click on **E-mail Services** and click on **CSA Standards Update Service**.

The **List ID** for this document is **2017350**. Please enter this **List ID** in the appropriate field to sign up for updates to this publication.

CSA Standard

C22.1-06 **Canadian Electrical Code, Part I**

Safety Standard for Electrical Installations

(Twentieth Edition)



**CANADIAN STANDARDS
ASSOCIATION**

®Registered trade-mark of Canadian Standards Association

- *The Canadian Electrical Code, Part I, is a voluntary code for adoption and enforcement by regulatory authorities.*
- *The Canadian Electrical Code, Part I, meets the fundamental safety principles of International Standard IEC 60364, Electrical Installations of Buildings.*
- *Consult with local authorities regarding regulations that adopt and/or amend this Code.*

*Published in January 2006 by Canadian Standards Association
A not-for-profit private sector organization
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6
1-800-463-6727 • 416-747-4044*

Visit our Online Store at www.ShopCSA.ca

ISBN 1-55436-023-4

Technical Editor: Rick Gilmour

© Canadian Standards Association — 2006

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

Committee on <i>Canadian Electrical Code, Part I</i>	ix
Regulatory Authority Committee	xi
Executive Committee	xii
<i>National Building Code/Canadian Electrical Code Liaison Committee</i>	xii
Section Subcommittees	xii
Preface	xxiv
General arrangement	xxiv
Acknowledgement	xxiv
The history and operation of the <i>Canadian Electrical Code, Part I</i>	xxiv
Metric units	xxvi
Symbols and conversion factors for SI units	xxvi
Conduit sizes	xxvii
Reference publications	xxviii
Section 0 — Object, scope, and definitions	1
Object	1
Scope	1
Definitions	1
Section 2 — General Rules	12
Administrative	12
Technical	13
General	13
Protection of persons and property	15
Maintenance and operation	16
Enclosures	17
Section 4 — Conductors	18
Section 6 — Services and service equipment	23
Scope	23
General	23
Control and protective equipment	24
Wiring methods	26
Metering equipment	27
Section 8 — Circuit loading and demand factors	29
Scope	29
General	29
Services and feeders	31
Branch circuits	33
Automobile heater receptacles	33
Section 10 — Grounding and bonding	35
Scope and object	35
System and circuit grounding	35
Grounding connections for systems and circuits	36
Conductor enclosure bonding	37
Equipment bonding	37
Methods of grounding	40
Bonding methods	40
Grounding electrodes	43
Grounding and bonding conductors	43
Grounding and bonding conductor connections	46
Lightning arresters	47
Installation of neutral grounding devices	47

Section 12 — Wiring methods 49

Scope 49

General requirements 49

Conductors 50

General 50

Open wiring 53

Exposed wiring on exteriors of buildings and between buildings on the same premises 54

Bare busbars and risers 55

Non-metallic-sheathed cable 55

Armoured cable 57

Mineral-insulated and aluminum-sheathed cable 58

Flat conductor cable Type FCC 59

Raceways 61

General 61

Rigid and flexible metal conduit 63

Rigid PVC conduit and rigid HFT conduit 64

Rigid Types EB1 and DB2/ES2 PVC conduit 65

Rigid RTRC conduit 66

Liquid-tight flexible conduit 67

Electrical metallic tubing 67

Electrical non-metallic tubing 68

Surface raceways 69

Underfloor raceways 69

Cellular floors 70

Auxiliary gutters 71

Busways and splitters 72

Wireways 73

Cable trays 74

Manufactured wiring systems 76

Installations of boxes, cabinets, outlets, and terminal fittings 76

Section 14 — Protection and control 81

Scope 81

General requirements 81

Protective devices 82

General 82

Fuses 84

Circuit breakers 85

Control devices 85

General 85

Switches 86

Protection and control of miscellaneous apparatus 87

Solid-state devices 88

Section 16 — Class 1 and Class 2 circuits 89

General 89

Class 1 circuits 89

Class 2 circuits 90

Section 18 — Hazardous locations 94

Scope and introduction 94

General 95

Class I locations 99

Installations in Class I, Zone 0 locations 99

Installations in Class I, Zone 1 locations 99

Installations in Class I, Zone 2 locations 102

Class II locations	105
Installations in Class II, Division 1 locations	105
Installations in Class II, Division 2 locations	107
Class III locations	109
Installations in Class III, Division 1 locations	109
Installations in Class III, Division 2 locations	111

Section 20 — Flammable liquid and gas dispensing and service stations, garages, bulk storage plants, finishing processes, and aircraft hangars 113

Gasoline dispensing and service stations	113
Propane dispensing, container filling, and storage	114
Compressed natural gas refuelling stations and compressor and storage facilities	115
Commercial garages — Repairs and storage	116
Residential storage garages	117
Bulk storage plants	118
Finishing processes	119
Aircraft hangars	122

Section 22 — Locations in which corrosive liquids, vapours, or excessive moisture are likely to be present 125

General	125
Equipment	125
Wiring	126
Drainage, sealing, and exclusion of moisture and corrosive vapour	127
Circuit control	127
Materials	127
Bonding	127
Sewage lift and treatment plants	127

Section 24 — Patient care areas 130

Patient care areas	131
Isolated systems	133
Essential electrical systems	134

Section 26 — Installation of electrical equipment 136

General	136
Isolating switches	137
Circuit breakers	137
Fuses and fusible equipment	137
Capacitors	137
Transformers	139
Fences	143
Electrical equipment vaults	144
Panelboards	144
Lightning arresters	145
Low-voltage surge protective devices	145
Storage batteries	145
Arc lamps	147
Resistance devices	147
Receptacles	147
Receptacles for residential occupancies	148
Branch circuits for residential occupancies	150
Electric heating and cooking appliances	151
Heating equipment	153
Pipe organs	153
Submersible pumps	153
Data processing	154

Section 28 — Motors and generators 155

Scope 155

General 155

Wiring methods and conductors 156

Overcurrent protection 157

Overload and overheating protection 159

Undervoltage protection 160

Control 160

Disconnecting means 161

Hermetic refrigerant motor-compressors 163

Multi-winding and part-winding-start motors 164

Protection and control of generators 165

Section 30 — Installation of lighting equipment 166

General 166

Location of lighting equipment 167

Installation of lighting equipment 167

Wiring of lighting equipment 169

Luminaires in buildings of residential occupancy 170

Lampholders 171

Electric-discharge lighting systems operating at 1000 V or less 171

Electric-discharge lighting systems operating at more than 1000 V 172

 Recessed luminaires 173

 Permanent outdoor floodlighting installations 174

 Exposed wiring for permanent outdoor lighting 176

Extra-low-voltage lighting systems 178

Section 32 — Fire alarm systems and fire pumps 179

Fire alarm systems 179

Fire pumps 180

Section 34 — Signs and outline lighting 182

General requirements 182

Enclosures 183

Neon supplies 183

Wiring methods 184

Section 36 — High-voltage installations 186

General 186

Wiring methods 187

Control and protective equipment 189

Grounding and bonding 190

Section 38 — Elevators, dumbwaiters, material lifts, escalators, moving walks, lifts for persons with physical disabilities, and similar equipment 194

Elevators 195

Escalators 197

Lifts for persons with physical disabilities 197

Section 40 — Electric cranes and hoists 202

Section 42 — Electric welders 204

General 204

Transformer arc welders 204

Motor-generator arc welders 205

Resistance welders 205

Section 44 — Theatre installations 207

Scope 207

General 207

Fixed stage switchboards 207

Portable switchboards on stage 208

Fixed stage equipment 208

Portable stage equipment 210

Section 46 — Emergency systems, unit equipment, and exit signs 211

General 211

Emergency systems 211

Unit equipment 212

Exit signs 213

Section 48 — Motion picture studios, projection rooms, film exchanges including film-vaults, and storehouses for pyroxylin plastic and nitrocellulose X-ray and photographic film 214

Film-vaults 214

Motion picture projection rooms 215

Section 50 — Solar photovoltaic systems 216

Section 52 — Diagnostic imaging installations 218

Section 54 — Community antenna distribution and radio and television installations 220

Community antenna distribution 220

Protection 221

Grounding 222

Conductors within buildings 222

Equipment 223

Conductors outside of buildings 223

Underground circuits 224

Receiving equipment and amateur transmitting equipment 225

Grounding for receiving equipment and amateur transmitting equipment 225

Transmitting stations 226

Section 56 — Optical fiber cables 227

Scope 227

General 227

Installation methods 227

Section 58 228

Section 60 — Electrical communication systems 229

Scope 229

General 229

Protection 229

Inside conductors 230

Equipment 232

Outside conductors 232

Underground circuits 234

Grounding 234

Section 62 — Fixed electric space and surface heating systems 236

Scope 236

General 236

Electric space-heating systems 240

Electric surface heating systems 242

Other heating systems 243

Section 64 244

Section 66 — Amusement parks, midways, carnivals, film and TV sets, TV remote broadcasting locations, and travelling shows 245

Scope and application 245

General 245

Grounding 245

Services and distribution 246
Wiring methods and equipment 246
Single-conductor cables 246
Motors 247

Section 68 — Pools, tubs, and spas 248

Scope 248
General 248
Permanently installed swimming pools 251
Storable swimming pools 252
Hydromassage bathtubs 252
Spas and hot tubs 252

Section 70 — Electrical requirements for factory-built relocatable structures and non-relocatable structures 254

Scope 254
Relocatable structures 254
Non-relocatable structures (factory-built) 258

Section 72 — Mobile home and recreational vehicle parks 259

Scope and application 259
General 259

Section 74 — Airport installations 261

Section 76 — Temporary wiring 263

Section 78 — Marinas, yacht clubs, marine wharves, structures, and fishing harbours 265

Marinas and yacht clubs 265
Marine wharves, structures, and fishing harbours 266

Section 80 — Cathodic protection 268

Section 82 — Closed-loop and pre-closed-loop power distribution 270

Section 84 — Interconnection of electric power production sources 272

Section 86 — Electric vehicle charging systems 274

Scope 274
General 274
Equipment 274
Control and protection 274
Electric vehicle charging equipment locations 275

Tables 276

Diagrams 333

Appendix A — Safety standards for electrical equipment, Canadian Electrical Code, Part II 342

Appendix B — Notes on Rules 357

Appendix C — The Technical Committee on the Canadian Electrical Code, Part I — Organization and rules of procedure 433

Appendix D — Tabulated general information 448

Appendix E — Dust-free rooms 490

Appendix F — Recommended installation practice for intrinsically safe and non-incendive electrical equipment and wiring 493

Appendix G — Electrical installations of fire protection systems 501

Appendix H — Combustible gas detection instruments for use in Class I hazardous locations 505

Appendix I — Interpretations approved since publication of the 2002 Code 508

Appendix J — Rules and Notes to Rules for installations using the Division system of classification for Class I locations 509

Appendix K — Extract from IEC 60364-1 549

Index 553

Committee on Canadian Electrical Code, Part I

(Membership lists as of August 2005)

A.Z. Tsisserev (<i>Chair</i>)	City of Vancouver, British Columbia
G. Lobay (<i>Vice-Chair</i>)	CANMET, Ottawa, Ontario
R.C. Gilmour (<i>Project Manager</i>)	CSA, Mississauga, Ontario

Representing Provincial Electrical Inspection Authorities

T. Collins	Government Service Centre, Cornerbrook, Newfoundland
J. Einarson	Department of Community Services, Whitehorse, Yukon
T. Kitson	Department of Community and Cultural Affairs, Charlottetown, Prince Edward Island
R. Leduc	Department of Municipal Affairs, Edmonton, Alberta
D.R.A. MacLeod	Department of Environment and Labour, Halifax, Nova Scotia
R. Marion	Government of Northwest Territories, Yellowknife, Northwest Territories
R. May	B.C. Safety Authority, New Westminster, British Columbia
W.G. McMullan	Manitoba Hydro, Winnipeg, Manitoba
G. Montminy	Régie du bâtiment du Québec, Québec, Québec
T. Olechna	Electrical Safety Authority, Mississauga, Ontario
S. Paulsen	Department of Public Safety, Fredericton, New Brunswick
L. Radom	SaskPower, Regina, Saskatchewan
E. Zebedee	Government of Nunavut Community and Government Services, Iqaluit, Nunavut

Representing Municipal Electrical Inspection authorities

M.S. Anderson	City of Winnipeg, Manitoba
M.D. Gardener	City of Calgary, Alberta
A.Z. Tsisserev	City of Vancouver, British Columbia

Representing Committee on Use of Electricity in Mines

G. Lobay	CANMET, Ottawa, Ontario
----------	-------------------------

Representing Electro-Federation Canada

P. Desilets	Leviton Manufacturing of Canada Limited, Pointe-Claire, Québec
J. Neu (<i>Associate</i>)	Electro-Federation Canada, Mississauga, Ontario
B.F. O'Connell	Tyco Thermal Controls (Canada) Ltd., Trenton, Ontario
K.L. Rodel	Hubbell Canada LP, Pickering, Ontario
B. Savaria	Eaton Electrical Canada Operations, Burlington, Ontario
M. Smith	Rockwell Automation Canada Inc., Cambridge, Ontario

Representing Forest Products Association of Canada

T. Branch	Weyerhaeuser Dryden Operations, Dryden, Ontario
-----------	---

Representing CSA Consumer Network

D.H. Dunsire	Winnipeg, Manitoba
--------------	--------------------

Representing Railways

B.A. Biglow	Edmonton, Alberta
-------------	-------------------

Representing Education

P. McDonald	Northern Alberta Institute of Technology, Edmonton, Alberta
T. Simmons	British Columbia Institute of Technology, Burnaby, British Columbia

Representing Communication Industry

C.B. Chan MTS Communication Inc., Winnipeg, Manitoba
J. Poulin Bell Canada, Longueuil, Québec

Representing Labour

V. Clendenning International Brotherhood of Electrical Workers,
Winnipeg, Manitoba

Representing Canadian Electrical Contractors Association

P. Liberatore Corporation of Master Electricians of Québec, Montréal, Québec

Representing Public Works Canada

A. Sutherland Public Works and Government Services Canada, Hull, Québec

Representing Division of Building Research NRC

P. Rizcallah National Research Council Canada, Ottawa, Ontario

Representing Canadian Electricity Association

R.A. Burpee Saint John Energy, Saint John, New Brunswick
J. Cote Hydro-Québec, Montréal, Québec
F.L. Kaempffer British Columbia Hydro, Burnaby, British Columbia
H. Sam (*Associate*) Canadian Electricity Association, Montréal, Québec

Representing National Elevator & Escalator Association

D. McColl Otis Canada, Inc., Mississauga, Ontario

Representing Fire Insurers

G. Currie Portage la Prairie Mutual Insurance Company,
Portage la Prairie, Manitoba

Representing Canadian Association of Petroleum Producers

V.G. Rowe Marex Canada Limited, Westbank, British Columbia

Representing Underwriters' Laboratories of Canada

N. Breton (*Associate*) Underwriters' Laboratories of Canada, Scarborough, Ontario

Representing Bahamas

C. Bartlett (*Associate*) The Grand Bahama Development Company Ltd.,
Grand Bahama Island, Bahamas
D. King (*Associate*) Ministry of Works, Nassau, Bahamas

Representing International Association of Electrical Inspectors

J. Carpenter (*Associate*) International Association of Electrical Inspectors, Richardson, Texas, USA
S.W. Douglas Electrical Safety Authority, Cambridge, Ontario

Representing Underwriters Laboratories Inc.

T. Lichtenstein (*Associate*) Underwriters Laboratories Inc., Northbrook, Illinois, USA

Representing National Electrical Code Committees

M.W. Earley (*Associate*) National Fire Protection Association, Quincy, Massachusetts, USA

Representing National Electrical Manufacturers Association

J.T. Pauley (*Associate*) Square D Company, Lexington, Kentucky, USA

Representing Mexico

M. Jimenez (*Associate*) ANCE, Mexico
G. Merodio (*Associate*) Condumex, Mexico

Representing Canadian Home Builders Association

D. Johnston (*Associate*) Canadian Home Builders Association, Ottawa, Ontario

Representing National Electrical Contractors Association

H.B. Stauffer (*Associate*) National Electrical Contractors Association, Bethesda, Maryland, USA

Ex Officio Members

D.E. Clements Nova Scotia Power Inc., Halifax, Nova Scotia
 T.W. Odell General Motors of Canada Limited, Oshawa, Ontario

Former Members

In addition to the members of the Committee, the following former members made valuable contributions to the development of this Code:

S. Bond Toronto, Ontario
 J.D. Chaplow General Motors of Canada Limited, Oshawa, Ontario
 R. Chauhan National Research Council Canada, Ottawa, Ontario
 D.A. Coleman Ministry of Community, Aboriginal and Women's Services,
 Electrical and Elevating Devices Safety Branch,
 New Westminster, British Columbia
 S.J. Coles Eaton Electrical Canada Operations, Burlington, Ontario
 R.E. Edwards Alcan Cable, Mississauga, Ontario
 E. Gabryl Municipal Electric Association, Toronto, Ontario
 J.R. Layden Government Service Centre, St. John's, Newfoundland
 E. Marinoff Office of the Fire Marshal of Ontario, Toronto, Ontario
 J. Peters Department of Community Services and Attorney General,
 Charlottetown, Prince Edward Island
 J.-L. Robert Régie du bâtiment du Québec, Québec, Québec
 S. St-Antoine Hydro-Québec, Montréal, Québec

Regulatory Authority Committee

S. Paulsen (*Chair*) Department of Public Safety, Fredericton, New Brunswick
 T. Olechna (*Vice-Chair*) Electrical Safety Authority, Mississauga, Ontario
 M.S. Anderson (*Associate*) City of Winnipeg, Manitoba
 D. Clements (*Associate*) Nova Scotia Power Inc., Halifax, Nova Scotia
 T. Collins Government Service Centre, Cornerbrook, Newfoundland
 J. Einarson Department of Community Services, Whitehorse, Yukon
 M.D. Gardener (*Associate*) City of Calgary, Calgary, Alberta
 T. Kitson Department of Community and Cultural Affairs,
 Charlottetown, Prince Edward Island
 R. Leduc Department of Municipal Affairs, Edmonton, Alberta
 D.R.A. MacLeod Department of Environment and Labour, Halifax, Nova Scotia
 R. Marion Department of Public Works and Services, Yellowknife, Northwest Territories
 R. May British Columbia Safety Authority, New Westminster, British Columbia
 W.G. McMullan Manitoba Hydro, Winnipeg, Manitoba
 G. Montminy Régie du bâtiment du Québec, Québec, Québec
 L. Radom SaskPower, Regina, Saskatchewan
 A.Z. Tsisserev (*Associate*) City of Vancouver, British Columbia
 E. Zebedee Government of Nunavut Community and Government Services,
 Iqaluit, Nunavut
 R.C. Gilmour (*Project Manager*) CSA, Mississauga, Ontario

Executive Committee

A.Z. Tsisserev (<i>Chair</i>)	City of Vancouver, British Columbia
G. Lobay (<i>Vice-Chair</i>)	CANMET, Ottawa, Ontario
R. Burpee	Saint John Energy, Saint John, New Brunswick
R. Leduc	Alberta Municipal Affairs, Edmonton, Alberta
P. Liberatore	Corporation of Master Electricians of Québec, Montréal, Québec
S. Paulsen	Department of Public Safety, Fredericton, New Brunswick
T. Simmons	British Columbia Institute of Technology, Burnaby, British Columbia
M. Smith	Rockwell Automation Canada Inc., Cambridge, Ontario
R.C. Gilmour (<i>Project Manager</i>)	CSA, Mississauga, Ontario

National Building Code/Canadian Electrical Code Liaison Committee

A.Z. Tsisserev (<i>Chair</i>)	City of Vancouver, British Columbia
P. Rizcallah (<i>Vice-Chair</i>)	National Research Council Canada, Ottawa, Ontario
M.S. Anderson	City of Winnipeg, Manitoba
G. Dupont-Laneuville	Régie du bâtiment du Québec, Montréal, Québec
T. Fazzari	Mohawk College, Stoney Creek, Ontario
R.A. Nelson	CSA, Mississauga, Ontario
S. Paulsen	Department of Public Safety, Fredericton, New Brunswick
R.C. Gilmour (<i>Project Manager</i>)	CSA, Mississauga, Ontario

Section Subcommittees

Section 0 — Object, scope, and definitions

G. Lobay (<i>Chair</i>)	CANMET, Ottawa, Ontario
D.H. Dunsire	Winnipeg, Manitoba
M.D. Gardener	City of Calgary, Alberta
R.C. Gilmour	CSA, Mississauga, Ontario
D. Heron	Electrical Safety Authority, Worthington, Ontario (<i>Representing International Association of Electrical Inspectors</i>)
N. Mancini	CSA, Toronto, Ontario
G.A. Moberg	Gloucester, Ontario

Section 2 — General Rules

E. Zebedee (<i>Chair</i>)	Government of Nunavut Community and Government Services, Iqaluit, Nunavut
D.H. Dunsire	Winnipeg, Manitoba
B. Haydon	CSA, Mississauga, Ontario
N. Mancini	CSA, Toronto, Ontario
D.G. Morlidge	Fluor Canada Ltd., Calgary, Alberta
T. Olechna	Electrical Safety Authority, Mississauga, Ontario
D. Roberts	Schneider Canada Inc., Mississauga, Ontario

Section 4 — Conductors

S. Paulsen (<i>Chair</i>)	Department of Public Safety, Fredericton, New Brunswick
L. Asselin	Laval, Québec (<i>Representing International Association of Electrical Inspectors</i>)
G.R. Beer	Jay Electric Ltd., Brampton, Ontario

G. Brunt	F.C. O'Neill Scriven & Associates, Halifax, Nova Scotia
T. Edwards	Alcan Cable, Atlanta, Georgia, USA
B. Haydon	CSA, Mississauga, Ontario
N. Mancini	CSA, Toronto, Ontario
G. Montminy	Régie du bâtiment du Québec, Québec, Québec
R.T. Neal	Toronto, Ontario
R.A. Nelson	CSA, Mississauga, Ontario
D.S. Reith	Nexans Canada Inc., Markham, Ontario
A.Z. Tsisserev	City of Vancouver, British Columbia

Section 6 — Services and service equipment

T. Olechna (<i>Chair</i>)	Electrical Safety Authority, Mississauga, Ontario
R.A. Burpee	Saint John Energy, Saint John, New Brunswick
D.H. Dunsire	Winnipeg, Manitoba
J. Gamble	C. Gamble Electric (1982) Ltd., Winnipeg, Manitoba
M.D. Gardener	City of Calgary, Alberta
B. Haydon	CSA, Mississauga, Ontario
D. Letcher	Don Letcher (E.S.C.O.) Enterprises, Sherwood Park, Alberta (<i>Representing International Association of Electrical Inspectors</i>)
P. Liberatore	Corporation of Master Electricians of Québec, Montréal, Québec
N. Mancini	CSA, Toronto, Ontario
W.G. McMullan	Manitoba Hydro, Winnipeg, Manitoba
E.J. Power	Stanhope, Prince Edward Island
V. Yu	Code Instructor Association of B.C., Burnaby, British Columbia

Section 8 — Circuit loading and demand factors

D.E. Clements (<i>Chair</i>)	Nova Scotia Power Inc., Halifax, Nova Scotia
S. Douglas (<i>Vice-Chair</i>)	Electrical Safety Authority, Cambridge, Ontario (<i>Representing International Association of Electrical Inspectors</i>)
Y. Boodram	Schneider Canada Inc., Toronto, Ontario
R.C. Gilmour	CSA, Mississauga, Ontario
N. Mancini	CSA, Toronto, Ontario
R. Moberg	DeBray Solutions, North Gower, Ontario
G. Montminy	Régie du bâtiment du Québec, Québec, Québec
D. Singh	Scarborough, Ontario
J.E. White	J.E.C. White Consulting, Burlington, Ontario
V. Yu	Code Instructor Association of B.C., Burnaby, British Columbia

Section 10 — Grounding and bonding

R. Leduc (<i>Chair</i>)	Department of Municipal Affairs, Edmonton, Alberta
K.D. McLennan (<i>Vice-Chair</i>)	Islay, Alberta
K. Almon	Dartmouth, Nova Scotia
S. Bygrave	Michelin North America (Canada) Inc., New Glasgow, Nova Scotia
E. Court	Court Consulting Ltd., Calgary, Alberta
J. Courteau	Alcan Cable, Ville St-Laurent, Québec
J. Fotheringham	International Association of Electrical Inspectors, Winnipeg, Manitoba
M.D. Gardener	City of Calgary, Alberta
B. Haydon	CSA, Mississauga, Ontario

N. Mancini	CSA, Toronto, Ontario
D.G. Morlidge	Fluor Canada Inc., Alberta
T. Olechna	Electrical Safety Authority, Mississauga, Ontario
I. Simpson	Ground-It.Com Consulting Ltd., North Vancouver, British Columbia

Section 12 — Wiring methods

M.D. Gardener (<i>Chair</i>)	City of Calgary, Alberta
S. Douglas (<i>Vice-Chair</i>)	Electrical Safety Authority, Cambridge, Ontario
D.J. Andrews	D.J.A. Engineering, Calgary, Alberta
L. Baker	Arcon Electric Ltd., London, Ontario (<i>Representing International Association of Electrical Inspectors</i>)
C.W. Beile	Allied Tube and Conduit Corporation, Wheaton, Illinois, USA
J.B. Biollo	Biollo Agency Ltd., Leduc, Alberta
G. Currie	Portage la Prairie Mutual Insurance Company, Portage la Prairie, Manitoba
D.H. Dunsire	Winnipeg, Manitoba
B. Haydon	CSA, Mississauga, Ontario
N. Mancini	CSA, Toronto, Ontario
D.T. Mansfield	Calgary, Alberta
G. McCue	Harlock-Schultz Electric Ltd., Guelph, Ontario
K.D. McLennan	Islay, Alberta
S. Paulsen	Department of Public Safety, Fredericton, New Brunswick
L. Radom	SaskPower, Regina, Saskatchewan
P. Schmaltz	Reggin Technical Services Ltd., Calgary, Alberta

Section 14 — Protection and control

B. Savaria (<i>Chair</i>)	Eaton Electrical Canada Operations, Burlington, Ontario
T. Branch	Weyerhaeuser Dryden Operations, Dryden, Ontario
S. Bygrave	Michelin North America (Canada) Inc., New Glasgow, Nova Scotia
S. Davies	Segment Engineering Inc., Calgary, Alberta
G.T. Gingara	Associated Engineering (Sask) Ltd., Saskatoon, Saskatchewan
D. Heron	Electrical Safety Authority, Worthington, Ontario
N. Mancini	CSA, Toronto, Ontario
G. Montminy	Régie du bâtiment du Québec, Québec, Québec
K.E. Morris	Morris Electric Ltd., Edmonton, Alberta
T. Pope	CSA, Mississauga, Ontario
M. Pullan	Bright Electric Limited, Mississauga, Ontario
W.C. Rossmann	Jacobs Canada Inc., Calgary, Alberta
N. Scott	Orillia, Ontario (<i>Representing International Association of Electrical Inspectors</i>)
D. Singh	Scarborough, Ontario
C. Thwaites	Ferraz Shawmut Canada Inc., Toronto, Ontario

Section 16 — Class 1 and Class 2 circuits

T. Simmons (<i>Chair</i>)	British Columbia Institute of Technology, Burnaby, British Columbia
J.B. Biollo	Biollo Agency Ltd., Leduc, Alberta (<i>Representing International Association of Electrical Inspectors</i>)
R.M. Leighton	Burlington, Ontario

N. Mancini CSA, Toronto, Ontario

Section 18 — Hazardous locations

V.G. Rowe (*Chair*) Marex Canada Limited, Westbank, British Columbia
 G. Lobay (*Vice-Chair*) CANMET, Ottawa, Ontario
 J.A. Bossert Hazloc Inc., Portland, Ontario
 D. Clements Nova Scotia Power Inc., Halifax, Nova Scotia
 M. Cole Hubbell Canada LP, Pickering, Ontario
 J.H. Dymond Hammonds Plains, Nova Scotia
 R. Leduc Department of Municipal Affairs, Edmonton, Alberta
 K.D. McLennan Islay, Alberta
 T. Olechna Electrical Safety Authority, Mississauga, Ontario
 T. Pope CSA, Mississauga, Ontario
 R. Robertson Shell Canada Limited, Calgary, Alberta
 J.W. Rogers Human Resources and Skills Development Canada, Sydney, Nova Scotia
 W.M. Shao WmShao Consultant, Edmonton, Alberta

Section 20 — Flammable liquid and gas dispensing and service stations, garages, bulk storage plants, finishing processes, and aircraft hangars

G. Lobay (*Chair*) CANMET, Ottawa, Ontario
 D.E. Clements Nova Scotia Power Inc., Halifax, Nova Scotia
 (*Representing International Association of Electrical Inspectors*)
 J.G. Demers Marex Canada Ltd., Calgary, Alberta
 D.H. Dunsire Winnipeg, Manitoba
 W. Mayko EPCOR, Edmonton, Alberta
 S. Misyk The Inspection Group Inc., Edmonton, Alberta
 G. Montminy Régie du bâtiment du Québec, Québec, Québec
 T. Pope CSA, Mississauga, Ontario
 E.J. Power Stanhope, Prince Edward Island
 V.G. Rowe Marex Canada Limited, Westbank, British Columbia
 W.R. Sutherland Electrical Safety Authority, London, Ontario

Section 22 — Locations in which corrosive liquids, vapours, or excessive moisture are likely to be present

S. Paulsen (*Chair*) Department of Public Safety, Fredericton, New Brunswick
 L. Baker Arcon Electrical Ltd., London, Ontario
 (*Representing International Association of Electrical Inspectors*)
 G. Currie Portage la Prairie Mutual Insurance Company,
 Portage la Prairie, Manitoba
 D.H. Dunsire Winnipeg, Manitoba
 G.T. Gingara AMEC America Limited, Saskatoon, Saskatchewan
 N. Mancini CSA, Toronto, Ontario
 D. Wilson Manitoba Hydro, Winnipeg, Manitoba

Section 24 — Patient care areas

T. Olechna (*Chair*) Electrical Safety Authority, Mississauga, Ontario
 A.Z. Tsisserev (*Vice-Chair*) City of Vancouver, British Columbia
 M.S. Anderson City of Winnipeg, Manitoba
 A.M. Dolan University of Toronto, Toronto, Ontario

H. Dowhan	Stantec Consulting Ltd., Edmonton, Alberta
P.M. Gelinis	Hôpital du Sacré-Cœur de Montréal, Montréal, Québec
D. Letcher	Don Letcher (E.S.C.O.) Enterprises, Sherwood Park, Alberta (Representing International Association of Electrical Inspectors)
P.E. Paasche	University of New Brunswick, Fredericton, New Brunswick
D. Roberts	Schneider Canada Inc., Mississauga, Ontario
G.A. Schidowka	CSA, Mississauga, Ontario
W. Woodley	Markham, Ontario
T. Woolhouse	Ellard-Wilson Engineering Limited, Markham, Ontario

Section 26 — Installation of electrical equipment

R. Leduc (<i>Chair</i>)	Department of Municipal Affairs, Edmonton, Alberta
P. Desilets	Leviton Manufacturing of Canada Limited, Pointe-Claire, Québec
D.H. Dunsire	Winnipeg, Manitoba
M. Earley	National Fire Protection Association, Quincy, Massachusetts, USA
R.C. Gilmour	CSA, Mississauga, Ontario
T.L. Harman	University of Houston, Clear Lake, Houston, Texas, USA
P. Liberatore	Corporation of Master Electricians of Québec, Montréal, Québec
N. Mancini	CSA, Toronto, Ontario
W. Mayko	EPCOR, Edmonton, Alberta
W.G. McMullan	Manitoba Hydro, Winnipeg, Manitoba
R.A. Nelson	CSA, Mississauga, Ontario
T. Olechna	Electrical Safety Authority, Mississauga, Ontario
S. Paulsen	Department of Public Safety, Fredericton, New Brunswick
B. Savaria	Eaton Electrical Canada Operations, Burlington, Ontario
A.Z. Tsisserev	City of Vancouver, British Columbia

Section 28 — Motors and generators

M. Smith (<i>Chair</i>)	Rockwell Automation, Cambridge, Ontario
M.S. Anderson	City of Winnipeg, Manitoba
T. Branch	Weyerhaeuser Dryden Operations, Dryden, Ontario
D.E. Clements	Nova Scotia Power Inc., Halifax, Nova Scotia (Representing International Association of Electrical Inspectors)
S. Davies	Segment Engineering Inc., Calgary, Alberta
P. Desilets	Leviton Manufacturing of Canada Limited, Point-Claire, Québec
E.J. Friesen	E.J. Friesen and Associates Inc., Calgary, Alberta
M. Henville	CSA, Mississauga, Ontario
N. Mancini	CSA, Toronto, Ontario
B. Mead	National Refrigeration & Air Conditioning Products Inc., Brantford, Ontario
G.A. Moberg	Hudson, Florida, USA
R.A. Nelson	CSA, Mississauga, Ontario
L. Silecky	Ferraz Shawmut Canada Inc., Toronto, Ontario (Representing International Association of Electrical Inspectors)
D. Singh	Scarborough, Ontario
W. Somerville	Calgary, Alberta

Section 30 — Installation of lighting equipment

P. Desilets (<i>Chair</i>)	Leviton Manufacturing of Canada Ltd., Pointe-Claire, Québec
D.E. Clements (<i>Vice-Chair</i>)	Nova Scotia Power Inc., Halifax, Nova Scotia
G. Brunt	F.C. O'Neill Scriven & Associates, Halifax, Nova Scotia
J.A. Davidson	Manitoba Hydro, Virden, Manitoba (<i>Representing International Association of Electrical Inspectors</i>)
D. Hulford	CSA, Mississauga, Ontario
A. Milne	21st Olympiad Sales, Agincourt, Ontario
G. Montminy	Régie du bâtiment du Québec, Québec, Québec
T. Olechna	Electrical Safety Authority, Mississauga, Ontario
D. Rittenhouse	Maple Ridge, British Columbia

Section 32 — Fire alarm systems and fire pumps

M.S. Anderson (<i>Chair</i>)	City of Winnipeg, Manitoba
R. Florio	Tyco Thermal Controls — Pyrotenax, Toronto, Ontario
D. Gendebien	TornaTech Inc., St-Laurent, Québec
T. Pope	CSA, Mississauga, Ontario
P. Rizcallah	National Research Council Canada, Ottawa, Ontario
V. Rochon	Rochon Engineering Inc., Concord, Ontario
S.W. Smith	Electrical Safety Authority, Mississauga, Ontario
R. Stewart	Electrical Safety Authority, Toronto, Ontario (<i>Representing International Association of Electrical Inspectors</i>)
A.Z. Tsisserev	City of Vancouver, British Columbia
D. Weber	Vipond Systems Group, Mississauga, Ontario

Section 34 — Signs and outline lighting

L. Radom (<i>Chair</i>)	SaskPower, Regina, Saskatchewan
L. Catton	Acme Neon Signs (Windsor) Limited, Windsor, Ontario
K. Devine	Electra Sign, Winnipeg, Manitoba
D.H. Dunsire	Winnipeg, Manitoba
T. Elantis	Allanson International Inc., Toronto, Ontario
M. Golly	Alberta Municipal Affairs, Edmonton, Alberta
D. Hulford	CSA, Mississauga, Ontario
C. Mak	Teksign Inc., Mississauga, Ontario
G. Montminy	Régie du bâtiment du Québec, Québec, Québec
E.J. Power	Stanhope, Prince Edward Island
S. Scarrow	PRO SIGN, Saskatoon, Saskatchewan
D. Slowski	Direct Electronic Inc., Lisle, Ontario

Section 36 — High-voltage installations

F.L. Kaempffer (<i>Chair</i>)	British Columbia Hydro, Burnaby, British Columbia
J. Butts	Electrical Safety Authority, Alliston, Ontario (<i>Representing International Association of Electrical Inspectors</i>)
J. Côté	Hydro Québec, Montréal, Québec
J.M. Gallagher	Bayer Corporation, Bayton, Texas, USA
M.D. Gardener	City of Calgary, Alberta
R.B. Hamilton	Calgary, Alberta
W.H. Khella	W.H. Khella Enterprises, Mississauga, Ontario

A.C. Lawrence	Scarborough, Ontario
N. Mancini	CSA, Toronto, Ontario
G. Montminy	Régie du bâtiment du Québec, Québec, Québec
T. Olechna	Electrical Safety Authority, Mississauga, Ontario
T. Pope	CSA, Mississauga, Ontario
A.N. Sunley	Voltech Engineering Ltd., Calgary, Alberta

Section 38 — Elevators, dumbwaiters, material lifts, escalators, moving walks, lifts for persons with physical disabilities, and similar equipment

D. McColl (<i>Chair</i>)	Otis Canada Inc., Mississauga, Ontario
D. Balmer	Accessibility Equipment Manufacturer's Association, Brampton, Ontario
B. Blackaby	Otis Elevator Company, Farmington, Connecticut, USA
A.D. Brown	KONE Inc., Toronto, Ontario
A. Byram	Department of Labour, Fredericton, New Brunswick
R.E. Droste	Avon, Connecticut, USA
R. Hadaller	Technical Standards and Safety Authority, Toronto, Ontario
R. Kennedy	Department of Labour, Halifax, Nova Scotia
R. MacKenzie	CSA, Toronto, Ontario
S. Mercier	Régie du bâtiment du Québec, Montréal, Québec
M. Pedram	Thyssenkrupp Elevator, Toronto, Ontario
A. Rehman	Schindler Elevator Corporation, Scarborough, Ontario
M. Sterguic	Technical Standards and Safety Authority, Mississauga, Ontario

Section 40 — Electric cranes and hoists

S. Douglas (<i>Chair</i>)	Electrical Safety Authority, Cambridge, Ontario
B.A. Biglow	Edmonton, Alberta
N. Mancini	CSA, Toronto, Ontario
L. McQuerry	Demag Cranes & Components Corp., Cleveland, Ohio, USA
W.R. Sutherland	Electrical Safety Authority, London, Ontario (<i>Representing International Association of Electrical Inspectors</i>)
L.G. Uruski	Department of Labour, Winnipeg, Manitoba

Section 42 — Electric welders

P. Liberatore (<i>Chair</i>)	Corporation of Master Electricians of Québec, Montréal, Québec
N. Mancini	CSA, Toronto, Ontario
L. Silecky	Ferras Shawmut, Toronto, Ontario (<i>Representing International Association of Electrical Inspectors</i>)

Section 44 — Theatre installations

L. Radom (<i>Chair</i>)	SaskPower, Regina, Saskatchewan
W. Gillard	Saskatchewan Centre of the Arts, Regina, Saskatchewan
T. Olechna	Electrical Safety Authority, Mississauga, Ontario
R. Ouellette	Electrical Inspection Edmundston Region, Edmundston, New Brunswick (<i>Representing International Association of Electrical Inspectors</i>)
M. Perreault	Canadian Broadcasting Corporation, Montréal, Québec
J. Ritenburg	Ritenburg and Associates Ltd., Regina, Saskatchewan
G. Rose	Leviton Manufacturing of Canada, Toronto, Ontario
M. Wilson	CSA, Mississauga, Ontario

Section 46 — Emergency systems, unit equipment, and exit signs

A.Z. Tsisserev (<i>Chair</i>)	City of Vancouver, British Columbia
M.S. Anderson	City of Winnipeg, Manitoba
R.M. Bartholomew	Electric Power Equipment (1986) Ltd., Vancouver, British Columbia
S. Bygrave	Michelin North America (Canada) Inc., New Glasgow, Nova Scotia
T. Fazzari	Mohawk College, Stoney Creek, Ontario
B. McAllister	City of Camrose, Alberta
R.A. Nelson	CSA, Mississauga, Ontario
T. Pope	CSA, Mississauga, Ontario
P. Rizcallah	National Research Council Canada, Ottawa, Ontario
V. Rochon	Rochon Engineering Inc., Concord, Ontario
R. Sutherland	Electrical Safety Authority, London, Ontario (<i>Representing International Association of Electrical Inspectors</i>)

Section 48 — Motion picture studios, projection rooms, film exchanges including film-vaults, and storehouses for pyroxylin plastic and nitrocellulose X-ray and photographic film

L. Radom (<i>Chair</i>)	SaskPower, Regina, Saskatchewan
M. Perreault	Canadian Broadcasting Corporation, Montréal, Québec
R. Stewart	Electrical Safety Authority, Mississauga, Ontario (<i>Representing International Association of Electrical Inspectors</i>)
M. Wilson	CSA, Mississauga, Ontario

Section 50 — Solar photovoltaic systems

M.S. Anderson (<i>Chair</i>)	City of Winnipeg, Manitoba
T. Simmons (<i>Vice-Chair</i>)	British Columbia Institute of Technology, Burnaby, British Columbia
K.S. Brightwell	Electrical Safety Authority, Belleville, Ontario
P.M. Cusack	S.A. Armstrong Limited, Toronto, Ontario
P. Drewes	Sol Source Engineering, Newmarket, Ontario
D. Egles	Soltek Solar Energy Ltd., Victoria, British Columbia
G. Howell	Howell-Mayhew Engineering Incorporated, Edmonton, Alberta
D. Hulford	CSA, Mississauga, Ontario
S. Martel	Natural Resources Canada, Varennes, Québec
C.R. Price	Quail Engineering, Winfield, British Columbia
E. Smiley	British Columbia Institute of Technology, Burnaby, British Columbia
D. Turcotte	Natural Resources Canada, Varennes, Québec

Section 52 — Diagnostic imaging installations

D.R.A. MacLeod (<i>Chair</i>)	Department of Environment and Labour, Halifax, Nova Scotia
M.B. Raber (<i>Vice-Chair</i>)	Winnipeg, Manitoba
J. Einarson	Department of Community Services, Whitehorse, Yukon
E. Carlson	CSA, Toronto, Ontario (<i>Representing International Association of Electrical Inspectors</i>)
M. Wilson	CSA, Mississauga, Ontario

Section 54 — Community antenna distribution and radio and television installations

J. Poulin (<i>Chair</i>)	Bell Canada, Longueuil, Québec
E. Chantigny	General Electric Canada, Pointe-Claire, Québec
B. Nameh	Rogers Cable Systems Ltd., Don Mills, Ontario

P. Olders	Terra Communications, Inc., Scarborough, Ontario (Representing International Association of Electrical Inspectors)
L. Radom	SaskPower, Regina, Saskatchewan
G. Tubrett	CSA, Mississauga, Ontario

Section 56 — Optical fiber cables

C.B. Chan (<i>Chair</i>)	MTS Communications Inc., Winnipeg, Manitoba
S. Finnagan	Algonquin College, Ottawa, Ontario
B. Haydon	CSA, Mississauga, Ontario
P. Olders	Terra Communications, Inc., Scarborough, Ontario (Representing International Association of Electrical Inspectors)
J. Poulin	Bell Canada, Longueuil, Québec
V.G. Rowe	Marex Canada Limited, Westbank, British Columbia
A.Z. Tsisserev	City of Vancouver, British Columbia

Section 60 — Electrical communication systems

J. Poulin (<i>Chair</i>)	Bell Canada, Longueuil, Québec
D.J. Andrews	D.J.A. Engineering, Calgary, Alberta
C.B. Chan	MTS Communications Inc., Winnipeg, Manitoba
E. Chantigny	General Electric Canada, Pointe-Claire, Québec
P. Desilets	Leviton Manufacturing of Canada Limited, Pointe-Claire, Québec
S. Finnagan	Algonquin College, Ottawa, Ontario
E.S. Guevara	Industry Canada, Ottawa, Ontario
D. Schultz	TELUS Communications (B.C.) Inc., Edmonton, Alberta
R. Smith	Aliant Telecom, Moncton, New Brunswick
A.Z. Tsisserev	City of Vancouver, British Columbia
M. Wilson	CSA, Mississauga, Ontario

Section 62 — Fixed electric space and surface heating systems

V.G. Rowe (<i>Chair</i>)	Marex Canada Limited, Westbank, British Columbia
J. Turner (<i>Vice-Chair</i>)	Swansea Consulting, Toronto, Ontario
J. Adam	Syncrude Canada Limited, Fort McMurray, Alberta
R. Barth	Thermon Manufacturing Company, San Marcos, Texas, USA
P. Desilets	Leviton Manufacturing of Canada Limited, Pointe-Claire, Québec
T.S. Driscoll	Shell Canada, Calgary, Alberta
W.E. Hanthorn	Tyco Thermal Controls (Canada) Ltd., Trenton, Ontario
T. Pope	CSA, Mississauga, Ontario
R. Stromer	Imperial Oil Resources Limited, Calgary, Alberta
S. Tetreault	Shell Canada Ltd., Montréal, Québec
J. Thomson	Electrical Safety Authority, Corunna, Ontario (Representing International Association of Electrical Inspectors)

Section 66 — Amusement parks, midways, carnivals, film and TV sets, TV remote broadcasting locations, and travelling shows

G. Montminy (<i>Chair</i>)	Régie du bâtiment du Québec, Québec, Québec
D. Burke	Victoria, British Columbia
T. Olechna	Electrical Safety Authority, Mississauga, Ontario
A. Paquette	Régie du bâtiment du Québec, Montréal, Québec
M. Perreault	Canadian Broadcasting Corporation, Montréal, Québec

L. Radom	SaskPower, Regina, Saskatchewan
A. Wanuch	Robertson Electric Wholesale, Toronto, Ontario
W. White	City of Vancouver, British Columbia

Section 68 — Pools, tubs, and spas

S.W. Douglas (<i>Chair</i>)	Electrical Safety Authority, Cambridge, Ontario (<i>Representing International Association of Electrical Inspectors</i>)
T. Bartoffy	CSA, Mississauga, Ontario
D. Letcher	Don Letcher (E.S.C.O.) Enterprises, Sherwood Park, Alberta (<i>Representing International Association of Electrical Inspectors</i>)
T. Minna	EPI Electrical Contractors, Brampton, Ontario
G. Montminy	Régie du bâtiment du Québec, Québec, Québec
T. Olechna	Electrical Safety Authority, Mississauga, Ontario
L.B. Ross	Newmarket, Ontario
D.K. Stuebing	Solon Enterprises Ltd., Peace River, Alberta
K. Tomihiro	Pool and Hot Tub Council of Canada, Markham, Ontario

Section 70 — Electrical requirements for factory-built relocatable structures and non-relocatable structures

R. May (<i>Chair</i>)	British Columbia Safety Authority (BCSA), New Westminster, British Columbia
M.S. Anderson	City of Winnipeg, Manitoba
J. Einarson	Department of Community Services, Whitehorse, Yukon
K. Maynard	Canadian Manufactured Housing Institute, Ottawa, Ontario
R. Morin	Economical Insurance Group, Oshawa, Ontario (<i>Representing International Association of Inspectors</i>)

Section 72 — Mobile home and recreational vehicle parks

R. May (<i>Chair</i>)	British Columbia Safety Authority (BCSA), New Westminster, British Columbia
M.S. Anderson	City of Winnipeg, Manitoba
J. Baker	OPCA, Embro, Ontario
W. Donald	Winnipeg, Manitoba
J. Einarson	Department of Community Services, Whitehorse, Yukon
D. Letcher	Don Letcher (E.S.C.O.) Enterprises, Sherwood Park, Alberta (<i>Representing International Association of Electrical Inspectors</i>)
G. Montminy	Régie du bâtiment du Québec, Québec, Québec
T. Olechna	Electrical Safety Authority, Mississauga, Ontario

Section 74 — Airport installations

R. May (<i>Chair</i>)	British Columbia Safety Authority (BCSA), New Westminster, British Columbia
D. Henry (<i>Vice-Chair</i>)	Department of National Defence, Westwin, Manitoba
E.J. Alf	Transport Canada, Ottawa, Ontario
G.W. Bradbury	B.T.E. Engineering Technology Services, St. Petersburg, Florida, USA (<i>Representing International Association of Electrical Inspectors</i>)
D.H. Dunsire	Winnipeg, Manitoba
G.T. Gingara	AMEC Americas Limited, Saskatoon, Saskatchewan
R. Kowalik	Alberta Transportation and Utilities, Edmonton, Alberta
N. Mancini	CSA, Toronto, Ontario

Section 76 — Temporary wiring

W.G. McMullan (<i>Chair</i>)	Manitoba Hydro, Winnipeg, Manitoba
S. Douglas (<i>Vice-Chair</i>)	Electrical Safety Authority, Cambridge, Ontario (<i>Representing International Association of Electrical Inspectors</i>)
B. Doan	Summer Electric London Ltd., Komoka, Ontario
N. Mancini	CSA, Toronto, Ontario
B. O'Donnell	AC Powerline Construction, Pickering, Ontario
T. Olechna	Electrical Safety Authority, Mississauga, Ontario

Section 78 — Marinas, yacht clubs, marine wharves, structures, and fishing harbours

A. Sutherland (<i>Chair</i>)	Department of Public Works and Government Services Canada, Hull, Québec
T. Branch	Department of Public Safety, Bathurst, New Brunswick
A. Donaldson	Ontario Marinas Operators' Association, Penetanguishene, Ontario
T.A. Fekete	Scarborough, Ontario
K. McCormick	Electrical Safety Authority, Cobourg, Ontario
K.L. Rodel	Hubbell Canada LP, Pickering, Ontario
M. Vollmer	Burlington, Ontario

Section 80 — Cathodic protection

T. Simmons (<i>Chair</i>)	British Columbia Institute of Technology, Burnaby, British Columbia
E. Court	Court Consulting Ltd., Calgary, Alberta
S.J. Croall	Manitoba Hydro, Winnipeg, Manitoba
J.G. Demers	Marex Canada Ltd., Calgary, Alberta
N. Mancini	CSA, Toronto, Ontario
R.J. Maynard	Aurora Environmental Consulting Ltd., Calgary, Alberta
W.G. McMullan	Manitoba Hydro, Winnipeg, Manitoba
D. Schill	SaskPower, Yorkton, Saskatchewan (<i>Representing International Association of Electrical Inspectors</i>)
R. Stromer	Imperial Oil Resources Ltd., Calgary, Alberta
A.Z. Tsisserev	City of Vancouver, British Columbia
R.G. Wakelin	Correng Consulting Services, Markham, Ontario

Section 82 — Closed-loop and pre-closed-loop power distribution

C.B. Chan (<i>Chair</i>)	MTS Communications Inc., Winnipeg, Manitoba
G.N. Bowling	Ottawa, Ontario
D. Juden	C.C.G., Ottawa, Ontario
N. Mancini	CSA, Toronto, Ontario
D. Pilon	SaskPower Electrical Inspectors, Prince Alberta, Saskatchewan (<i>Representing International Association of Electrical Inspectors</i>)

Section 84 — Interconnection of electric power production sources

F.L. Kaempffer (<i>Chair</i>)	British Columbia Hydro, Burnaby, British Columbia
M.S. Anderson	City of Winnipeg, Manitoba
R.A. Burpee	Saint John Energy, Saint John, New Brunswick
D. Desrosiers	Direction Principale, Montréal, Québec
D.H. Dunsire	Winnipeg, Manitoba
D. Heron	Electrical Safety Authority, Worthington, Ontario (<i>Representing International Association of Electrical Inspectors</i>)

A. Mak	EPCOR Distribution and Transmission Inc., Edmonton, Alberta
T. Pope	CSA, Mississauga, Ontario
V.G. Rowe	Marex Canada Limited, Westbank, British Columbia
T. Simmons	British Columbia Institute of Technology, Burnaby, British Columbia

Section 86 — Electric vehicle charging systems

T.W. Odell (<i>Chair</i>)	General Motors of Canada, Oshawa, Ontario
R. Field	Norvik Technologies Inc., Mississauga, Ontario
D. Hulford	CSA, Mississauga, Ontario
C. Keyes	Kinetrics Inc., Toronto, Ontario
S. Lines	Natural Resources Canada, Ottawa, Ontario
N. Mancini	CSA, Toronto, Ontario
A.Z. Tsisserev	City of Vancouver, British Columbia

Appendix C

A.Z. Tsisserev (<i>Chair</i>)	City of Vancouver, British Columbia
---------------------------------	-------------------------------------

Appendix D

S. Paulsen (<i>Chair</i>)	Department of Public Safety, Fredericton, New Brunswick
-----------------------------	---

Appendix E

V.G. Rowe (<i>Chair</i>)	Marex Canada Limited, Westbank, British Columbia
----------------------------	--

Appendix F

V.G. Rowe (<i>Chair</i>)	Marex Canada Limited, Westbank, British Columbia
----------------------------	--

Appendix G

A.Z. Tsisserev (<i>Chair</i>)	City of Vancouver, British Columbia
---------------------------------	-------------------------------------

Appendix H

V.G. Rowe (<i>Chair</i>)	Marex Canada Limited, Westbank, British Columbia
----------------------------	--

Appendix J

V.G. Rowe (<i>Chair</i>)	Marex Canada Limited, Westbank, British Columbia
----------------------------	--

Δ

Preface

This twentieth edition of the *Canadian Electrical Code, Part I*, was approved by the Committee on the *Canadian Electrical Code, Part I*, and by the Regulatory Authority Committee at their June 2005 meetings in Kelowna, British Columbia. This twentieth edition supersedes the previous editions, published in 2002, 1998, 1994, 1990, 1986, 1982, 1978, 1975, 1972, 1969, 1966, 1962, 1958, 1953, 1947, 1939, 1935, 1930, and 1927.

Sections 0 to 16 and 26 are considered general sections, and the other sections supplement or amend the general sections.

Various requirements were revised as a result of the continuing efforts toward harmonization. In addition, there are significant changes to Sections 2, 10, 18 (particularly in Appendices B and J), 26, and 32. Sections 74 and 84 have been revised considerably to reflect new technology and industry practices.

A new Subsection was added to Section 22 to include the requirements for Sewage Lift and Treatment Plants. A new Appendix I has been added listing the interpretations that have been approved since the last edition, in the cases where the Rule in question has not been clarified yet. A new Appendix K has been added giving the fundamental safety principles contained in IEC 60634-1.

General arrangement

The Code is divided into numbered Sections, each covering some main division of the work. The Sections are divided into numbered Rules, with captions for easy reference, as follows:

- (a) **Numbering system** — With the exception of Section 38, even numbers have been used throughout to identify Sections and Rules. Rule numbers consist of the Section number separated by a hyphen from the 3- or 4-digit figure. The intention in general is that odd numbers may be used for new Rules required by interim revisions. Due to the introduction of some new Rules and the deletion of some existing Rules during the revision of each edition, the Rule numbers for any particular requirement are not always the same in successive editions.
- (b) **Subdivision of Rules** — Rules are subdivided in the manner illustrated by Rules 8-204 and 8-206, and the subdivisions are identified as follows:

00-000	Rule
(1)	Subrule
(a)	Item
(i)	Item
(A)	Item

- (c) **Reference to other Rules, etc.** — Where reference is made to two or more Rules, the first and last Rules mentioned are included in the reference. Where reference is made to a Subrule or Item in the same Rule, only the Subrule number and/or Item letter and the word “Subrule” or “Item” need be mentioned. If the reference is to another Rule or Section, then the Rule number and the word “Rule” shall be stated (e.g., “Rule 10-200(3)” and not “Subrule (3) of Rule 10-200”).

The principal changes that have been made between the 2002 edition of the *Canadian Electrical Code, Part I*, and this new edition published in 2006 are marked in the text of the Code by the symbol delta (Δ) in the margin. Where revisions to or deletions from the text have caused existing Rules to be renumbered, only the first renumbered Rule in the sequence is marked. Users of the Code are advised that the change markers in the text are not intended to be all-inclusive and are provided as a convenience only; such markers cannot constitute a comprehensive guide to the reorganization or revision of the Code. Care must therefore be taken not to rely on the change markers to determine the current requirements of the Code. As always, users of the Code must consider the entire Code and any local amendments.

Acknowledgement

Acknowledgement is made for the use of material contained in the *National Electrical Code*.

The history and operation of the *Canadian Electrical Code, Part I*

The preliminary work in preparing the *Canadian Electrical Code* was begun in 1920 when a special committee, appointed by the main Committee of the Canadian Engineering Standards Association, recommended that this project be undertaken. A third meeting of this Committee was held in June 1927 with representatives from

Nova Scotia, Québec, Ontario, Manitoba, Saskatchewan, and British Columbia attending. At this meeting, the revised draft, which had been discussed at the previous two meetings, was formally approved and a resolution was made that it be printed as Part I of the *Canadian Electrical Code*.

The present Committee on *CE Code, Part I*, is composed of 41 members, with representation from inspection authorities, industry, utilities, and allied interests. The main Committee meets once a year and deals with reports that have been submitted by the 42 Section Subcommittees, which work under the jurisdiction of the main Committee. Suggestions for changes to the Code may be made by any member of the Committee or anyone outside the Committee as outlined in Clause C6.

January 2006

Notes:

- (1) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- (2) *CSA Standards are subject to periodic review, and suggestions for their improvement will be referred to the appropriate committee.*
- (3) *All enquiries regarding this Standard, including requests for interpretation, should be addressed to Canadian Standards Association, 5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6.
Requests for interpretation will also be accepted by the Committee (see Clause C9). They should be worded in such a manner as to permit a specific "yes" or "no" answer based on the literal text of the requirement concerned.
Interpretations are published in CSA's periodical Info Update, which is available on the CSA Web site at www.csa.ca.*

Metric units

Symbols and conversion factors for SI units

Recognized symbols for SI units have been used in the *Canadian Electrical Code, Part I*. For the convenience of the user, these symbols and the units they represent have been listed in the following table; the table also gives a multiplying factor that may be used to convert the SI unit to the previously used unit.

Symbol	SI unit	Multiplying factor for conversion to previously used unit	Previously used unit
A	ampere(s)	1	ampere(s)
cm ³	cubic centimetre(s)	0.061	cubic inch(es)
°(s)	degree(s) (angle)	1	degree(s) (angle)
°C rise	degree(s) Celsius	1.8	degree(s) Fahrenheit
°C temperature	degree(s) Celsius	1.8 plus 32	degree(s) Fahrenheit
h	hour(s)	1	hour(s) (time)
Hz	hertz	1	cycles per second
J	joule(s)	0.7376	foot-pound(s)
kg	kilogram(s)	2.205	pound(s)
kJ	kilojoule(s)	737.6	foot-pound(s)
km	kilometre	0.621	mile(s)
kPa	kilopascal(s)	0.295	inch(es) of mercury
		0.334	feet of water
		0.145	pound(s) per square inch (psi)
kW	kilowatt	3415.179	BTU/h
lx	lux	0.093	foot-candle(s)
L	litre	0.220	gallon(s)
m	metre(s)	3.281	feet
m ²	square metre(s)	10.764	square feet
m ³	cubic metre(s)	35.315	cubic feet
MHz	megahertz	1	megacycles per second
min	minute(s)	1	minute(s)
mL	millilitre(s)	0.061	cubic inch(es)
mm	millimetre(s)	0.03937	inch(es)
mm ²	square millimetre(s)	0.00155	square inch(es)
Ω	ohm(s)	1	ohm(s)
Pa	pascal(s)	0.000295	inch(es) of mercury
		0.000334	feet of water
		0.000145	pounds per square inch (psi)
V	volt(s)	1	volt(s)
W	watt(s)	1	watt(s)
μF	microfarad(s)	1	microfarad(s)

Conduit sizes

In the previous edition of the Code, changes to the identification of the size of conduit were made throughout the Code. The metric trade designator was given first, with the value in inches following in parentheses. In this edition, only the metric trade designator is used.

Conduit trade sizes

1998 edition	2002 edition	2006 edition
3/8 (12)	12 (3/8)	12
1/2 (16)	16 (1/2)	16
3/4 (21)	21 (3/4)	21
1 (27)	27 (1)	27
1-1/4 (35)	35 (1-1/4)	35
1-1/2 (41)	41 (1-1/2)	41
2 (53)	53 (2)	53
2-1/2 (63)	63 (2-1/2)	63
3 (78)	78 (3)	78
3-1/2 (91)	91 (3-1/2)	91
4 (103)	103 (4)	103
5 (129)	129 (5)	129
6 (155)	155 (6)	155

Reference publications

This Standard refers to the following publications, and the year dates shown indicate the latest editions available at the time the Standard was approved:

CSA (Canadian Standards Association)

B44-04, *Safety Code for Elevators and Escalators*
CAN/CSA-B44.1-04/ASME-A17.5-2004, *Elevator and Escalator Electrical Equipment*
B52-05, *Mechanical Refrigeration Code*
CAN/CSA-B72-M87 (R2003), *Installation Code for Lightning Protection Systems*
CAN/CSA-B137.1-02, *Polyethylene Pipe, Tubing, and Fittings for Cold-Water Pressure Services*
CAN/CSA-B149.1-05, *Natural Gas and Propane Installation Code*
CAN/CSA-B149.2-05, *Propane Storage and Handling Code*
CAN/CSA-B355-00, *Lifts for Persons with Physical Disabilities*
CAN/CSA-B613-00, *Private Residence Lifts for Persons with Physical Disabilities*
CAN/CSA-C22.2 No. 0-M91 (R2001), *General Requirements — Canadian Electrical Code, Part II*
C22.2 No. 1-04, *Audio, Video, and Similar Electronic Equipment*
C22.2 No. 3-M1988 (R2004), *Electrical Features of Fuel-Burning Equipment*
CAN/CSA-C22.2 No. 14-95 (R2001), *Industrial Control Equipment*
C22.2 No. 22-M1986 (R2004), *Electrical Equipment for Flammable and Combustible Fuel Dispensers*
C22.2 No. 25-1966 (R2004), *Enclosures for Use in Class II Groups E, F, and G Hazardous Locations*
C22.2 No. 30-M1986 (R2003), *Explosion-Proof Enclosures for Use in Class I Hazardous Locations*
C22.2 No. 33-M1984 (R2004), *Construction and Test of Electric Cranes and Hoists*
C22.2 No. 41-M1987 (R2004), *Grounding and Bonding Equipment*
C22.2 No. 59-M1987 (R2004), *Attachment Plugs, Receptacles, and Similar Wiring Devices for Use in Hazardous Locations: Class I, Groups A, B, C, and D; Class II, Groups G, in Coal or Coke Dust, and in Gaseous Mines*
C22.2 No. 59.1-M1987 (R2001), *Fuses (Both Plug and Cartridge-Enclosed Types)*
C22.2 No. 82-1969 (R2004), *Tubular Support Members and Associated Fittings for Domestic and Commercial Service Masts*
CAN/CSA-C22.2 No. 106-M92 (R2001), *HRC Fuses*
C22.2 No. 107.1-01, *General Use Power Supplies*
C22.2 No. 111-00, *General-Use Snap Switches*
CAN/CSA-C22.2 No. 114-M90 (R2005), *Diagnostic Imaging and Radiation Therapy Equipment*
C22.2 No. 124-04, *Mineral-Insulated Cable*
C22.2 No. 125-M1984 (R2004), *Electromedical Equipment*
C22.2 No. 126.1-02, *Metal Cable Tray Systems*
CAN/CSA-C22.2 No. 130-03, *Requirements for Electrical Resistance Heating Cables and Heating Device Sets*
CAN/CSA-C22.2 No. 130.1-M90 (R2001), *Heat-Tracing Cable Systems for Use in Industrial Locations (withdrawn)*
C22.2 No. 137-M1981 (R2004), *Electric Luminaires For Use in Hazardous Locations*
C22.2 No. 141-02, *Unit Equipment for Emergency Lighting*
C22.2 No. 145-M1986 (R2004), *Motors and Generators for Use in Hazardous Locations*
C22.2 No. 152-M1984 (R2001), *Combustible Gas Detection Instruments*
CAN/CSA-C22.2 No. 157-92 (R2002), *Intrinsically Safe and Non-Incendive Equipment for Use in Hazardous Locations*
C22.2 No. 174-M1984 (R2003), *Cables and Cable Glands for Use in Hazardous Locations*
C22.2 No. 178-1978 (R2001), *Automatic Transfer Switches*
C22.2 No. 211.0-03, *General Requirements and Methods of Testing for Nonmetallic Conduit*
C22.2 No. 213-M1987 (R2004), *Non-incendive Electrical Equipment for Use in Class I, Division 2 Hazardous Locations*
CAN/CSA-C22.2 No. 248 series (R2005), *Low-Voltage Fuses*
CAN/CSA-C22.2 No. 601 series, *Medical Electrical Equipment*
CAN/CSA-C22.2 No. 60529:05, *Degrees of Protection Provided by Enclosures (IP Code)*
CAN/CSA-C22.3 No. 1-01, *Overhead Systems*
C22.3 No. 7-94 (R2004), *Underground Systems*
C83-96 (R2005), *Communication and Power Line Hardware*
CAN3-C235-83 (R2000), *Preferred Voltage Levels for AC Systems, 0 to 50 000 V*
CAN/CSA-C282-00, *Emergency Electrical Power Supply for Buildings*
CAN/CSA-C1264-99 (R2004), *Ceramic Pressurized Hollow Insulators for High-Voltage Switchgear and Controlgear*

CAN/CSA-C50052-99 (R2003), *Cast Aluminium Alloy Enclosures for Gas-Filled High-Voltage Switchgear and Controlgear*
 CAN/CSA-C50064-99 (R2003), *Wrought Aluminium and Aluminium Alloy Enclosures for Gas-Filled High-Voltage Switchgear and Controlgear*
 CAN/CSA-C50068-99 (R2003), *Wrought Steel Enclosures for Gas-Filled High-Voltage Switchgear and Controlgear*
 CAN/CSA-C50069-99 (R2003), *Welded Composite Enclosures of Cast and Wrought Aluminium Alloys for Gas-Filled High-Voltage Switchgear and Controlgear*
 CAN/CSA-C50089-99 (R2003), *Cast Resin Partitions for Metal-Enclosed Gas-Filled High-Voltage Switchgear and Controlgear*
 CAN/CSA-E60079-0-02, *Electrical Apparatus for Explosive Gas Atmospheres — Part 0: General Requirements*
 CAN/CSA-E60079-1-02, *Electrical Apparatus for Explosive Gas Atmospheres — Part 1: Flameproof Enclosures “d”*
 CAN/CSA-E60079-2-02, *Electrical Apparatus for Explosive Gas Atmospheres — Part 2: Electrical Apparatus — Type of Protection “p”*
 CAN/CSA-E60079-5-02, *Electrical Apparatus for Explosive Gas Atmospheres — Part 5: Powder Filling “q”*
 CAN/CSA-E60079-6-02, *Electrical Apparatus for Explosive Gas Atmospheres — Part 6: Oil-Immersion “o”*
 CAN/CSA-E60079-7-03, *Electrical Apparatus for Explosive Gas Atmospheres — Part 7: Increased Safety “e”*
 CAN/CSA-E60079-11-02, *Electrical Apparatus for Explosive Gas Atmospheres — Part 11: Intrinsic Safety “i”*
 CAN/CSA-E60079-15-02, *Electrical Apparatus for Explosive Gas Atmospheres — Part 15: Electrical Apparatus with Type of Protection “n”*
 CAN/CSA-E79-18-95 (R2004), *Electrical Apparatus for Explosive Gas Atmospheres — Part 18: Encapsulation “m”*
 CAN/CSA-E61241-1-1-02, *Electrical Apparatus for Use in the Presence of Combustible Dust — Part 1-1: Electrical Apparatus Protected by Enclosures and Surface Temperature Limitations — Specification for Apparatus*
 CAN/CSA-M421-00, *Use of Electricity in Mines*
 CAN/CSA-S413-94 (R2000), *Parking Structures*
 CAN/CSA-Z32-04, *Electrical Safety and Essential Electrical Systems in Health Care Facilities*
 CAN/CSA-Z240 MH Series-92 (R2001), *Mobile Homes*
 CAN/CSA-Z240 RV Series-99 (R2004), *Recreational Vehicles*
 CAN/CSA-Z241 Series-03, *Park Model Trailers*
 CAN/CSA-Z267-00, *Safety Code for Amusement Rides and Devices*
 CAN/CSA-Z662-03, *Oil and Gas Pipeline Systems*

ANSI/API (American National Standards Institute/American Petroleum Institute)

505 (1997), *Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities Classified as Class I, Zone 0, and Zone 2*

ANSI/ASME (American National Standards Institute/American Society of Mechanical Engineers)

B1.20.1-1983 (R2001), *Pipe Threads, General Purpose (Inch)*
 Z535.4-2002, *Product Safety Signs and Labels*

ANSI/IEEE (American National Standards Institute/Institute of Electrical and Electronics Engineers)

487-2000, *Recommended Practice for the Protection of Wire-Line Communication Facilities Serving Supply Locations*

ANSI/NEMA (American National Standards Institute/National Electrical Manufacturers Association)

WD 6-2002, *Wiring Devices — Dimensional Requirements*

API (American Petroleum Institute)

500 (1997), *Recommended Practice for Classification of Locations for Electrical Installations of Petroleum Facilities Classified as Class I, Division 1 and Division 2*
 2216 (2003), *Ignition Risk of Hydrocarbon Liquids and Vapors by Hot Surfaces in the Open Air*

CEA (Canadian Electricity Association)

249 D541-1989, *Simplified Rules for Grounding Customer-Owned High Voltage Substations*

IEC (International Electrotechnical Commission)

60079-1A:2003, *Electrical apparatus for explosive gas atmospheres — Part 1: Flameproof enclosures “d”*
 60079-4:1975, *Electrical apparatus for explosive gas atmospheres — Part 4: Method of test for ignition temperature*

60079-4A:1970, *Electrical apparatus for explosive gas atmospheres — Part 4: Method of test for ignition temperature — First supplement*
60079-10:2002, *Electrical apparatus for explosive gas atmospheres — Part 10: Classification of hazardous areas*
60079-12:1978, *Electrical apparatus for explosive gas atmospheres — Part 12: Classification of mixtures of gases of vapours with air according to their maximum experimental safe gaps and minimum igniting currents*
60079-13:1982, *Electrical apparatus for explosive gas atmospheres — Part 13: Construction and use of rooms or buildings protected by pressurization*
60079-14:2002, *Electrical apparatus for explosive gas atmospheres — Part 14: Electrical installations in hazardous areas (other than mines)*
60079-16:1990, *Electrical apparatus for explosive gas atmospheres — Part 16: Artificial ventilation for the protection of analyser(s) houses*
60079-17:2002, *Electrical apparatus for explosive gas atmospheres — Part 17: Inspection and maintenance of electrical installations in hazardous areas (other than mines)*
60079-19:1993, *Electrical apparatus for explosive gas atmospheres — Part 19: Repair and overhaul for apparatus used in explosive atmospheres (other than mines or explosives)*
60079-20:1996, *Electrical apparatus for explosive gas atmospheres — Part 20: Data for flammable gases and vapours, relating to the use of electrical apparatus*
60079-25:2003, *Electrical apparatus for explosive gas atmospheres — Part 25: Intrinsically safe systems*
60079-26:2004, *Electrical apparatus for explosive gas atmospheres — Part 26: Construction, test and marking of Group II Zone 0 electrical apparatus*
60364-1:2001, *Electrical installations of buildings — Part 1: Fundamental principles, assessment of general characteristics, definitions*
60364-5-51:2005, *Electrical installations of buildings — Part 5-51: Selection and erection of electrical equipment — Common rules*
60529:2001, *Degrees of protection provided by enclosures (IP Code)*
60721, *Classification of Environmental Conditions*
60781:1989, *Application Guide for Calculation of Short Circuit Currents in Low-Voltage Radial Systems*
61241-1-1:1999, *Electrical apparatus for use in the presence of combustible dust — Part 1-1: Electrical apparatus protected by enclosures and surface temperature limitation — Specification for apparatus*
61241-1-2:1999, *Electrical apparatus for use in the presence of combustible dust — Part 1-2: Electrical apparatus protected by enclosures and surface temperature limitation — Selection, installation and maintenance*
61241-2-1:1994, *Electrical apparatus for use in the presence of combustible dust — Part 2: Test methods — Section 1: Methods for determining the minimum ignition temperatures of dust*
61241-2-2:1993, *Electrical apparatus for use in the presence of combustible dust — Part 2: Test methods — Section 2: Method for determining the electrical resistivity of dust in layers*
61241-2-3:1994, *Electrical apparatus for use in the presence of combustible dust — Part 2: Test methods — Section 3: Method for determining minimum ignition energy of dust/air mixtures*
61241-3:1997, *Electrical apparatus for use in the presence of combustible dust — Part 3: Classification of areas where combustible dusts are or may be present*
61241-4:2001, *Electrical apparatus for use in the presence of combustible dust — Part 4: Type of protection “pD”*

IEEE (Institute of Electrical and Electronics Engineers)

80-2000, *Guide for Safety in AC Substation Grounding*
484-2002, *Recommended Practice for Installation Design and Implementation of Vented Lead-Acid Batteries for Stationary Applications*
835-1994, *Standard Power Cable Ampacity Tables*
837-1989, *Standard for Qualifying Permanent Connections Used in Substation Grounding*
1584-2002, *Guide for Performing Arc-Flash Hazard Calculations*
C62.41-1991, *Recommended Practice on Surge Voltages in Low-Voltage AC Power Circuits*

Institute of Petroleum

Model Code of Safe Practice — Part 15: Area Classification of Locations for Petroleum Installations

ISA (Instrument Society of America)

RP 12.6-2003, *Wiring Practices for Hazardous (Classified) Locations — Instrumentation — Part 1: Intrinsic Safety*

ISO (International Organization for Standardization)

965:1998, *General Purpose Metric Screw Threads — Tolerances*

NEMA (National Electrical Manufacturers Association)

VE 1-2002, *Metal Cable Tray Systems*

NFPA (National Fire Protection Association)

No. 20-2003, *Standard for the Installation of Stationary Fire Pumps for Fire Protection*

No. 51A-2001, *Standard for Acetylene Cylinder Charging Plants*

No. 70-2005, *National Electrical Code*

No. 70E-2004, *Electrical Safety in the Workplace*

No. 72-2002, *National Fire Alarm Code*

No. 91-2004, *Standard for Exhaust Systems for Air Conveying of Vapors, Gases, Mists, and Noncombustible Particulate Solids*

No. 96-2004, *Standard for Ventilation Control and Fire Protection of Commercial Cooking Operations*

No. 496-2003, *Standard for Purged and Pressurized Enclosures for Electrical Equipment*

No. 497-2004, *Classification of Flammable Liquids, Gases, or Vapors and of Hazardous (Classified) Locations for Electrical Installations in Chemical Process Areas*

No. 505-2006, *Fire Safety Standard for Powered Industrial Trucks Including Type Designations, Areas of Use, Conversions, Maintenance, and Operation*

No. 655-2001, *Standard for Prevention of Sulfur Fires and Explosions*

No. 820-2003, *Standard for Fire Protection in Wastewater Treatment and Collection Facilities*

NRCC (National Research Council Canada)

National Building Code of Canada, 2005

National Farm Building Code of Canada, 1995

National Fire Code of Canada, 2005

UL (Underwriters Laboratories Inc.)

1449-1996, *Standard for Safety for Transient Voltage Surge Suppressors*

ULC (Underwriters' Laboratories of Canada)

CAN/ULC-S524-2001, *Installation of Fire Alarm Systems*

CAN/ULC-S531-2002, *Smoke Alarms*

Other publications

Natural Resources Canada, *Atlas of Canada*, 2006

Section 0 — Object, scope, and definitions (See Appendix G)

Δ

Object (see Appendix B)

The object of this Code is to establish safety standards for the installation and maintenance of electrical equipment. In its preparation, consideration has been given to the prevention of fire and shock hazards, as well as proper maintenance and operation.

Compliance with the requirements of this Code and proper maintenance will ensure an essentially safe installation. Safe installations may also be ensured by compliance with the objective-based fundamental safety principles of IEC 60364-1 (see Appendix K). Compliance with these objective-based installation criteria by industrial and similar users may be achieved through the implementation of specific quality management programs or equivalent programs acceptable to the authorities adopting and enforcing this Code.

Wiring installations that do not make provision for the increasing use of electricity may be overloaded in the future, resulting in a hazardous condition. It is recommended that the initial installation have sufficient wiring capacity and that there be some provision made for wiring changes that might be required as a result of future load growth.

This Code is not intended as a design specification nor as an instruction manual for untrained persons.

The requirements in this Code address the fundamental principles of protection for safety contained in Section 131 of IEC 60364-1, which encompasses protection against electric shock, thermal effects, overcurrent, fault currents, and overvoltage.

Scope

This Code covers all electrical work and electrical equipment operating or intended to operate at all voltages in electrical installations for buildings, structures, and premises, including factory-built relocatable and non-relocatable structures, and self-propelled marine vessels stationary for periods exceeding five months and connected to a shore supply of electricity continuously or from time to time, with the following exceptions:

- Δ
- (a) installations or equipment employed by an electric, communication, or community antenna distribution system utility in the exercise of its function as a utility, as recognized by the regulatory authority having jurisdiction, and located outdoors or in buildings or sections of buildings used for that purpose;
 - (b) equipment and facilities that are used in the operation of an electric railway and are supplied exclusively from circuits that supply the motive power;
 - (c) installations or equipment used for railway signalling and railway communication purposes, and located outdoors or in buildings or sections of buildings used exclusively for such installations;
 - (d) aircraft; and
 - (e) electrical systems in ships that are regulated under Transport Canada.

For mines and quarry applications, see also CAN/CSA-M421.

This Code and any standards referenced herein do not make or imply any assurance or guarantee by the authority adopting this Code with respect to life expectancy, durability, or operating performance of equipment and materials referenced herein.

Definitions

For the purpose of correct interpretation, certain terms have been defined and where such terms or their derivatives appear throughout this Code they shall be understood to have the following meanings. The ordinary or dictionary meaning of terms shall be used for terms not specifically defined in this Code.

Acceptable — acceptable to the authority enforcing this Code.

Accessible (as applied to equipment) — admitting close approach because the equipment is not guarded by locked doors, elevation, or other effective means.

Accessible (as applied to wiring methods) —

- (a) not permanently closed in by the structure or finish of the building; and
- (b) capable of being removed without disturbing the building structure or finish.

Accredited certification organization — an organization that has been accredited by the Standards Council of Canada, in accordance with specific criteria, procedures, and requirements, to operate, on a continuing basis, a certification program for electrical equipment.