




Concrete materials and methods of concrete construction/Test methods and standard practices for concrete



National Standard of Canada

CSA A23.1:19/CSA A23.2:19
Concrete materials and methods of
concrete construction/Test methods
and standard practices for concrete



*®A trademark of the Canadian Standards Association,
operating as “CSA Group”*



*Published in June 2019 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 91.080.40; 91.100.30
ISBN 978-1-4883-0744-7*

*© 2019 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Concrete Materials and Construction 9

Preface 15

CSA A23.1:19, Concrete materials and methods of concrete construction

0 Introduction 18

1 Scope 18

1.1 General 18

1.2 Exclusions 18

1.3 Precasting of concrete in the field 18

1.4 Parking garages 19

1.5 Supplementary specifications 19

1.6 Terminology 19

2 Reference publications 19

3 Definitions 47

4 Materials and concrete properties 55

4.1 Requirements for concrete and alternative methods for specifying concrete 55

4.1.1 Durability requirements 55

4.1.2 Alternatives for specifying concrete 59

4.2 Materials 60

4.2.1 Cements and supplementary cementitious materials 60

4.2.2 Water 61

4.2.3 Aggregates 61

4.2.4 Admixtures 66

4.2.5 Fibres 67

4.2.6 Pigments for integrally coloured concrete 67

4.3 Concrete properties 67

4.3.1 Mix proportions 67

4.3.2 Workability 68

4.3.3 Air entrainment 69

4.3.4 Density 70

4.3.5 Strength 70

4.3.6 Volume stability considerations 70

4.3.7 Chloride ion penetrability 71

4.4 Quality control 71

4.4.1 Responsibilities 71

4.4.2 Concrete acceptance 73

5 Production and delivery 75

5.1 Storage of materials 75

5.1.1 General 75

5.1.2 Cementitious materials 75

5.1.3	Aggregate	76
5.1.4	Admixtures	76
5.2	Production of concrete	76
5.2.1	General	76
5.2.2	Measurement of materials	77
5.2.3	Batching plant	78
5.2.4	Mixing	79
5.2.5	Delivery	81
6	Formwork, reinforcement, and prestressing	84
6.1	Reinforcement	84
6.1.1	Reinforcing steel	84
6.1.2	Bend test	84
6.1.3	Special reinforcement	85
6.1.4	Dissimilar metals	85
6.1.5	Prestressing steel	85
6.1.6	Surface condition of reinforcement	85
6.1.7	Protective coating	86
6.2	Hardware and miscellaneous materials	86
6.2.1	Hardware and ferrous inserts	86
6.2.2	Nonferrous inserts	86
6.2.3	Protective coating	86
6.2.4	Miscellaneous materials	86
6.2.5	Vapour retarder	87
6.3	Storage of reinforcement	87
6.3.1	General	87
6.3.2	Special storage requirements	87
6.4	Construction tolerances for cast-in-place concrete	88
6.4.1	General	88
6.4.2	Cross-sectional dimensions and tolerances	88
6.4.3	Plumbness	89
6.4.4	Relative alignment	90
6.4.5	Levelness	90
6.4.6	Variations from a reference system and general dimensions	90
6.5	Formwork	91
6.5.1	General	91
6.5.2	Drawings for formwork	91
6.5.3	Construction	91
6.6	Fabrication and placement of reinforcement	93
6.6.1	General	93
6.6.2	Hooks and bends	93
6.6.3	Spirals	94
6.6.4	Ties	95
6.6.5	Spacing of reinforcement	96
6.6.6	Concrete cover	96
6.6.7	Support of reinforcement	97
6.6.8	Tolerances for location of reinforcement	99
6.6.9	Splices of reinforcement	100
6.6.10	Welding of reinforcement	100

6.6.11	Inspection	100
6.7	Fabrication and placement of hardware and other embedded items	100
6.7.1	General	100
6.7.2	Placing of hardware	100
6.7.3	Tolerances for placing anchor bolts and hardware	101
6.7.4	Welding of hardware	101
6.7.5	Conduits and pipes embedded in concrete	102
6.8	Post-tensioning	103
6.8.1	General	103
6.8.2	Unbonded tendons	104
6.8.3	Bonded tendons	106
6.8.4	Cement grout for bonded tendons	107
6.8.5	Preparation for post-tensioning	109
6.8.6	Application and measurement of prestressing force	112
6.8.7	Grouting	113
7	Placing, finishing, and curing concrete	115
7.1	Preconstruction quality planning	115
7.1.1	General	115
7.1.2	Concrete mixes for interior concrete floors	115
7.2	Hot and cold weather concreting	116
7.2.1	Hot weather concreting — Job preparation	116
7.2.2	Cold weather concreting	116
7.3	Jointing	117
7.3.1	Construction joints	117
7.3.2	Contraction joints	118
7.3.3	Isolation joints	119
7.3.4	Expansion joints	120
7.3.5	Joint filling	120
7.4	Storage of materials used for placing, finishing, and curing	120
7.4.1	General	120
7.4.2	Fabricated and proprietary materials	120
7.5	Placing of concrete	120
7.5.1	General	120
7.5.2	Handling	121
7.5.3	Depositing	122
7.5.4	Consolidation	124
7.5.5	Concreting underwater	124
7.5.6	Concrete placed by tremie	125
7.5.7	Concreting tubular piles and drilled shafts	125
7.6	Protection of plastic concrete	126
7.6.1	General	126
7.6.2	Initial curing for high-strength and high-performance concrete	127
7.6.3	Mass concrete	127
7.7	Finishing of concrete floor surfaces	129
7.7.1	Surface tolerances	129
7.7.2	Correction of floor flatness deficiencies	130
7.7.3	Initial finishing of horizontal surfaces	130
7.7.4	Final finishing	131

7.7.5	Abrasion and wear resistance	133
7.7.6	Nonslip surfaces	133
7.7.7	Scratch finish	133
7.7.8	Grinding	133
7.7.9	Moisture condition of concrete floors	134
7.8	Curing	134
7.8.1	General	134
7.8.2	Methods and materials	134
7.8.3	Curing for special requirements	135
7.9	Bonded toppings	136
7.9.1	Types	136
7.9.2	Special concrete mixtures for toppings	136
7.9.3	Monolithic toppings	137
7.9.4	Bonding systems	137
7.9.5	Bonding fresh concrete to rock	138
7.9.6	Tensile bond	138
7.9.7	Testing frequency	138
7.9.8	Finishing bonded toppings	138
7.9.9	Curing	139
7.10	Finishing of formed surfaces	139
7.10.1	General	139
7.10.2	Formed surface finishes	139
7.10.3	Patching	140
7.10.4	Rubbed finishes	141
8	Concrete with special performance or material requirements	142
8.1	General	142
8.1.1	Application	142
8.1.2	Purpose	142
8.1.3	Criteria	142
8.1.4	Relevant clauses	142
8.1.5	Performance evaluation	143
8.1.6	Materials	143
8.1.7	Mix proportions	143
8.1.8	Placing and curing	143
8.2	High-performance concrete and ultra-high performance concrete	143
8.3	Architectural concrete	143
8.3.1	General	143
8.3.2	Reference samples	144
8.3.3	Mock-up field samples	144
8.3.4	Formwork for special architectural finishes	144
8.3.5	Placing of architectural cast-in-place concrete	145
8.3.6	Special finishes	146
8.4	Pervious concrete	146
8.5	High-strength concrete	147
8.5.1	General	147
8.5.2	Aggregate	147
8.5.3	Mixing	147
8.5.4	Trial mixes	147

8.5.5	Temperature	147
8.5.6	Consolidation	147
8.5.7	Curing and protection	147
8.5.8	Strength testing	148
8.6	Self-consolidating concrete	148
8.6.1	General	148
8.6.2	Materials	149
8.6.3	Performance requirements for SCC	149
8.6.4	Mixture proportions	149
8.6.5	Delivery and placing	150
8.6.6	Finishing	150
8.6.7	Formwork	150
8.6.8	Curing	150
8.7	Concrete made with high-volume supplementary cementitious materials	150
8.7.1	Proportion of SCM	150
8.7.2	Materials	151
8.7.3	Trial mixes	151
8.7.4	Curing requirements	151
8.8	Low-shrinkage concrete	152
8.8.1	General	152
8.8.2	Qualification testing	152
8.8.3	Qualification of the mixture proportions	152
8.9	No-slump concrete	152
8.9.1	General	152
8.9.2	Trial mixtures	153
8.9.3	Concrete mix design	153
8.9.4	Field testing of no-slump concrete	153
8.9.5	Consolidation	153
8.9.6	Slump and air content tests	153
8.9.7	Contractor co-operation	153
8.9.8	Pre-construction meeting	154
8.10	Roller-compacted concrete	154
8.11	Controlled low-strength materials (CLSM)	154
8.11.1	General	154
8.11.2	Unshrinkable fill	154
8.12	Concrete made with alternative supplementary cementitious materials	156
8.12.1	General	156
8.12.2	Materials	156
8.12.3	Use in concrete	156
8.13	Shotcrete	156
8.13.1	General	156
8.13.2	Materials	157
8.13.3	Performance requirements for shotcrete	157
8.13.4	Mixture proportions	158
8.13.5	Delivery	159
8.13.6	Placing	159
8.13.7	Consolidation considerations	159
8.13.8	Hardened shotcrete testing	160

9 Concrete for housing and small buildings (R class concrete) 160

- 9.1 General 160
- 9.2 Formwork and formed sections 161
- 9.3 Requirements for concrete 161
- 9.4 Chloride exposure of R class concretes 161
- 9.5 Sulphate exposure of R class concretes 161

Annexes

- Annex A (informative) — Special cements 189
- Annex B (informative) — Alkali-aggregate reaction 191
- Annex C (informative) — Tolerances: Principles, preferred sizes, and usage 220
- Annex D (informative) — Guidelines for curing and protection 224
- Annex E (informative) “Reserved” — Concrete surface tolerances: Elevation, slope, and waviness 226
- Annex F (informative) — Abrasion resistance of concrete surfaces 227
- Annex G (informative) — Sample grouting record 231
- Annex H (informative) — Fibre-reinforced concrete 233
- Annex I (informative) — High-performance concrete 237
- Annex J (informative) — Guide for selecting alternatives when ordering concrete using Table 5 243
- Annex K (informative) — Concrete made with high-volume supplementary cementitious materials 255
- Annex L (informative) — Mineral filler as an aggregate for concrete 259
- Annex M (informative) — Sustainable development, construction, and concrete 262
- Annex N (informative) — Requirements for pervious concrete 273
- Annex O (informative) — Aggregate made from recycled concrete for use in hydraulic cement concrete 278
- Annex P (informative) — Impact of sulphides in aggregate on concrete behaviour and global approach to determine potential deleterious reactivity of sulphide-bearing aggregates 288
- Annex Q (informative) — Simple method to optimize combined aggregate gradation 341
- Annex R (informative) — Residential concrete construction 351
- Annex S (informative) — Concrete made with carbon dioxide as an additive 360
- Annex T (informative) — Mass concrete 364
- Annex U (informative) — Ultra-high performance concrete (UHPC) 376

CSA A23.2:19, Test methods and standard practices for concrete**1 Scope 411**

- 1.1 General 411
- 1.2 Hazards 411
- 1.3 Dimensions 411
- 1.4 Terminology 411

2 Reference publications 412**3 Definitions 412****4 Reporting 412****Test methods**

- A23.2-1A — Sampling aggregates for use in concrete 413
- A23.2-2A — Sieve analysis of fine and coarse aggregate 421
- A23.2-3A — Clay lumps in natural aggregate 427
- A23.2-4A — Low-density granular material in aggregate 431
- A23.2-5A — Amount of material finer than 80 µm in aggregate 436
- A23.2-6A — Relative density and absorption of fine aggregate 440
- A23.2-7A — Test for organic impurities in fine aggregates for concrete 447
- A23.2-8A — Measuring mortar-strength properties of fine aggregate 450
- A23.2-9A — Soundness of fine and coarse aggregate by use of magnesium sulphate 457
- A23.2-10A — Bulk density of aggregate 465
- A23.2-11A — Surface moisture in fine and coarse aggregate 470
- A23.2-12A — Relative density and absorption of coarse aggregate 478
- A23.2-13A — Flat and elongated particles in coarse aggregate 485
- A23.2-14A — Potential expansivity of aggregates (procedure for length change due to alkali-aggregate reaction in concrete prisms at 38 °C) 495
- A23.2-15A — Petrographic examination of aggregates 509
- A23.2-16A — Resistance to degradation of small-size coarse aggregate by abrasion and impact in the Los Angeles machine 547
- A23.2-17A — Resistance to degradation of large-size coarse aggregate by abrasion and impact in the Los Angeles machine 554
- A23.2-23A — Test method for the resistance of fine aggregate to degradation by abrasion in the Micro-Deval apparatus 558
- A23.2-24A — Test method for the resistance of unconfined coarse aggregate to freezing and thawing 568
- A23.2-25A — Test method for detection of alkali-silica reactive aggregate by accelerated expansion of mortar bars 579
- A23.2-26A — Determination of potential alkali-carbonate reactivity of quarried carbonate rocks by chemical composition 588
- A23.2-27A — Standard Practice to identify degree of alkali-reactivity of aggregates and to identify measures to avoid deleterious expansion in concrete 594
- A23.2-28A — Standard Practice for laboratory testing to demonstrate the effectiveness of supplementary cementitious materials and lithium-based admixtures to prevent alkali-silica reaction in concrete 611
- A23.2-29A — Test method for the resistance of coarse aggregate to degradation by abrasion in the Micro-Deval apparatus 619
- A23.2-30A — Standard Practice for sampling, testing, and inspection of aggregate products for use in concrete for qualification and acceptance purposes 627
- A23.2-1B — Testing for properties of flowable grout 636
- A23.2-2B — Determination of sulphate ion content in groundwater 643
- A23.2-3B — Determination of total or water-soluble sulphate ion content of soil 646
- A23.2-4B — Sampling and determination of water-soluble chloride ion content in hardened grout or concrete 650
- A23.2-6B — Determination of bond strength of bonded toppings and overlays and of direct tensile strength of concrete, mortar, and grout 658
- A23.2-7B — Random sampling of construction materials 666
- A23.2-8B — Determination of water-soluble sulphate ion content of recycled aggregates containing crushed concrete 674
- A23.2-1C — Sampling plastic concrete 677
- A23.2-2C — Making concrete mixes in the laboratory 681

A23.2-3C — Making and curing concrete compression and flexural test specimens	688
A23.2-4C — Air content of plastic concrete by the pressure method	702
A23.2-5C — Slump of concrete	708
A23.2-6C — Density and yield of plastic concrete	713
A23.2-7C — Air content of plastic concrete by the volumetric method	719
A23.2-8C — Flexural strength of concrete (using simple beam with third-point loading)	729
A23.2-9C — Compressive strength of cylindrical concrete specimens	733
A23.2-10C — Accelerating the curing of concrete cylinders and determining their compressive strength	748
A23.2-11C — Water content, density, absorption, and voids in hardened concrete, grout, or mortar	756
A23.2-12C — Making, curing, and testing compression test specimens of no-slump concrete	760
A23.2-13C — Splitting tensile strength of cylindrical concrete specimens	766
A23.2-14C — Obtaining and testing drilled cores for compressive strength testing	774
A23.2-15C — Evaluation of concrete strength in place using the pullout test	778
A23.2-16C — Determination of steel or synthetic fibre content in plastic concrete	790
A23.2-17C — Temperature of freshly mixed hydraulic cement concrete	794
A23.2-18C — Determination of total water content of normal weight fresh concrete	797
A23.2-19C — Slump flow of concrete	802
A23.2-20C — Passing ability of self-consolidating concrete by J-ring and slump cone	807
A23.2-21C — Test Method for length change of hardened concrete	812
A23.2-22C — Scaling resistance of concrete surfaces exposed to deicing chemicals using mass loss	819
A23.2-23C — Electrical indication of concrete's ability to resist chloride ion penetration	827
A23.2-24C — Standard Practice for sampling, testing, and inspection of concrete for qualification purposes	839
A23.2-25C — Standard Practice for sampling, testing, and inspection of concrete for acceptance purposes	846
A23.2-26C — Bulk electrical resistivity of concrete	855
A23.2-1D — Moulds for forming vertical concrete test cylinders	866
Annex A (informative) — Nondestructive methods for testing concrete	871
Annex B (informative) — Form for reporting compressive strength of concrete test cylinders	876

Preface

This is the thirteenth edition of the combined CSA A23.1/CSA A23.2, *Concrete materials and methods of concrete construction/Test methods and standard practices for concrete*. These Standards are part of the CSA A23 series on concrete and supersede the previous editions published in 2014, 2009, 2004, 2000, 1994, 1990, 1977, 1973, 1967, 1960, 1942, and 1929.

There have been many technical, editorial, and formatting changes throughout this edition; the most significant technical changes are the following:

- a) Requirements and guidance for materials qualification and for quality assessment, previously included in Clause 4 of A23.1, have been extensively reorganized and clarified into the following new standard practices:
 - i) A23.2-30A, *Standard Practice for sampling, testing, and inspection of aggregate products for use in concrete for qualification and acceptance purposes*;
 - ii) A23.2-24C, *Standard Practice for sampling, testing, and inspection of concrete for qualification and acceptance purposes*; and
 - iii) A23.2-25C, *Standard Practice for sampling, testing, and inspection of concrete for acceptance purposes*.
- b) Additional provisions have been added for mass concrete including the submission of a thermal control plan for controlling and monitoring temperature.
- c) There is a new requirement for the slump of concrete for interior concrete floors, partly for reasons of health and safety.
- d) Annex P on the potentially deleterious impact of sulphide minerals in concrete aggregate has been substantially updated, including a new performance evaluation protocol, revised criteria on maximum sulphur content of aggregates, and three new preliminary test methods for the determination of the sulphide content of aggregate and for assessing the potential for deleterious oxidation of sulphide-bearing aggregates.
- e) Annex S, which was first published as an amendment to the 2014 edition, provides information on concrete made with carbon dioxide in either a gaseous or liquid form as an additive to reduce the carbon footprint of cement and concrete.
- f) The new Annex T on mass concrete has been added providing information on material properties and their effect on the temperature rise, measures to control and monitor temperature, temperature limits for maximum concrete temperature and maximum temperature difference for concrete in mass placements, and best practices to protect and cure mass concrete.
- g) The new Annex U has been added to provide information for materials and methods of construction for the use of ultra-high performance concrete (UHPC) with minimum strengths of 120 and 150 MPa.
- h) The new test method has been added to CSA A23.2: A23.2-26C, *Bulk electrical resistivity of concrete*. This test provides an indication of resistance of concrete to the penetration of fluids and aggressive ions.

The Technical Committee includes representatives from most geographical areas of Canada and from all sectors of the industry: concrete producers, specifying and regulatory authorities, materials consultants, concrete testing laboratories, researchers, and teachers. The Technical Committee intends to review and update these Standards on a continuing basis and to maintain a close liaison with the CSA Technical Committees on Design of Concrete Structures and Cementitious Materials.

CSA Group acknowledges that the development of these Standards were made possible in part by the financial support of the Canadian Ready Mixed Concrete Association.

These Standards were prepared by the Technical Committee on Concrete Materials and Construction, under the jurisdiction of the Strategic Steering Committee on Concrete and Related Products, and have been formally approved by the Technical Committee.

These Standards have been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. They have been published as National Standards of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.
- 5) *This Standard is subject to a review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
rationale for the change.

National Standard of Canada

CSA A23.1:19

***Concrete materials and methods of
concrete construction***



*®A trademark of the Canadian Standards Association,
operating as "CSA Group"*



*Published in June 2019 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 91.080.40; 91.100.30
ISBN 978-1-4883-0744-7*

*© 2019 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

CSA A23.1:19

Concrete materials and methods of concrete construction

0 Introduction

This Standard is intended to be used in its entirety. Caution should be exercised in extracting individual clauses and using them in project specifications, since taking them out of context can change their meaning.

A number of notes and several annexes, inserted for guidance, can in some cases be made mandatory by appropriate references in contract documents.

Many clauses provide alternatives and require choices to be made by the user of this Standard. The actual choices should be clearly identified in contract documents.

1 Scope

1.1 General

This Standard provides the requirements for materials and methods of construction for

- a) cast-in-place concrete and concrete precast in the field; and
- b) residential concrete used in the construction of buildings conforming to Part 9 of the *National Building Code of Canada (NBCC)*.

1.2 Exclusions

This Standard does not specify the following:

- a) requirements for the design of concrete structures, which are provided in CSA A23.3 and CSA S6;
- b) designs of specialty concrete products, which are described in separate CSA Group Standards;
- c) test methods for concrete, which are provided in CSA A23.2;
- d) design provisions governing the fire resistance of reinforced concrete structures, which are set out in the *NBCC*;
- e) requirements for the plant production of precast concrete, which are provided in CSA A23.4; and
- f) use of proprietary materials or methods of construction.

Note: *Proprietary materials or methods of construction may be permitted by the owner under a separate specification, provided that the quality of the resulting construction meets the minimum requirements of this Standard.*

1.3 Precasting of concrete in the field

1.3.1

At the option of the owner, precasting of concrete in the field or in a plant (temporary or permanent) is governed by this Standard or by CSA A23.4, except as limited by Clauses 1.3.2, 1.3.3, and 1.3.4 of this Standard.

Note: *Guidelines for such a choice are provided in CSA A23.4.*

1.3.2

Precast products that may be produced in accordance with this Standard include conventionally reinforced elements of structures, such as tilt-up walls, stair flights, landings, balcony slabs, lintels, and sills. Products requiring prestressing or post-tensioning are produced in accordance with CSA A23.4.

Note: For references to tilt-up construction, see PCA PA163 and ACI 551R.

1.3.3

If tolerances equivalent to the requirements of CSA A23.4 are desired, then CSA A23.4 is specified for all precasting operations.

1.3.4

The requirements of CSA A23.4 are applicable to pretensioned concrete and precast concrete used in segmental construction.

1.4 Parking garages

For parking garages, the additional requirements of CSA S413 are applicable.

1.5 Supplementary specifications

In addition to the requirements of this Standard, the owner may elect to include supplementary specifications to address proprietary materials and methods of construction, or any other elements not dealt with in this Standard, in order to ensure that the desired quality level is maintained.

1.6 Terminology

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the Standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the Standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.

2 Reference publications

This Standard refers to the following publications, and where such reference is made, it shall be to the edition listed below, including all amendments published thereto.

CSA Group

CAN/CSA-ISO 9001:16

Quality management systems — Requirements

A23.2:19

Test methods and standard practices for concrete