



# Pipeline system safety metrics



# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# *Revision History*

## CSA Z260:19, Pipeline system safety metrics

| Errata — December 2019   | Revision symbol (in margin) |
|--|-----------------------------|
| Clauses <a href="#">3.1</a> and <a href="#">B.1</a><br>Table <a href="#">2</a><br>Figure <a href="#">B.1</a> | Δ                           |

# *Standards Update Service*

*CSA Z260:19*

*June 2019*

**Title:** *Pipeline system safety metrics*

To register for e-mail notification about any updates to this publication

- go to [store.csagroup.org](http://store.csagroup.org)
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2427058**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.

**Canadian Standards Association (operating as “CSA Group”)**, under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to  
CSA Group  
178 Rexdale Boulevard  
Toronto, Ontario, M9W 1R3  
Canada



A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at [www.scc.ca](http://www.scc.ca).

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at [www.scc.ca](http://www.scc.ca).

Standards Council of Canada  
600-55 Metcalfe Street  
Ottawa, Ontario, K1P 6L5  
Canada



**Standards Council of Canada**  
**Conseil canadien des normes**

Cette Norme Nationale du Canada est disponible en versions française et anglaise.

*Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.*

*®A trademark of the Canadian Standards Association, operating as “CSA Group”*

*National Standard of Canada*

*CSA Z260:19*  
*Pipeline system safety metrics*



*®A trademark of the Canadian Standards Association,  
operating as “CSA Group”*



*Published in June 2019 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at [store.csagroup.org](https://store.csagroup.org)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 75.200  
ISBN 978-1-4883-2086-6*

*© 2019 Canadian Standards Association  
All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.*

# Contents

|  |           |
|--|-----------|
| Technical Committee on Pipeline System Safety Metrics        | 2         |
| Preface  | 5         |
| <b>0 Introduction</b>  | <b>6</b>  |
| 0.1 General  | 6         |
| 0.2 Users  | 7         |
| 0.3 Application  | 7         |
| <b>1 Scope</b>   | <b>8</b>  |
| <b>2 Reference publications</b>                              | <b>11</b> |
| <b>3 Definitions and abbreviations</b>                       | <b>12</b> |
| 3.1 Definitions  | 12        |
| 3.2 Abbreviations  | 15        |
| <b>4 Framework for pipeline system safety metrics</b>        | <b>16</b> |
| 4.1 Pipeline system safety metrics                           | 16        |
| 4.2 Evaluation of pipeline system safety events              | 18        |
| 4.3 Communicating pipeline system safety results             | 30        |
| 4.4 Pipeline system safety metrics and continual improvement | 31        |
| <b>5 Records management</b>                                  | <b>32</b> |

---

|   |    |
|---|----|
| Annex A (normative) — Demarcation of pipelines and facilities in pipeline systems | 34 |
| Annex B (informative) — Guidance on selecting indicators                          | 37 |
| Annex C (informative) — Classification examples                                   | 42 |
| Annex D (informative) — Commentary  | 48 |

# Preface

This is the first edition of CSA Z260, *Pipeline system safety metrics*.

This Standard provides requirements to establish a set of common safety metrics for pipeline systems along with an approach that can be used across the pipeline industry and regulatory jurisdictions for categorizing unintentional pipeline system releases and developing leading indicators. Reporting requirements are defined by regulatory agencies, and this Standard does not supersede incident reporting requirements set by these agencies. This Standard is intended for use in process and performance improvement of pipeline system safety and communicating pipeline system safety performance where organizations have discretion in setting metric definitions.

In developing this Standard, previous and existing standards were used to provide the basis and background as appropriate. These include, but are not limited to, legislation, best practices, policies, standards, and applicable codes.

CSA Group and the Z260 Technical Committee acknowledge the contribution of American Petroleum Institute (API) and its employees to provide input to this Standard and its industry wide approach to pipeline system safety metrics.

CSA Group acknowledges that the development of this Standard was made possible, in part, by the financial support of the Canadian Energy Pipeline Association (CEPA) and its member organizations.

This Standard was prepared by the Technical Committee on Pipeline System Safety Metrics, under the jurisdiction of the Strategic Steering Committee on Petroleum and Natural Gas Industry Systems, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

## Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:*
  - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
  - b) *provide an explanation of circumstances surrounding the actual field condition; and*
  - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue. Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).*
- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Proposal for change” in the subject line:*
  - a) *Standard designation (number);*
  - b) *relevant clause, table, and/or figure number;*
  - c) *wording of the proposed change; and*
  - d) *rationale for the change.*

# CSA Z260:19

## Pipeline system safety metrics

### 0 Introduction

#### 0.1 General

The purpose of carrying out performance assessments is to determine how well an individual, organization or system is meeting its objectives, as well as to identify opportunities for performance improvements. A meaningful performance assessment not only requires the right metrics but also clear definitions of those metrics to ensure consistency and reduce ambiguity. A pipeline system's safety performance and the performance of the operating company's safety systems can be reflected in the number and severity of pipeline system safety events (PSSEs) where a service fluid is unintentionally released from primary containment. A loss of primary containment (LOPC) can occur when one or more layers of protection fail to operate as intended. As such, in order to improve the safety of pipeline systems, it is essential to have an in-depth understanding of how effectively existing safety controls and barriers are performing, identify gaps, and implement the necessary corrective measures.

Safety management systems, as defined in this Standard, require that operating companies have an internal process of continual improvement that includes reporting, collecting, evaluating, and trending of data related to PSSEs, including near misses, learning from PSSEs, and performance monitoring. (See CAN/CSA-Z662, Clause 3.1.2 h), ANSI/API RP 1173, Clause 11, and CAN/CSA-Z767, Clause 8.4.) A standard system for categorizing PSSEs is a fundamental requirement for ensuring that PSSEs are documented, triaged, and assessed within a continual improvement process. In order to achieve this, it is necessary to have consistent terminology and clear definitions for PSSEs that occur on pipeline systems.

This Standard is intentionally aligned with ANSI/API RP 754. This alignment recognizes that companies that operate pipeline systems may also operate petrochemical, treating, or refining facilities under a single safety management system with consistent definitions of LOPC events across all assets. The framework, definitions, and thresholds for PSSEs have been adapted from ANSI/API RP 754 for the Canadian pipeline industry. In particular, an effort has been made to remain as consistent as practicable with ANSI/API RP 754 on refining, processing, petrochemical, and pipeline facilities in order to ensure that operating companies following this Standard will be able to accurately compare performance against data collected using ANSI/API RP 754. In addition to the value of benchmarking and comparative analysis, the alignment with ANSI/API RP 754 reduces the potential for confusion or misinterpretation arising from multiple definitions for a pipeline system or process safety event.

No unplanned or uncontrolled release of a hazardous substance from a pipeline system is considered acceptable. The thresholds that define the severity of pipeline system safety events are not intended to be interpreted in the context of what is a tolerable leak or release.

As with ANSI/API RP 754, the thresholds for categorizing PSSEs were set to ensure the capture of a meaningful and sufficient number of incidents from which the causes and contributing factors to loss of containment events could be studied, analyzed, and understood. Inherent in this approach is an understanding that pipeline systems are complex, and a singular or limited number of loss of containment events will not necessarily fully identify all weaknesses in safety barriers or the presence of inadequate controls.

## 0.2 Users

This Standard is intended to be used by companies operating oil and gas industry pipeline systems (operating companies), regulatory authorities, industry associations, researchers, and organizations that study or report on the safety performance of oil and gas pipeline systems.

This Standard can be applied to any pipeline system, regardless of the technical codes and standards to which it is designed and constructed, and the jurisdiction under which it operates.

This Standard can be used by anyone to process publicly available incident data (i.e., data that is already collected and published by various regulators and government agencies) in order to categorize that data based on impact or harm for reconciling and comparing the performance of different companies in similar industries.

Although this Standard has been written for the Canadian oil and gas industry pipeline system operating environment, there is nothing herein which precludes its use in other jurisdictions or locations. However, it is the responsibility of the user of this Standard to judge its suitability for their particular purpose.

## 0.3 Application

**Note:** See Annex [D](#) for additional information.

### 0.3.1

This Standard

- a) defines metrics for communicating the safety performance of pipeline systems that gather, transport, store, and deliver service fluids;
- b) establishes consistent, industry-wide severity categories for incidents involving an unplanned or uncontrolled release from a pipeline system containing service fluids; and
- c) fulfills the performance assessment needs of other CSA Group standards (e.g., CAN/CSA-Z662 and CAN/CSA-Z767).

### 0.3.2

This Standard has been written in a manner that it can be used by operating companies, industry associations, and interested parties concerned with North American-wide performance.

### 0.3.3

The definitions and metrics of this Standard are intended to be used to assist in understanding and learning from incidents with the ultimate goal of reducing the number and severity of loss of primary containment (LOPC) events through the following:

- a) prioritizing LOPC events for investigation;
- b) measuring pipeline system safety performance over time;
- c) benchmarking pipeline system safety performance between operating divisions, operating companies, or industry sectors; and
- d) trending and analyzing precursor events to potentially catastrophic failures for the purpose of strengthening safety barriers and controls.

# 1 Scope

## 1.1

This Standard applies to oil and gas industry pipeline systems that convey

- a) liquid hydrocarbons, including crude oil, multiphase fluids, condensate, liquid petroleum products;
- b) natural gas liquids and liquefied petroleum gas;
- c) oilfield water;
- d) oilfield steam;
- e) liquid or dense phase carbon dioxide; or
- f) gas, including but not limited to natural gas, fuel gas, compressed air, carbon dioxide, and nitrogen.

See Figures [1](#) and [2](#).

### Notes:

- 1) *Non-hydrocarbon products used as process fluids and transported by operating companies by pipeline or within pipeline facilities, are considered within the scope of this Standard provided that those products are used in facilities connected to the pipeline system.*
- 2) *Fluids used within equipment supporting the pipeline system operation, including consumables such as lubricating or hydraulic fluids, are considered within the scope of this Standard, provided that the equipment is connected to the pipeline system at the time of the PSSE.*

## 1.2

This Standard covers

- a) piping and equipment in onshore liquids pipelines, tank farms, pump stations, pressure-regulating stations, and measuring stations;
- b) oil pump stations, pipeline tank farms, and pipeline terminals;
- c) pipe-type storage vessels;
- d) carbon dioxide pipelines;
- e) piping and equipment in onshore gas pipelines, compressor stations, measuring stations, and pressure-regulating stations;
- f) gas storage lines and pipe-type and bottle-type gas storage vessels; and
- g) loading and unloading facilities for tankers or barge, truck, and rail when connected to the process.

See Figures [1](#) and [2](#).

## 1.3

This Standard does not apply to the following facilities and asset classes:

- a) gas distribution systems as defined by CAN/CSA-Z662, Clause 12;
- b) gas piping beyond the outlet of the customer's meter set assembly (e.g., piping covered by CSA B149.1);
- c) abandoned piping;
- d) in-plant piping for drinking, make-up, boiler feed, or fire suppression water;
- e) vent piping for waste gases of any kind operating at or near atmospheric pressure;
- f) refueling facilities and refueling activities not directly connected to the pipeline system;
- g) hydrocarbon storage in underground formations and associated equipment;
- h) piping in natural gas liquids extraction plants, gas processing plants, gas manufacturing plants, industrial plants, and mines;
- i) oil and gas production facilities; and