



Flood resilient design of new residential communities



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

***CSA W204:19
December 2019***

Title: *Flood resilient design of new residential communities*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2427685**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada



Standards Council of Canada
Conseil canadien des normes

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada

Cette Norme Nationale du Canada est disponible en versions française et anglaise.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

National Standard of Canada

CSA W204:19
***Flood resilient design of new
residential communities***



*®A trademark of the Canadian Standards Association,
operating as "CSA Group"*



*Published in December 2019 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 93.010
ISBN 978-1-4883-2611-0*

*© 2019 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Flood Resilient Design in Communities	3
Preface	5
0 Introduction	6
0.1 The need for flood resilience in Canada	6
0.2 Potential users of this Standard	7
1 Scope	8
1.1 Inclusions of the Standard	8
1.1.1 Purpose of this Standard	8
1.1.2 Building types	8
1.1.3 Design elements	9
1.1.4 Flood hazards	9
1.2 Exclusions of the Standard	9
1.2.1 Other types of development	9
1.2.2 Types of flood hazards	9
1.2.3 Geographic limitations	9
1.3 Requirements of local jurisdictions	9
1.4 Climate uncertainty considerations	10
1.5 Terminology	10
2 Reference publications	10
3 Definitions and abbreviations	11
3.1 Definitions	11
3.2 Abbreviations	16
4 Roles and responsibilities	17
4.1 General	17
4.2 Design team	17
5 Flood-resilient community design principles	17
5.1 Characteristics of a flood-resilient community	17
5.2 General principles	18
5.3 Planning principles and siting for greenfield developments	18
5.4 Types and domains of rainfall events	19
5.4.1 Spectrum of rainfall events	19
5.4.2 Management of runoff	19
5.5 Considerations for natural infrastructure and low impact development (LID) measures	20
6 Stormwater system design	21
6.1 Key design objectives	21
6.1.1 Post-urbanization runoff discharge and volumes	21
6.1.2 Changes in hydrology	21
6.1.3 No increase in risk of flooding	21
6.1.4 Protection of health and safety and infrastructure	21

6.2	Other objectives	22
6.3	Integrated urban drainage principles	22
6.3.1	Interaction of design elements	22
6.3.2	Integrated approach — Design elements	22
6.3.3	Boundary conditions	22
6.4	Major-minor system concepts	23
6.4.1	General concepts	23
6.4.2	General system elements	23
6.5	Levels of service — General	26
6.5.1	Minor system	26
6.5.2	Major system	27
6.6	Minor system design	27
6.6.1	Components of the minor system	27
6.6.2	Level of service — minor system	27
6.6.3	Pipe hydraulics and design	28
6.6.4	Catch basins and inlet control devices (ICDs)	28
6.6.5	Storm service connections — General criteria	29
6.6.6	Foundation drain collector (FDC) (third pipe) system	29
6.6.7	Depressed driveways	30
6.7	Major system design	30
6.7.1	Components of the major system	30
6.7.2	General requirements of major system design	31
6.7.3	Design of major system components	31
6.7.4	Major system ponding	34
6.7.5	Street hydraulics and design	35
6.7.6	Catch basins and inlets	37
6.7.7	Open channels	41
6.7.7.6	Drainage channels in easements	44
6.7.8	Bridges and culverts	44
6.7.9	Storage facilities	45
7	Sanitary sewer design	46
7.1	Sewer backwater protection	46
7.2	Hydraulic design of sanitary sewer	46
7.3	Incomplete sewer infrastructure	46
7.4	Manhole surface inflows to sanitary sewer	46
8	Wastewater pumping stations	47
9	Operation and maintenance of public infrastructure	48
9.1	Riverine zones	48
9.2	Storm sewer system	48
9.3	Operation and maintenance practices during neighbourhood buildout	48
9.4	Design considerations for operations and maintenance	49
9.5	Construction and commissioning considerations	49
<hr/>		
	Annex A (informative) — Provincial definitions of regulatory floods for riverine flooding	50
	Annex B (informative) — Reliability risk and resilience	51
	Annex C (informative) — Guidance on underground storage	64

Preface

This is the first edition of CSA W204, *Flood resilient design of new residential communities*.

It should be noted that this Standard, by itself, does not have the force of law unless it is officially adopted by a regulatory authority. Since regulatory authorities can adopt the Standard with certain exceptions or additional requirements, the regulatory authority of the relevant jurisdiction should be consulted in order to establish the extent to which this Standard has been adopted.

Where this Standard conflicts with regulatory requirements, the regulatory requirements take precedence.

CSA Group acknowledges that the development of this Standard was made possible, in part, by the financial support of Standards Council of Canada, as part of the Standards to Support Resilience in Infrastructure Program.

This Standard was prepared by the Technical Committee on Flood Resilient Design in Communities under the jurisdiction of the Strategic Steering Committee on Natural Resources, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.
- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*

CSA W204:19

Flood resilient design of new residential communities

0 Introduction

0.1 The need for flood resilience in Canada

The number of weather-related natural catastrophes in Canada has increased in the last few decades. Water-related damages from floods and rainstorms comprised a significant portion of the financial cost associated with these natural catastrophes. There are several factors contributing to this trend, including the high number of properties located in flood-prone areas, increasing property values, loss of pervious surfaces due to urbanization, aging infrastructure, and, in some regions, changes in the intensity, frequency, or duration of precipitation events thought to be due to climate change. Though damages are prominent in older communities (largely built with limited design capacity to accommodate extreme weather), some damages do occur in new communities as well.

Considering this, there is a broad consensus among stakeholders on the need to make Canadian communities more resilient to flooding. Increased flood resilience will improve public safety, reduce potential flood damages, help alleviate mental distress among those impacted by floods, and allow the community to deliver essential services during flood events and return to normal functions more quickly after flood events. Increased resilience will also reduce flood-related financial impacts on homeowners (due to property damage, retrofits, flood insurance premium increase, and flood exposure-related property value reduction), as well as reduce costs to municipalities, provinces, and federal government for flood-related response activities.

Incorporating additional flood-resilient design measures into the planning and development of new residential communities will also help avoid costly future infrastructure replacement and remedial work, as well as potential liability related to inadequate design standards.

The need to better protect Canadians from flooding has motivated a broad range of stakeholders to take action. This includes all levels of government, watershed/conservation authorities, utilities, developers and homebuilders, not-for-profit organizations, businesses, and other organizations. Actions have included expanding and accelerating educational campaigns, infrastructure retrofit programs, and subsidy programs aimed at flood resilience.

The development of this Standard is to complement these efforts. This Standard was developed to provide requirements and guidance on flood-resilient design for new residential communities built in Canada and is intended to serve as a useful instrument by all levels of government, watershed/conservation authorities, utilities, developers, homebuilders, and others. It is inspired by the foundational report “*Preventing Disaster before It Strikes: Developing a Canadian Standard for New Flood-Resilient Residential Communities*” developed by the Intact Centre on Climate Adaptation at the University of Waterloo. The full list of potential users and beneficiaries is provided below.

For the purpose of the Standard, flood resilience is defined as the ability of the system (both natural and built infrastructure) to recover from an extreme event with minimal damages, functionality disruptions, and socio-economic impacts during and after an extreme flooding event. Flood resilience

also includes the siting of new residential communities beyond natural flood hazard areas and the incorporation of features in new housing developments that both reduce their susceptibility to flood risks and mitigate against flood-related damages.

It is understood that measures to increase flood resilience can carry significant costs and a proper design standard must therefore strike a reasonable balance between the lifecycle costs of engineering measures and the expected value of averted damages they provide. It would not be economically feasible to eliminate flood risk, as there will always be conditions and events that will exceed the design capacity of storm and sanitary infrastructure, as well as overland drainage systems, or that will extend natural hazards beyond regulated limits. These conditions will result in flood damages. The intent of flood-resilient community design is to aid in reducing the probability and the impacts of these conditions and events, as well as to improve the recovery process following the event.

The frequency and magnitude of damage to property resulting from flood events are likely to increase in some regions due, in part, to climate change. This Standard will help in ensuring that new residential communities are built in a flood-resilient manner, which in turn will reduce future costs and socio-economic impacts resulting from flood damage.

0.2 Potential users of this Standard

The potential users of this Standard include the following:

- a) banks/credit unions/mortgage lenders: Flood-related loss can impact the value of a home and the capacity of homeowners to service their mortgage debt. Mortgage lenders can use this Standard to better assess the flood resilience of homes they finance, both to determine whether to approve a mortgage application where flood risk is a factor, and to set mortgage interest rates to reflect any underlying risk involved.
- b) building inspectors: Qualified professionals delegated by a government agency to perform assessments as to whether a building meets building code requirements. The Standard, in conjunction with related building standards and codes, can assist inspectors in verifying compliance as required by authorities having jurisdiction.
- c) consultants: Qualified professionals who provide expert advice in a particular area relating to flood-resilient planning, design, and construction can be engaged to ensure that aspects of a residential development comply with this Standard.
- d) credit rating agencies: Increasingly, credit rating agencies are factoring the potential impacts of severe weather into the credit ratings of local governments, provinces, and publicly traded companies. This Standard provides direction on factors that enhance the flood resilience of communities, which in turn can be incorporated into credit rating analysis.
- e) developers/homebuilders: Increasingly, builders and developers are required to incorporate flood resilience into community design and construction. This Standard provides a direction to builders and developers on specific measures and practices that will result in developing more flood-resilient communities and houses.
- f) educational institutions: Universities (e.g., engineering and planning departments), colleges, and other educational institutions will find this Standard of direct relevance to educating students on the fundamentals of flood-resilient community design.
- g) governments: Governments at all levels need to be concerned about the increasing risk that flooding presents to their constituents as well as the risk of diminished capacity to extend services to communities due to flooding. This Standard provides a foundation for informed decision making on flood preparedness and flood-resilient community design.

- h) home buyers: Home owners are increasingly impacted by flooding. This Standard will help homebuyers purchase homes that are located in more flood-resilient communities, giving them increased peace of mind and financial security.
- i) home inspectors: Increasingly, home inspectors are being asked to provide more detailed assessments pertaining to the vulnerability of homes to flooding. This Standard will help home inspectors to provide better insights into the flood resilience of new homes and communities.
- j) institutional investors: Large-scale flooding could affect institutional investments in residential real estate. This Standard will help to inform institutional investors in relation to flood risks related to residential holdings.
- k) lawyers: Legal cases pertaining to how the construction and design of new communities can affect flood risk are increasing. This Standard provides direction to legal professionals regarding the fundamentals of flood-resilient community design, as well as nationally accepted benchmarks, against which they can assess the fulfilment of duty of care.
- l) property and casualty insurers: Property and casualty insurers can use this Standard to better assess the flood resilience of new subdivision design. They can determine that compliance with this Standard justifies lower flood insurance premiums for homes located in communities designed in accordance to this Standard.
- m) real estate brokers/agents: In localities where real estate brokers/agents are being asked questions related to flood potential, this Standard will help them provide more informed responses to such inquiries.
- n) securities commissions: The 13 Canadian securities commissions require full disclosure of environmental risks that could influence a decision of a reasonable investor whether or not to invest in the stock or bond of a publicly traded company. This Standard will inform securities commissions in reference to how flood-preparedness should factor into residential community design, construction, and flood risk disclosure by publicly traded companies.
- o) trades persons: Trades persons (e.g., drainage contractors, plumbers) asked to provide input to builders, homeowners, and municipalities on flood risk mitigation can use this Standard to better serve their clientele.
- p) Water and wastewater utilities: Water and wastewater utilities, either separate organizations or municipal departments, are concerned about the increasing risk that flooding presents to their customers as well as the diminished capacity to support response during flooding events. This Standard provides a foundation for informed decision making around flood resilient planning, design and construction and inspection of new infrastructure in their service area.

1 Scope

1.1 Inclusions of the Standard

1.1.1 Purpose of this Standard

The purpose of this Standard is to provide compliance criteria and guidance on the design of flood-resilient new residential communities as it relates to greenfield development only.

1.1.2 Building types

This Standard is applicable to the following building types:

- a) detached homes;
- b) semi-detached homes;
- c) row houses (including stacked and back-to-back townhomes); and

d) mixed-use residential development (residential, small commercial, and institutional use).

Note: *Garages (attached and detached) and non-habitable accessory buildings (e.g., porches, gazebos) located on the residential lots are considered within the scope of this Standard.*

1.1.3 Design elements

This Standard covers the following considerations:

- a) design for resilience to address extreme weather events and operational uncertainties;
- b) storm sewer system design (minor drainage system considerations);
- c) street design (major overland drainage system considerations);
- d) sanitary sewer design (wastewater drainage system considerations);
- e) wastewater pumping station design; and
- f) considerations for preservation of natural infrastructure and low impact development measures.

1.1.4 Flood hazards

The types of flood hazards considered by this Standard include

- a) riverine flooding;
- b) overland flooding;
- c) storm and sanitary sewer surcharge;
- d) drainage system failures (e.g., inlet, ice, and debris blockages); and
- e) groundwater seepage.

1.2 Exclusions of the Standard

1.2.1 Other types of development

This Standard does not cover flood resilience considerations as they relate to existing development, infill, intensification, or redevelopment.

1.2.2 Types of flood hazards

Types of flood hazards that are outside the scope of this Standard include

- a) sea level rise;
- b) storm surges;
- c) unique flood hazards (e.g., dam failures); and
- d) flood risk specific to alluvial fans.

1.2.3 Geographic limitations

This Standard includes requirements and recommendations expected to be relevant across Canada. Its application could be insufficient in the areas with permafrost, such as Yukon, Northwest Territories, and Nunavut, as well as in areas subject to coastal and lake flooding, where sea level rise and storm surges pose additional flood risk that is not addressed by the Standard.

1.3 Requirements of local jurisdictions

This Standard provides requirements and recommendations for the design of flood-resilient greenfield community developments. In the application of this Standard, it should be noted that local jurisdictions might have criteria or requirements beyond what is provided in this Standard. The intent of this Standard is to provide minimum acceptable criteria. In the event that a local jurisdiction requirement is more stringent than that required by this Standard, the more stringent requirement takes precedence over the requirement stipulated in this Standard. It is the responsibility of the user of this Standard to be aware of any discrepancies and to determine the manner in which it can be resolved.

1.4 Climate uncertainty considerations

This Standard provides a dynamic approach to the design of flood-resilient new residential communities. This includes the use of data that anticipates future climate changes, including changes in the frequency of extreme rainfall events. Such data is currently the subject of intense research but is not yet available with adequate confidence. In the absence of such predictive climate data, the users of this Standard should consider applying appropriate adjustments to current intensity-duration-frequency (IDF) values to account for climate uncertainties. For information on the use and interpretation of IDF information, see CSA PLUS 4013:2019.

1.5 Terminology

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the Standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the Standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.

2 Reference publications

This Standard refers to the following publications, and where such reference is made, it shall be to the edition listed below.

CSA Group

PLUS 4013:19

Technical guide: Development, interpretation and use of rainfall intensity-duration-frequency (IDF) information: Guideline for Canadian water resources practitioners

S6:19

Canadian Highway Bridge Design Code

CAN/CSA-W202-18

Erosion and sediment control inspection and monitoring

Z800-18

Guideline on basement flood protection and risk reduction

National Research Council Canada

National Plumbing Code of Canada, 2015

Other publications

Ball, J., Babister, M., Nathan, R., Weeks, W., Weinmann, E., Retallick, M., and Testoni, I., eds. 2019. *Australian Rainfall and Runoff: A Guide to Flood Estimation*. Commonwealth of Australia.