



Testing of three-phase squirrel cage induction motors during refurbishment



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA C392:20

April 2020

Title: *Testing of three-phase squirrel cage induction motors during refurbishment*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2427614**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada



A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Standards Council of Canada
Conseil canadien des normes

Cette Norme Nationale du Canada est disponible en versions française et anglaise.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

National Standard of Canada

CSA C392:20

***Testing of three-phase squirrel cage
induction motors during
refurbishment***



*®A trademark of the Canadian Standards Association,
operating as "CSA Group"*



*Published in April 2020 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 29.160.30
ISBN 978-1-4883-2540-3*

*© 2020 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Industrial Equipment	3
Subcommittee on Motor Refurbishment	5
Preface	6
0 Introduction	7
1 Scope	7
2 Reference publications	8
3 Definitions and Symbols	9
3.1 Definitions	9
3.2 Symbols and abbreviations	10
3.3 Units of measure	12
4 Considerations when performing inspections and tests	12
5 General test requirements — Measurements	12
5.1 General	12
5.2 Power supply	12
5.2.1 Distortion	12
5.2.2 Voltages	12
5.3 Instrument selection	12
5.3.1 General	12
5.3.2 Instrument transformers	13
5.4 Voltage	13
5.5 Current	13
5.6 Electrical input power	13
5.7 DC resistance	13
5.8 Temperature	13
6 Test procedure and analysis	13
7 Incoming inspection	15
7.1 Purpose	15
7.2 Flowchart	15
7.3 Test description and procedure	16
8 Stator winding DC resistance test	16
8.1 Purpose	16
8.2 Flowchart	16
8.3 Test description and procedure	17
8.4 Calculations	17
8.5 Analysis	19
8.5.1 Requirements	19

8.5.2 Consequences of deviation 19**9 Stator core magnetic circuit (laminations) test** 19

- 9.1 Purpose 19
- 9.2 Flowchart 20
- 9.3 Test description and procedure 21
 - 9.3.1 Description 21
 - 9.3.2 Procedure 21
- 9.4 Calculations 22
- 9.5 Analysis 22

10 Rotor test 23

- 10.1 Purpose 23
- 10.2 Flowchart 23
- 10.3 Test description and procedure 24
 - 10.3.1 Rotor inspection 24
 - 10.3.2 Test options 25
- 10.4 Calculations 26
- 10.5 Analysis 26

11 No-load and inspection test 26

- 11.1 General 26
- 11.2 Purpose 27
- 11.3 Flowchart 27
- 11.4 Test description and procedure 29
- 11.5 Calculations 29
- 11.6 Analysis 30
 - 11.6.1 Criteria 30
 - 11.6.2 Bearing temperature rise 30
- 11.7 Consequences of deviation 31
 - 11.7.1 Voltage and current unbalance 31
 - 11.7.2 Identifying the source of current unbalance 31
 - 11.7.3 Other general considerations 32
- 11.8 Miscellaneous 32

-
- Annex A (informative) — Special tables, charts, and reports 33
 - Annex B (informative) — Factors affecting efficiency 41
 - Annex C (informative) — Supplementary tests 50
 - Annex D (informative) — Considerations when performing inspections and tests 56
 - Annex E (informative) — Efficiency estimation methodology based on no-load tests 57
 - Annex F (informative) — Bibliography 69

Preface

This is the second edition of CSA C392, *Testing of three-phase squirrel cage induction motors during refurbishment*. It supersedes the previous edition published in 2011.

Changes have been made throughout the standard. Test procedures have been reorganized for clarity. Requirements have been updated to reflect current capability of test equipment. Requirements for test procedures have been made mandatory. A new non-mandatory Annex has been added that describes a method to determine efficiency estimation based on no-load tests.

CSA Group acknowledges that the development of this Standard was made possible, in part, by the financial support of BC Hydro, Canadian Electricity Association (CEA), and Hydro Québec, Independent Electricity Service Operator (IESO), Manitoba Hydro, and Natural Resources Canada (NRCan).

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Subcommittee on Motor Refurbishment, under the jurisdiction of the Technical Committee on Industrial Equipment and the Strategic Steering Committee on Performance, Energy Efficiency, and Renewables, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.
- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*

CSA C392:20

Testing of three-phase squirrel cage induction motors during refurbishment

0 Introduction

This Standard provides guidance to electric motor service centres to assist in verifying that the refurbishing process has maintained or enhanced electric motor (hereafter motor) efficiency. It is also intended to provide a reliable evaluation of any changes in the condition of a motor, with respect to its efficiency, that might have resulted from its failure.

The intent of this Standard is not to prescribe which tests should be performed on any given motor requiring repairs; rather, it is to establish a consistent methodology for conducting the tests described herein. The applicability of these tests depends on the type of failure encountered, the repair work to be performed, and the need to confirm that no change in efficiency has occurred as a result of damage to the motor and its repair. The motor end user and the service centre should mutually determine which tests are applicable or useful in a given situation to establish the scope of testing during the repair process.

Motor efficiency can be depreciated by the damage caused during motor operation or failure mode. In cases where the test results do not comply with the pass/fail criteria, it is not the intent of this Standard to require that the motor be removed from service. However, the test results might assist in future repair/replace decisions and future energy conservation planning.

The tests and pass/fail criteria are standard in the motor service centre industry in North America.

There are many additional tests and inspection procedures employed when refurbishing AC motors that are not part of this Standard because they are not directly related to motor efficiency. Many of these additional tests are available in the publications referenced in Clause [2](#) and Annex [E](#). Not all of these tests can or should be administered on every motor that is to be refurbished. It is the responsibility of the motor service centre in consultation with the end user to determine which inspections and tests are applicable.

The tables and calculation procedures, provided in this Standard to estimate the impact on motor nominal efficiency, contain typical data and should be used with the understanding that these procedures are estimates based on the information available and that actual results can vary.

1 Scope

1.1

This Standard covers integral horsepower, three-phase, alternating current, squirrel cage induction motors rated up to 15 kV at 50/60 Hz. This Standard also covers inverter duty motors.

Note: *This Standard may also be applied with discretion to products outside the scope of this Standard.*

1.2

The values given in SI units are the units of record for the purposes of this Standard. The values given in parentheses are for information and comparison only.

1.3

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the Standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.

2 Reference publications

This Standard refers to the following publications, and where such reference is made, it shall be to the edition listed below, including amendments published thereto.

CSA Group

C22.2 No. 100-14 (R2019)
Motors and generators

C390-10 (R2015)
Test methods, marking requirements, and energy efficiency levels for three-phase induction motors

EASA (Electrical Apparatus Service Association, Inc.)

ANSI/EASA AR100-2015
Recommended Practice for the Repair of Rotating Electrical Apparatus

EASA Technical manual Section 7-2016
Stator Core Testing

EASA/AEMT (Electrical Apparatus Service Association/Association of Electrical and Mechanical Trades)

The Effect of Repair/Rewinding on Motor Efficiency – EASA/AEMT Rewind Study and Good Practice Guide to Maintain Motor Efficiency (2003)

IEEE (Institute of Electrical and Electronics Engineers)

43-2013
IEEE Recommended Practice for Testing Insulation Resistance of Rotating Machinery

112-2004
Standard Test Procedure for Polyphase Induction Motors and Generators