



**CSA B376:22**  
National Standard of Canada



# Portable containers for gasoline and other petroleum fuels



# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# *Standards Update Service*

## *CSA B376:22* *February 2022*

**Title:** *Portable containers for gasoline and other petroleum fuels*

To register for e-mail notification about any updates to this publication

- go to [www.csagroup.org/store/](http://www.csagroup.org/store/)
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2429734**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.

**Canadian Standards Association (operating as “CSA Group”)**, under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to  
CSA Group  
178 Rexdale Boulevard  
Toronto, Ontario, M9W 1R3  
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at [www.scc.ca](http://www.scc.ca).

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at [www.scc.ca](http://www.scc.ca).

Standards Council of Canada  
600-55 Metcalfe Street  
Ottawa, Ontario, K1P 6L5  
Canada



Cette Norme Nationale du Canada n'est disponible qu'en anglais.

*Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.*

*®A trademark of the Canadian Standards Association, operating as “CSA Group”*

*National Standard of Canada*

*CSA B376:22*

***Portable containers for gasoline and  
other petroleum fuels***



*®A trademark of the Canadian Standards Association,  
operating as “CSA Group”*



*Published in February 2022 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at [www.csagroup.org/store/](http://www.csagroup.org/store/)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 75.200  
ISBN 978-1-4883-4018-5*

*© 2022 Canadian Standards Association  
All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.*

# Contents

Technical Committee on Portable Fuel Tanks and Containers 4

Preface 6

**0 Introduction 8**

**1 Scope 9**

1.1 Inclusions 9

1.2 Exclusions 9

1.3 Terminology 9

1.4 Units of measure 9

**2 Reference publications 10**

**3 Definitions 12**

**4 General 13**

4.1 Quality of work 13

4.2 Packaging and instructions for use 13

4.3 Plastic resin 13

4.4 Colour 13

4.4.1 Gasoline 13

4.4.2 Diesel 14

4.4.3 Kerosene 14

4.5 Seal materials 14

4.5.1 General 14

4.5.2 Seal compression set test 14

4.5.3 Seal brittleness test 14

4.5.4 Seal ozone test 14

4.6 Capacity 14

4.6.1 Rated capacity 14

4.6.2 Total volume 14

**5 Construction and testing requirements 14**

5.1 General 14

5.1.1 After-market parts 14

5.1.2 Closure torque requirements 15

5.1.3 Retest and rejection 15

5.2 Stability 15

5.2.1 Stability requirement 15

5.2.2 Stability test 15

5.2.3 Alternate configuration stability test 15

5.3 Impact resistance 15

5.3.1 Impact resistance requirement 15

5.3.2 Impact resistance tests 16

5.4 Handle 16

5.4.1 Handle requirement 16

- 5.4.2 Handle strength test 16
- 5.5 Container burst resistance 16
  - 5.5.1 Container burst resistance requirement 16
  - 5.5.2 Container burst resistance test 16
- 5.6 Permeability 17
  - 5.6.1 Permeability requirement 17
  - 5.6.2 Permeability test 17
- 5.7 Corrosion resistance 17
  - 5.7.1 Corrosion resistance requirement 17
  - 5.7.2 Corrosion resistance test 17
- 5.7.3 Bottom abrasion 17
- 5.8 PFC heat resistance 18
  - 5.8.1 PFC heat resistance requirement 18
  - 5.8.2 PFC heat resistance test 18
- 5.9 Fuel resistance 18
  - 5.9.1 Container material fuel resistance requirement 18
  - 5.9.2 Container material fuel immersion test 18
- 5.10 Aging resistance 18
  - 5.10.1 Aging resistance requirement 18
  - 5.10.2 Aging resistance test 19
- 5.11 Stress crack resistance 19
  - 5.11.1 Stress crack resistance requirement 19
  - 5.11.2 Stress crack resistance test 19

## **6 Openings and closures 19**

- 6.1 Openings 19
  - 6.1.1 Filling opening size 19
  - 6.1.2 Flame mitigation 19
- 6.2 Closures 19
  - 6.2.1 Requirement for closures 19
  - 6.2.2 Vent 19
  - 6.2.3 Filling opening closure 20
  - 6.2.4 Closure child resistance 20
  - 6.2.5 Temporary closure 20

## **7 Dispensing system 20**

- 7.1 General 20
- 7.2 Dispensing system removal 21
  - 7.2.1 Dispensing system removal requirement 21
  - 7.2.2 Dispensing system removal test 21
- 7.3 Dispensing system assembly 21
  - 7.3.1 Dispensing system assembly requirement 21
  - 7.3.2 Dispensing system assembly test 21
- 7.4 Dispensing system sealing 21
  - 7.4.1 Dispensing system sealing requirement 21
  - 7.4.2 Dispensing system sealing test 21
- 7.5 Dispensing system seal durability 22
  - 7.5.1 Dispensing system seal durability requirement 22
  - 7.5.2 Dispensing system seal durability test 22

7.6	Hose	22
7.6.1	Hose material suitability	22
7.6.2	Hose temperature resistance	23
7.6.3	Hose use and abuse	23
7.7	Spout impact resistance	23
7.7.1	Spout impact resistance requirement	23
7.7.2	Spout impact resistance test	24
7.8	Pumps	24
7.8.1	Pneumatic dispensing	24
7.8.2	Positive displacement pump	24
7.8.3	Electrical pump	24
7.8.4	Electrical pump anti-ignition	25
7.8.5	Pump fuel resistance	25
<b>8</b>	<b>Markings</b>	<b>26</b>
8.1	Identification	26
8.2	Capacity markings	26
8.3	After-market parts	26
8.4	Compliance markings	26
8.5	Additional markings	26
8.6	Cautionary markings	26
8.6.1	Permanency	26
8.6.2	Signal word panel	26
8.6.3	Safety Symbols	27
8.6.4	Word message	27
8.6.5	First aid instruction	29
8.6.6	Safety symbol and lettering size	29
8.7	Cautionary marking for kerosene	30
8.8	Closure and dispenser component markings	30
8.9	Removable and dispenser component markings	30

---

Annex A (informative)	— Portable fuel containers	31
Annex B (normative)	— Test fuel formulations	33
Annex C (informative)	— Preferred marking layout	35

# ***Technical Committee on Portable Fuel Tanks and Containers***

<b>J. G. McGorman</b>	Independent, Peterborough, Ontario, Canada <i>Category: General Interest</i>	<i>Chair</i>
<b>S. Garza</b>	Scepter Corporation, Miami, Oklahoma, USA <i>Category: Producer Interest</i>	<i>Vice-Chair</i>
<b>M. Mailvaganam</b>	Toronto, Ontario, Canada <i>Category: General Interest</i>	<i>Vice-Chair</i>
<b>P. Monckton</b>	GFH Group, Toronto, Ontario, Canada <i>Category: Producer Interest</i>	<i>Vice-Chair</i>
<b>C. Atkinson</b>	PFCMA, Ingomar, Nova Scotia, Canada <i>Category: Producer Interest</i>	
<b>F. Blanchard</b>	The Inspections Group Inc., Edmonton, Alberta, Canada <i>Category: Research/Testing</i>	
<b>M. A. Bonner</b>	Fuel Transfer Technologies Inc (FTT), Moncton, New Brunswick, Canada <i>Category: Producer Interest</i>	
<b>H. Cunningham</b>	The VEXAGroup, LLC, Wixom, Michigan, USA <i>Category: Research/Testing</i>	
<b>S. Evangelista</b>	Transport Canada, Ottawa, Ontario, Canada	<i>Non-voting</i>
<b>I. Kodssi</b>	Independent, Calgary, Alberta, Canada <i>Category: General Interest</i>	
<b>L. Lam</b>	CSA Group, Toronto, Ontario, Canada	<i>Non-voting</i>

<b>A. Lathia</b>	CSA Group, Independence, Ohio, USA <i>Category: Research/Testing</i>	
<b>P. Legault</b>	Intergrated Review Services, Ottawa, Ontario, Canada <i>Category: User Interest</i>	
<b>S. MacNamara</b>	MacNamara Fuels, Newmarket, Ontario, Canada <i>Category: User Interest</i>	
<b>J. Matthews</b>	Polaris Industries, Roseau, Minnesota, USA	<i>Non-voting</i>
<b>B. McBain</b>	ULC Inc., Sudbury, Ontario, Canada	<i>Non-voting</i>
<b>L. Papp</b>	St. Catharines Fire & Emergency Management Services, St. Catharines, Ontario, Canada <i>Category: Regulatory Authority</i>	
<b>T. Parker</b>	Alberta Municipal Affairs, Edmonton, Alberta, Canada <i>Category: Regulatory Authority</i>	
<b>S. Rashid</b>	Health Canada, Ottawa, Ontario, Canada <i>Category: Regulatory Authority</i>	
<b>M. Stern</b>	Exponent Inc., Natick, Massachusetts, USA	<i>Non-voting</i>
<b>M. Duda</b>	CSA Group, Cleveland, Ohio, USA	<i>Project Manager</i>

# Preface

This is the second edition of CSA B376, *Portable containers for gasoline and other petroleum fuels*. It supersedes the previous edition published in 1980 and reaffirmed in 2019; B144-1974, *Portable plastic containers for petroleum fuels*; and B252-1976, *Portable metal containers for gasoline and other petroleum fuels*.

Major changes to this edition have been made to:

- a) address the wide variety of configurations in the contemporary marketplace and the influence that enhanced environmental and safety considerations have had on portable fuel container system designs;
- b) broaden the scope to include all types of containers intended for use by consumers in the transportation of flammable and combustible fluids from the fuel supply station and the storage and dispensing of these fluids for use in internal combustion engines; and
- c) harmonize with international norms in test fuel specifications, material property verification and safety marking practices.

In addition, this edition has been reformatted to current CSA Group editorial requirements.

Nothing in this Standard should be considered in any way as indicating a measure of quality beyond compliance with the provisions it contains. It is designed to allow compliance of products which may exceed that specified in the provisions herein. In its preparation, full recognition has been given to possibilities of improvement through ingenuity of design. This Standard is subject to revision as further experience and investigation may show it is necessary and desirable.

Users of this Standard are advised that the devices/products/activities within its scope might be subject to regulation at federal, state, provincial, or local levels. Users are strongly urged to investigate this possibility through appropriate channels. In the event of a conflict with this Standard, the federal, state, provincial, or local regulations should be followed. This Standard may be used in conjunction with the requirements of the National Fire Code of Canada and the local authority having jurisdiction.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Technical Committee on Portable Fuel Tanks and Containers, under the jurisdiction of the Strategic Steering Committee on Fuels and Appliances, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

## Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*

- 4) To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:
- define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
  - provide an explanation of circumstances surrounding the actual field condition; and
  - where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.

Committee interpretations are processed in accordance with the CSA Directives and Guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).

- 5) This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Proposal for change” in the subject line:
- Standard designation (number);
  - relevant clause, table, and/or figure number;
  - wording of the proposed change; and
  - rationale for the change.

# CSA B376:22

## ***Portable containers for gasoline and other petroleum fuels***

### **0 Introduction**

This edition of CSA B376 continues to address portable fuel containers (PFCs) made of both steel and plastic, although plastic is the most commonly used material in PFCs intended for use by consumers. It has been revised to accommodate PFCs with environmentally responsible automatically closing spouts and innovative PFC configurations.

It further introduces a recent advance in PFC safety by requiring the installation of flame mitigation devices (FMDs) in PFC openings (see Clause [6.1.2](#)). FMDs prevent flame jetting and container explosions caused by the propagation of an external ignition source into the PFC when the PFC is misused to start or accelerate a fire. However, such incidents are rare in comparison with external ignition of volatile fuel vapours, which cannot be prevented by an FMD, and it is evident that public education and cautionary marking remain important for reducing the incidence of burn injuries caused by the misuse of PFCs.

Although PFCs that conform to CSA B376 are excluded from the *Consumer Chemicals and Containers Regulations, 2001* under the *Canada Consumer Product Safety Act* (CCPSA), an equivalent level of child safety in CSA B376 was considered appropriate. This aligns with the U.S. consumer product safety rule requiring child-resistant closures on PFCs for over a decade with significant positive impact on related rates of child injury.

The UN-standardized container for the transportation of flammable liquids (Class 3) called a “jerrican” is authorized under the *Canadian Transportation of Dangerous Goods Regulations* (SOR/2001-286). However, the transportation of dangerous goods in a private motor vehicle for personal use, in containers under 30 kg, is exempt from the regulation (s 1.15 “150 kg gross mass exemption”). This Standard, which is consistent with UN design requirements, applies to personal use of portable fuel containers, including jerricans.

This Standard does not address specific tests for each production unit or periodic audits of production. This should form part of the manufacturer’s quality management system under a Registration Organization accredited by the Standards Council of Canada (SCC) or national equivalent.

Many aspects of the way in which consumers transport, store, and use PFCs have been considered in establishing this standard. This has resulted in demanding requirements for aspects that may deteriorate the materials used (i.e., corrosion, ultraviolet exposure, degradation by harsh chemical compounds) or for rough handling of the PFC (i.e., impact resistance, extreme storage temperature variation). The service life of a PFC, based on similar performance considerations in the *Transportation of Dangerous Goods Regulations*, is considered to be 10 years.