


Requirements for reactor heat removal capability during outage of nuclear power plants



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA N290.11:21

July 2021

Title: *Requirements for reactor heat removal capability during outage of nuclear power plants*

To register for e-mail notification about any updates to this publication

- go to www.csagroup.org/store/
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2429147**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

CSA N290.11:21

***Requirements for reactor heat
removal capability during outage of
nuclear power plants***



®A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in July 2021 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at www.csagroup.org/store/
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 27.120
ISBN 978-1-4883-3631-7*

*© 2021 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Reactor Control Systems, Safety Systems, and Instrumentation of Nuclear
Power Plants 3

Subcommittee on Requirements for Reactor Heat Removal Capability during Outage of Nuclear Power
Plants 5

Preface 6

1 Scope 8

2 Reference publications 9

3 Definitions 10

3.1 Definitions 10

3.2 Abbreviations 12

4 Functional requirements 12

4.1 General 12

4.2 Success criteria 13

4.2.1 Process heat sinks 13

4.2.2 Emergency heat sink 13

5 Heat sink requirements 13

5.1 General 13

5.2 Heat sink operation 15

5.2.1 General 15

5.2.2 Recall 15

5.2.3 Actions on failure of a heat sink 16

5.2.4 Heat sinks affecting other work 17

5.2.5 Monitoring 17

5.3 Instrumentation and control 17

5.4 Loop isolation 18

5.4.1 General 18

5.4.2 Loop isolation for reactors with two cooling loops in the reactor coolant system 18

5.5 Reliability 18

5.5.1 General 18

5.5.2 Redundancy 19

5.5.3 Diversity 19

5.6 Independence and separation 19

5.6.1 Process heat sink independence 19

5.6.2 Emergency heat sink independence 20

5.6.3 Separation 20

5.7 Equipment qualification 20

5.7.1 Process heat sink 20

5.7.2 Emergency heat sink 20

5.7.3 Seismic qualification 20

5.7.4 Aging 21

5.8	Dynamic piping effects	21
5.9	Maintenance	21
5.9.1	General	21
5.9.2	Maintenance on the primary heat sink	21
5.9.3	Maintenance on the standby components of the process heat sink	21
5.9.4	Maintenance on the emergency heat sink	22
5.9.5	Maintenance program	22
5.10	Functional testing	22
5.11	Documentation	22
5.12	Heat sink support system requirements	23

Technical Committee on Reactor Control Systems, Safety Systems, and Instrumentation of Nuclear Power Plants

L. C. Luckhardt	Baker Hughes — Dresser, Dundas, Ontario, Canada <i>Category: Service Industry</i>	<i>Chair</i>
N. Mesmous	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario, Canada <i>Category: Government and/or Regulatory Authority</i>	<i>Vice-Chair</i>
R. Clavero	Kinectrics Inc., Toronto, Ontario, Canada <i>Category: Service Industry</i>	<i>Vice-Chair</i>
M. Buckler	Bruce Power, Tiverton, Ontario, Canada	<i>Non-voting</i>
B. Chan	Technical Standards & Safety Authority, Toronto, Ontario, Canada <i>Category: Government and/or Regulatory Authority</i>	
Q. B. Chou	Canadian Power Utility Services Ltd. (CPUS), Toronto, Ontario, Canada	<i>Non-voting</i>
D. Garrick	Canadian Nuclear Laboratories Limited (CNL), Chalk River, Ontario, Canada <i>Category: Owner/Operator/Producer</i>	
S. Gateman	Bruce Power, Tiverton, Ontario, Canada	<i>Non-voting</i>
L. Gilbert	Bruce Power, Tiverton, Ontario, Canada <i>Category: Owner/Operator/Producer</i>	
S. Gyepi-Garbrah	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario, Canada	<i>Non-voting</i>
R. Henry	Kinectrics Inc., Toronto, Ontario, Canada	<i>Non-voting</i>

R. Ion	MeV200 Consulting Inc., Mississauga, Ontario, Canada	<i>Non-voting</i>
W. K. Lam	Toronto, Ontario, Canada <i>Category: Government and/or Regulatory Authority</i>	
P. Lawrence	Kinectrics Inc., Pickering, Ontario, Canada	<i>Non-voting</i>
C. Lorencez	Candu Owners Group, Toronto, Ontario, Canada <i>Category: General Interest</i>	
J. Luxat	McMaster University, Hamilton, Ontario, Canada <i>Category: General Interest</i>	
D. Mullin	NB Power Corporation, Lepreau, New Brunswick, Canada <i>Category: Owner/Operator/Producer</i>	
M. K. O'Neill	Ian Martin Limited, Scarborough, Ontario, Canada	<i>Non-voting</i>
Y. Parlatan	Ontario Power Generation Inc., Pickering, Ontario, Canada <i>Category: Owner/Operator/Producer</i>	
P. Santamaura	SNC-Lavalin Nuclear Inc., Mississauga, Ontario, Canada <i>Category: Service Industry</i>	
A. Tokuhira	Ontario Tech University, Oshawa, Ontario, Canada <i>Category: General Interest</i>	
J. Lee	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

Subcommittee on Requirements for Reactor Heat Removal Capability during Outage of Nuclear Power Plants

M. Buckler	Bruce Power, Tiverton, Ontario, Canada	<i>Chair</i>
J. Johns	Bruce Power, Tiverton, Ontario, Canada	<i>Vice-Chair</i>
L. Gilbert	Bruce Power, Tiverton, Ontario, Canada	
H. Hasanein	Kinectrics Inc., Toronto, Ontario, Canada	
R. Henry	Kinectrics Inc., Toronto, Ontario, Canada	
B. Lekakh	SNC-Lavalin Nuclear Inc., Mississauga, Ontario, Canada	
G. Martin	Ontario Power Generation Inc. Darlington NGS, Bowmanville, Ontario, Canada	
M. Ohn	Canadian Nuclear Safety Commission, Ottawa, Ontario, Canada	
R. Prime	NB Power Nuclear Corporation, Lepreau, New Brunswick, Canada	
J. Lee	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

Preface

This is the second edition of CSA N290.11, *Requirements for reactor heat removal capability during outage of nuclear power plants*. It supersedes the previous edition published in 2013.

The following are the major changes to this edition:

- a) updated requirements and specifications for the back-up heat sink and the protection it is to provide;
- b) provided additional clarification in areas identified by users; and
- c) improved alignment with current industry standards.

The CSA N-Series of Standards provides an interlinked set of requirements for the management of nuclear facilities and activities. CSA N286 provides overall direction to management to develop and implement sound management practices and controls, while the other CSA nuclear Standards provide technical requirements and guidance that support the management system. This Standard works in harmony with CSA N286 and does not duplicate the generic requirements of CSA N286; however, it can provide more specific direction for those requirements.

This Standard reflects the operating experience of the Canadian nuclear power industry.

Users of this Standard are reminded that the design, manufacture, construction, commissioning, operation, and decommissioning of nuclear facilities in Canada are subject to the provisions of the *Nuclear Safety and Control Act* and its supporting Regulations.

This Standard was prepared by the Subcommittee on Requirements for Reactor Heat Removal Capability during Outage of Nuclear Power Plants, under the jurisdiction of the Technical Committee on Reactor Control Systems, Safety Systems, and Instrumentation of Nuclear Power Plants and the Strategic Steering Committee on Nuclear Standards, and has been formally approved by the Technical Committee.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.
- 5) *This Standard is subject to review within five years from the date of publication and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*

- b) *relevant clause, table, and/or figure number;*
- c) *wording of the proposed change; and*
- d) *rationale for the change.*

CSA N290.11:21

Requirements for reactor heat removal capability during outage of nuclear power plants

1 Scope

1.1

This Standard covers the design, qualification, installation, commissioning, operation, maintenance, testing, inspection, and documentation requirements for systems providing heat removal from the reactor core to the ultimate heat sink(s) for water-cooled nuclear power plants during outages.

1.2

This Standard covers only fuel cooling within the reactor core and does not cover spent fuel pool cooling, off-reactor fuelling operations, or the completely defuelled core state.

1.3

This Standard covers all systems that contribute to the transfer of heat by

- a) conveying heat to the ultimate heat sink;
- b) providing power or compressed air;
- c) providing inventory makeup to heat sink systems; or
- d) monitoring and control.

Note: *The combination of systems or portions of systems that contribute to these functions are referred to in this Standard as “heat sinks”.*

1.4

The term “outage” refers to the following reactor states:

- a) a shutdown state where subcriticality is assured by physical means; or

Note: *For CANDU reactors, this refers to a guaranteed shutdown state.*

- b) critical or sub-critical at any power where the normal (at high power) heat sinks are not the primary heat sinks.

Note: *Examples of high power heat sinks include steaming of boilers to turbine or condensers.*

1.5

This Standard does not cover requirements for design extension conditions (DEC). Requirements and principles for maintaining fuel cooling for outages during DECs, including requirements for emergency cooling water and power supplies, are covered in CSA N290.16.

1.6

For the purposes of this Standard, the outage commences when the normal (at high power) heat sinks are no longer the primary heat sinks.