




CSA S304:24
National Standard of Canada



Design of masonry structures



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA S304:24

April 2024

Title: *Design of masonry structures*

To register for e-mail notification about any updates to this publication

- go to www.csagroup.org/store/
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2431177**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social wellbeing, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Cette Norme Nationale du Canada n’est disponible qu’en anglais.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

National Standard of Canada

CSA S304:24

Design of masonry structures



*®A trademark of the Canadian Standards Association,
operating as "CSA Group"*



*Published in April 2024 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at
www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 91.040.01, 91.060.01, 91.080.30
ISBN 978-1-4883-5053-5*

*© 2024 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Masonry Design	11
Preface	14
SDG Foreword	16
1 Scope	17
1.1 General	17
1.2 Other masonry standards	17
1.3 Vehicular bridges	17
1.4 Partitions	17
1.5 Thin veneers secured by mortar adhesion	17
1.6 Rough (rubble) stone masonry	17
1.7 Terminology	17
2 Reference publications	18
3 Definitions and symbols	21
3.1 Definitions	21
3.2 Standard notation	27
3.2.1 Subscripts for factored load and factored resistance	27
3.2.2 Symbols	27
3.2.3 Units	36
4 General requirements	36
4.1 Design methods	36
4.2 Other design methods	36
4.3 Drawings and related documents	36
4.4 Materials	37
4.4.1 General	37
4.4.2 Other materials	37
5 Design requirements	37
5.1 Specified loads and effects	37
5.1.1 Loads and effects	37
5.1.2 Dynamic effects	38
5.1.3 Importance factor	38
5.1.4 Loads not listed	38
5.2 Limit states design — Strength and stability	38
5.2.1 Resistance of structures and structural components	38
5.2.2 Load combinations for ultimate limit states	38
5.2.3 Load combinations for serviceability limit states	38
5.2.4 Stability	38
5.2.5 Sway effects	38
5.3 Factored resistance	38
5.3.1 General	38
5.3.2 Resistance factors	39

5.3.3	Masonry connectors	39
5.3.4	Effective stiffness	39
5.4	Structural integrity	39
5.5	Limits on the use of unreinforced masonry	39
5.5.1	Seismic limitation for unreinforced masonry	39
5.5.2	Locally reinforced masonry	39
5.5.3	Unreinforced shear walls	40
5.6	Seismic design	40
5.7	Fire resistance	40
5.8	Support of masonry	40
5.8.1	Stiffness requirements	40
5.8.2	Vertical support of masonry	41
5.8.3	Lateral support of masonry	41
5.9	Connectors	42
5.10	Serviceability	42
5.10.1	Effects of differential movements and dimensional changes	42
5.10.2	Displacements	43
5.10.3	Crack control	43
5.11	Durability	43
5.11.1	General	43
5.11.2	Reclaimed masonry units	43
5.11.3	Corrosion protection of metal components	44
5.12	Fibre-reinforced polymers	45
6	Specified strengths used in design	45
6.1	Masonry compressive strength	45
6.1.1	Design strength	45
6.1.2	Compressive strength based on masonry prism tests	45
6.1.3	Compressive strength based on unit, mortar, and grout tests	46
6.2	Masonry tensile strength	48
6.2.1	Specified flexural tensile strength	48
6.2.2	Test for masonry flexural tensile bond strength	48
6.2.3	Specified axial tensile strength	48
6.3	Masonry shear strength	48
6.3.1	Unreinforced and reinforced walls and columns	48
6.3.2	Prestressed walls and columns	48
6.3.3	Reinforced and prestressed beams	48
6.4	Masonry bearing strength	48
6.5	Reinforcing steel yield strength	48
6.6	Prestressing steel strength	49
6.7	Connector strength	49
6.8	Anchor bolt strength	49
7	Analysis of the structure	49
7.1	Safety and serviceability	49
7.2	Methods of analysis	49
7.3	Alternative methods of analysis	49
7.4	Secondary effects	49
7.5	Modulus of elasticity	49

7.5.1	Non-prestressing steel reinforcement	49
7.5.2	Masonry constructed of concrete or clay units	49
7.5.3	Masonry constructed of other materials	50
7.6	Composite members	50
7.7	Cavity walls	50
7.7.1	Lateral loads	50
7.7.2	Axial load and bending	50
8	Design of unreinforced walls and columns	50
8.1	General	50
8.1.1	Factored resistance	50
8.1.2	Masonry columns	50
8.1.3	Limitations	50
8.1.4	Toothed joints	50
8.2	Design requirements for axial load and bending	51
8.2.1	Maximum factored moment for sections allowed to be cracked	51
8.2.2	Rectangular stress block analysis	51
8.2.3	Maximum factored resistance for sections not allowed to be cracked	51
8.2.4	Linear elastic analysis	51
8.3	Effective cross-sectional area	52
8.4	Maximum factored axial load resistance	52
8.5	Effective height	52
8.6	Shear wall flanges	52
8.6.1	Shear wall flange width	52
8.6.2	Flange intersections	52
8.6.3	Chases and openings	53
8.7	Axial load and minor axis bending in walls	53
8.7.1	Cavity walls	53
8.7.2	Composite and other multi-wythe solid walls	53
8.7.3	Minimum primary moment	53
8.7.4	Section total moment effects	53
8.7.5	Slenderness effects	54
8.7.6	Design methods	54
8.8	Axial load and biaxial bending in walls	56
8.8.1	Design of compression zone	56
8.8.2	Design of tension zone	56
8.9	Columns	56
8.9.1	General	56
8.9.2	Axial load and single axis bending in columns	56
8.9.3	Axial load and biaxial bending in columns	56
8.10	Shear in walls and columns	57
8.10.1	General	57
8.10.2	Factored in-plane shear resistance for walls	57
8.10.3	Factored out-of-plane shear resistance for walls and columns	58
8.10.4	Stack pattern factored shear resistance	58
8.10.5	Factored sliding shear resistance — Calculation of factored sliding shear resistance	58
8.11	Intersections	58
8.11.1	Bonded masonry intersections	58
8.11.2	Unbonded masonry intersections	59

8.11.3	Factored resistance of connectors	59
8.12	Flexural wall panels	59
8.12.1	General	59
8.12.2	Flexural wall panel dimension limits	59
8.12.3	Calculation of factored moments in panels	60
8.12.4	Calculation of resisting moment in panel	60
8.13	Infill shear walls	60
8.13.1	General	60
8.13.2	Analytical models	60
8.13.3	Design of infill shear walls	61
8.14	Bearing resistance for concentrated load	62
8.14.1	General	62
8.14.2	Stress distribution under beams	63
8.14.3	Dispersion of concentrated load	63
8.14.4	Walls of fully grouted masonry or solid brick masonry	63
8.14.5	Walls of hollow block or brick units not fully grouted	64
8.14.6	Partially grouted masonry	64
8.14.7	Other masonry	64
8.15	Anchors	66
8.15.1	General	66
8.15.2	Embedded anchor bolt detailing, fabrication, and installation	66
8.15.3	Design of embedded anchor bolts	66
8.15.4	Design strength determined by test	66
8.15.5	Design strength of headed and bent-bar anchor bolts	66
8.15.6	Design strength of post-installed anchors	71
8.16	Arches	71
8.16.1	Compressive strength	71
8.16.2	Shear strength	71
8.16.3	Arch stability	71
8.16.4	Abutment conditions	72
8.16.5	Depth of arch	72
8.17	Simplified unreinforced partition wall design	72
8.17.1	General	72
8.17.2	Allowable penetrations	72
8.17.3	Partition wall loads	73
8.17.4	Isolation from loadbearing structure	73
8.17.5	Partition wall anchorage	73
8.17.6	Allowable height-to-thickness or length-to-thickness ratio	74
9	Glass block masonry	75
9.1	General	75
9.1.1	Limitations of use	75
9.1.2	Reinforcement requirements	75
9.2	Design requirements	75
9.2.1	Serviceability	75
9.2.2	Material strength	75
9.2.3	Analysis	76
9.2.4	Safety	76

10 Veneer	76
10.1 Unit masonry veneer	76
10.1.1 Flexural bond strength	76
10.1.2 Unit material and dimension limitations	76
10.1.3 Dimension cut stone and manufactured stone	76
10.1.4 Ties and joint reinforcement	76
10.1.5 Structural backing	77
10.1.6 Veneer height	78
10.2 Simplified veneer tie design	78
10.2.1 General	78
10.2.2 Limitations on use	78
10.2.3 Structural backing	78
10.2.4 Maximum storey heights	79
10.2.5 Veneer tie spacing	79
10.2.6 Support of masonry veneer	79
10.2.7 Allowance for movement	79
11 Design of reinforced walls and columns	79
11.1 General	79
11.1.1 Factored resistance	79
11.1.2 Grouting of reinforced columns	79
11.1.3 Toothed joints	80
11.2 Design requirements for axial load and bending	80
11.2.1 Plane sections assumption	80
11.2.2 Maximum usable masonry strain	80
11.2.3 Reinforcement stress-strain relationships	80
11.2.4 Tensile strength of masonry	80
11.2.5 Masonry stress-strain relationship	80
11.2.6 Equivalent rectangular compression stress block for masonry	80
11.2.7 Compression reinforcement	81
11.2.8 Low-aspect-ratios (squat) shear walls	81
11.3 Effective cross-sectional area	81
11.4 Maximum factored axial load resistance	81
11.5 Effective height	82
11.6 Effective compression zone width	82
11.6.1 General	82
11.6.2 Shear wall flange width	82
11.6.3 Flange intersections	82
11.6.4 Chases and openings	83
11.7 Axial load and minor axis bending in walls	83
11.7.1 Composite and other multi-wythe solid walls	83
11.7.2 Minimum primary moment	83
11.7.3 Section total moment effects	84
11.7.4 Design methods	85
11.8 Axial load and biaxial bending in walls	87
11.9 Columns	87
11.9.1 General	87
11.9.2 Axial load and single axis bending in columns	87
11.9.3 Axial load and biaxial bending in columns	87

11.10	Shear in walls and columns	88
11.10.1	General	88
11.10.2	Factored in-plane shear resistance of walls	88
11.10.3	Factored out-of-plane shear resistance of walls and columns	90
11.10.4	Stack pattern factored shear resistance	91
11.10.5	Factored sliding shear resistance	91
11.11	Intersections	92
11.11.1	General	92
11.11.2	Connectors	92
11.12	Infill shear walls	92
11.12.1	General	92
11.12.2	Minimum reinforcement requirements for infill shear walls	92
11.12.3	Length of the diagonal strut for slenderness effects	92
11.12.4	In-plane shear	92
11.12.5	In-plane sliding shear	93
11.13	Bearing resistance for concentrated load	93
11.14	Service load deflections	93
11.14.1	Mid-height deflection	93
11.14.2	Allowable deflection	93
11.15	Minimum and maximum reinforcement in walls and columns	94
11.15.1	Minimum requirements for reinforced walls	94
11.15.2	Maximum reinforcement for walls	94
11.15.3	Horizontal joint reinforcement in walls	95
11.15.4	Limits on reinforcement for columns	95
11.16	Anchor bolt resistance	95
12	Design of reinforced beams	95
12.1	General	95
12.1.1	Factored resistance	95
12.1.2	Factored bearing resistance	95
12.1.3	Applicability to beams constructed using concrete masonry units	95
12.1.4	Applicability to beams constructed using brick units	96
12.2	Bending in beams	96
12.2.1	Design assumptions	96
12.2.2	Maximum reinforcement in flexural members	97
12.2.3	Minimum reinforcement of flexural members	97
12.2.4	Effective cross-sectional area	97
12.2.5	Lateral supports of beams	97
12.2.6	Distribution of flexural reinforcement in beams	98
12.2.7	Deep beams	98
12.3	Shear in beams	99
12.3.1	General principles and requirements: Design methods and design considerations	99
12.3.2	Shear reinforcement details	99
12.3.3	Shear design	100
12.3.4	Special shear requirements for prestressed beams	102
12.3.5	Special shear requirements for beams with deep shear spans	103
12.4	Service load deflection of beams	103
12.4.1	Allowable deflection	103
12.4.2	Immediate deflection	103

- 12.4.3 Effective moment of inertia for deflection calculations at service loads 103
- 12.4.4 Long-term deflection 104

13 Reinforcement: Details, development, and splices 106

- 13.1 General 106
 - 13.1.1 Considerations for reinforcement detailing 106
 - 13.1.2 Maximum reinforcement size 106
 - 13.1.3 Consideration of masonry geometry for reinforcement size 106
 - 13.1.4 Limitations on joint reinforcement diameter size 107
 - 13.1.5 Bundling of reinforcement 107
 - 13.1.6 Construction requirements 107
- 13.2 Lateral ties of reinforcement in compression 107
 - 13.2.1 Minimum size and maximum spacing of lateral ties 107
 - 13.2.2 Termination of lateral ties 107
 - 13.2.3 Lateral tie placement near ends of members 107
 - 13.2.4 Lateral ties near beam-column intersections 107
 - 13.2.5 Placement of ties in masonry construction 107
 - 13.2.6 Arrangement of ties for lateral support within cross-section 107
- 13.3 Hooks and bends 108
- 13.4 Development of reinforcement 108
 - 13.4.1 General requirements 108
 - 13.4.2 Development of smooth and deformed bars and wire in tension 108
 - 13.4.3 Development of smooth and deformed bars in compression 109
 - 13.4.4 Development of bundled bars 110
 - 13.4.5 Development of standard hooks in tension 110
 - 13.4.6 Hooks for development of bars in compression 110
 - 13.4.7 Mechanical anchorage 111
 - 13.4.8 Development of flexural reinforcement — General 111
 - 13.4.9 Development of positive moment reinforcement 112
 - 13.4.10 Development of negative moment reinforcement 113
 - 13.4.11 Anchorage of shear reinforcement 113
- 13.5 Splicing of reinforcement 114
 - 13.5.1 Limitations on use 114
 - 13.5.2 Lap splices 114
 - 13.5.3 Welded splices and mechanical connections 114
 - 13.5.4 Splices of smooth and deformed bars and wire in tension 114
 - 13.5.5 Splices of deformed bars in compression 115
 - 13.5.6 Offset bars 116

14 Design of prestressed masonry 116

- 14.1 General 116
 - 14.1.1 Scope 116
 - 14.1.2 Design 116
 - 14.1.3 Plane sections assumption 117
 - 14.1.4 Maximum usable masonry strain 117
 - 14.1.5 Reinforcement stress-strain relationships 117
 - 14.1.6 Factored force in the prestressed reinforcement 117
 - 14.1.7 Tensile strength of masonry 117
 - 14.1.8 Slenderness effects 117

14.2	Serviceability	117
14.2.1	General	117
14.2.2	Maximum compressive stresses	117
14.2.3	Permissible stress in steel prestressing tendons	118
14.2.4	Loss of prestress	118
14.3	Ultimate strength	118
14.3.1	General	118
14.3.2	Stress in tendon at ultimate strength of member	118
14.3.3	Partial prestressing	119
14.4	Minimum bending strength	119
14.5	Shear resistance	119
14.5.1	Shear resistance of walls and columns	119
14.5.2	Shear resistance of beams	120
14.6	Tendon anchorage zones	120
14.6.1	Design of anchorage zones	120
14.6.2	Design methods	120
14.6.3	Provision of end blocks	120
14.6.4	Reinforcement of regions of stress concentration	120
15	Design of prefabricated masonry	120
15.1	General	120
15.1.1	Application of other provisions	120
15.1.2	Types of anchorage	120
15.2	Additional details on drawings	120
15.3	Lifting devices	121
15.4	Additional loads	121
15.5	Joints and bearings	121
15.5.1	Design	121
15.5.2	Stress concentrations	121
15.6	Tolerances at joints and connections	121
16	Field control tests during construction	121
16.1	Masonry unit tests	121
16.1.1	Test frequency	121
16.1.2	Design strength based on masonry unit and mortar tests	121
16.1.3	Design strength based on masonry prism tests	122
16.2	Mortar tests	122
16.2.1	General	122
16.2.2	Tests	122
16.2.3	Test frequency	123
16.2.4	Acceptance	123
16.3	Grout tests	124
16.3.1	General	124
16.3.2	Tests	124
16.3.3	Test frequency	124
16.3.4	Acceptance	124
16.4	Masonry assembly tests — Flexural tensile bond strength	125
17	Special provisions for seismic design	125
17.1	General	125

17.1.1	Masonry shear wall components for seismic force resisting systems	125
17.1.2	Running bond	125
17.2	Unreinforced masonry	125
17.2.1	General	125
17.2.2	Combining unreinforced and reinforced shear walls	125
17.2.3	Partition walls	126
17.2.4	Masonry veneer	126
17.3	General seismic provisions for reinforced masonry	126
17.3.1	Capacity design	126
17.3.2	Structural regularity	126
17.3.3	Analysis assumptions	126
17.3.4	SFRS and other walls	127
17.3.5	Additional performance requirements	127
17.4	Seismic reinforcement for walls	128
17.4.1	Grade of reinforcement	128
17.4.2	Restriction on lap splice length reductions	128
17.4.3	Mechanical splices	128
17.4.4	Welded splices	128
17.4.5	Minimum seismic reinforcement for reinforced walls	128
17.5	Conventional construction shear walls ($R_d = 1.5$)	129
17.5.1	General	129
17.5.2	Maximum spacing of vertical reinforcement	129
17.5.3	Limitation on neutral axis depth	129
17.5.4	Minimum required factored shear resistance	129
17.6	General seismic design requirements for moderately ductile and ductile shear walls ($R_d = 2.0$ and 3.0)	130
17.6.1	Applicability	130
17.6.2	Plastic hinge region	130
17.6.3	Redistribution of design moments	130
17.6.4	Maximum compressive strain	130
17.6.5	Tying requirements for compression reinforcement	130
17.7	Moderately ductile squat shear walls ($R_d = 2.0$)	130
17.7.1	General	130
17.7.2	Height-to-length ratio	130
17.7.3	Distribution of shear force	130
17.7.4	Minimum reinforcement	131
17.7.5	Horizontal reinforcement splice and anchorage requirements	131
17.7.6	Maximum shear resistance	131
17.8	Moderately ductile shear walls ($R_d = 2.0$)	131
17.8.1	General	131
17.8.2	Height-to-length ratio	131
17.8.3	Unsupported height	132
17.8.4	Plastic hinge region	132
17.8.5	Plastic hinge region detailing	132
17.8.6	Maximum compressive strain	133
17.8.7	Ductility verification	133
17.8.8	Shear resistance	134
17.9	Ductile shear walls ($R_d = 3.0$)	134
17.9.1	General	134

17.9.2	Height-to-length ratio	134
17.9.3	Unsupported height	134
17.9.4	Plastic hinge region	135
17.9.5	Plastic hinge region detailing	135
17.9.6	Maximum compressive strain	135
17.9.7	Ductility verification	135
17.9.8	Shear resistance	136
17.10	Increased compressive strain for moderately ductile and ductile shear walls	136
17.10.1	General	136
17.10.2	Confinement of masonry	136
17.10.3	Plastic hinge region	137
17.10.4	Shear resistance	137
17.11	Special requirements for boundary elements	137
17.11.1	Boundary elements	137
17.11.2	Minimum length of boundary element	137
17.11.3	Ties for vertical reinforcement in boundary elements	138
17.11.4	Maximum spacing for buckling prevention ties in boundary elements	138
17.11.5	Seismic cross ties in boundary elements	138
17.11.6	Minimum area of buckling prevention ties	138
17.11.7	Buckling prevention tie requirements	138
17.11.8	Minimum vertical reinforcement in boundary elements	138
17.11.9	Limitations of splices in boundary elements	139
17.11.10	Factored vertical shear resistance at changes in thickness of shear walls	139
17.11.11	Height of boundary elements	139
17.11.12	Unsupported height	139

Annex A (normative)	— Dimension cut stone and manufactured stone veneer	148
Annex B (normative)	— Effective length factors	155
Annex C (normative)	— Determination of specified strength	156
Annex D (normative)	— Method of test for compressive strength and modulus of elasticity of masonry prisms	158
Annex E (normative)	— Method of test for flexural tensile bond strength	166
Annex F (normative)	— Empirical design for unreinforced masonry arches	171

Technical Committee on Masonry Design

N. Shrive	The University of Calgary, Calgary, Alberta, Canada <i>Category: General Interest</i>	<i>Chair</i>
B. Banting	Canada Masonry Design Centre, Ottawa, Ontario, Canada <i>Category: Producer Interest</i>	<i>Vice-Chair</i>
A. Ahrabi	Hilti Canada, Oakville, Ontario, Canada	<i>Non-voting</i>
W. Bokma	MTE Consultants Inc., Kitchener, Ontario, Canada <i>Category: User Interest</i>	
S. Brzev	University of British Columbia, Vancouver, British Columbia, Canada	<i>Non-voting</i>
C. Cruz-Noguez	Department of Civil and Environmental Engineering, Edmonton, Alberta, Canada	<i>Non-voting</i>
S. Das	University of Windsor, Windsor, Ontario, Canada <i>Category: General Interest</i>	
W. El-Dakhakhni	McMaster University, Hamilton, Ontario, Canada <i>Category: General Interest</i>	
M. Ezzeldin	McMaster University, Hamilton, Ontario, Canada	<i>Non-voting</i>
S. Fasullo	Davroc Testing Laboratories Inc., Brampton, Ontario, Canada	<i>Non-voting</i>
L. R. Feldman	University of Saskatchewan, Saskatoon, Saskatchewan, Canada <i>Category: General Interest</i>	
B. Flisak	Crosier Kilgour & Partners Ltd., Winnipeg, Manitoba, Canada	<i>Non-voting</i>

K. Galal	Concordia University, Montréal, Québec, Canada <i>Category: General Interest</i>	
M. Guzman	Canada Masonry Design Centre, Calgary, Alberta, Canada	<i>Non-voting</i>
J. Halucha	Hallex Engineering Ltd., Niagara Falls, Ontario, Canada <i>Category: User Interest</i>	
K. Hughes	Renoasis Ltd., Aurora, Ontario, Canada <i>Category: User Interest</i>	
K. Ibrahim	KIB Consultants Inc., Ottawa, Ontario, Canada <i>Category: User Interest</i>	
M. Innocente	PICCO Engineering, Concord, Ontario, Canada <i>Category: User Interest</i>	
P. Kelly	Clay Brick Association of Canada (CBAC), Burlington, Ontario, Canada <i>Category: Producer Interest</i>	
S. Khorsand	Ontario Ministry of Labour, Training and Skills Development, Toronto, Ontario, Canada <i>Category: Regulatory Authority</i>	
G. Krsmanovic	City of Hamilton, Planning & Economic Development Department, Hamilton, Ontario, Canada <i>Category: Regulatory Authority</i>	
G. A. LeBlanc	GA Masonry, Breslau, Ontario, Canada <i>Category: Producer Interest</i>	
Y. Liu	Dalhousie University, Halifax, Nova Scotia, Canada <i>Category: General Interest</i>	

R. Pacholok	Building Science Engineering Ltd., St. Albert, Alberta, Canada <i>Category: User Interest</i>	
M. Picco	Picco Engineering, Concord, Ontario, Canada <i>Category: User Interest</i>	
M. Ross	FERO Corp., Edmonton, Alberta, Canada <i>Category: Producer Interest</i>	
A. Smith	Canada Masonry Design Centre, Dartmouth, Nova Scotia, Canada	<i>Non-voting</i>
A. Sparling	Canada Masonry Design Centre, Saint-Hubert, Québec, Canada	<i>Non-voting</i>
D. Stubbs	Canadian Masonry Contractors Association, Mississauga, Ontario, Canada <i>Category: Producer Interest</i>	
M. Li	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

Preface

This is the fourth edition of CSA S304, *Design of masonry structures*, using limit states design principles. It supersedes the previous editions published in 2014, 2004, under the designation CSA S304.1, and 1994, under the designation CSA S304.1 and the title *Masonry Design for Buildings (Limit States Design)*. Prior to the limit states design edition in 1994, there were two working stress design editions, CSA S304-M84 and the first edition of CSA S304 issued in 1977 (imperial version) and 1978 (metric version).

The major changes to this edition include the following:

- a) Large portions of the empirical design annex (Annex F) have been removed and the annex now only covers empirical design of arches.
- b) Simplified design methods that employ engineering principles for design of unreinforced partition walls and veneer ties have been added to Clauses 8.17 and 10.2, respectively.
- c) Prism testing requirements have been changed to reflect a standardized height-to-thickness ratio of 2 leading to an adjustment to masonry compressive strengths in Table 4.
- d) Load factors and other material provided by the *National Building Code of Canada* have been removed.
- e) The design of reinforced and unreinforced walls and columns have been changed, including changes to the effective flange width and when to ignore slenderness.
- f) Requirements have been revised and new figures have been added for the design of bearing, and new requirements for the design of anchors have been added, including post-installed anchors.
- g) Requirements have been revised for the design of fully-grouted reinforced shear walls using the simplified modified compression field theory.
- h) Requirements have been revised for beam design that include the removal of the χ and λ factors based on a new series of required construction procedures.
- i) Limits on the acceptable height-to-thickness ratio for shear walls that contain a plastic hinge have been revised.
- j) Throughout this Standard, technical and editorial changes have been made to correct or clarify previous requirements.

CSA Group acknowledges that the development of this Standard was made possible, in part, by the financial support of the Canadian Masonry Contractors Association (CMCA), Canadian Concrete Masonry Producers Association (CCMPA), and Clay Brick Association of Canada (CBAC).

This Standard was prepared by the Technical Committee on Masonry Design, under the jurisdiction of the Strategic Steering Committee on Construction and Civil Infrastructure, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*