


Commentary for CSA N285.6-17, Material Standards for reactor components for CANDU nuclear power plants



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA N285.6.0.1:22

August 2022

Title: *Commentary for CSA N285.6-17, Material Standards for reactor components for CANDU nuclear power plants*

To register for e-mail notification about any updates to this publication

- go to www.csagroup.org/store/
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2430084**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

CSA N285.6.0.1:22

***Commentary for CSA N285.6-17,
Material Standards for reactor
components for CANDU nuclear
power plants***



®A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in August 2022 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at www.csagroup.org/store/
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 27.120.10
ISBN 978-1-4883-4368-1*

*© 2022 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on CANDU Nuclear Power Plant Pressure-Retaining Systems and Components	3
Working Group on Commentary for CSA N285.6-17, Material Standards for reactor components for CANDU nuclear power plants	6
Preface	7
1 Scope	8
1.2 Scope of the N285.6 Series	8
2 Reference publications	9
3 Historical background	10
3.1 General	10
3.2 Reactor development	12
3.3 Caution/user alert	13
3.4 Ongoing development	13
3.5 Significant changes in scope	14
4 CSA N285.6.1, Pressure tubes for use in CANDU fuel channels	15
4.1 Scope	15
4.1.1 General	15
4.1.2 Pressure tube concept	15
4.1.3 Need for fabrication requirements and specification of properties	15
4.1.4 Seamless design	16
4.2 General requirements	16
4.2.1 Change from Zircaloy-2 to Zr-2.5Nb	16
4.2.2 Hot press or rotary forging	16
4.2.3 Billet processing	17
4.2.4 Hot extrusion	17
4.2.5 Cold working	17
4.2.6 Stress relieving	17
4.2.7 Traceability	18
4.2.8 Front-end vs. back-end	19
4.2.9 Stamping/markings	19
4.2.10 Further improvements to Zr-2.5Nb manufacturing	19
4.2.11 Recycled ingots	19
4.3 Tube requirements	20
4.3.1 Cold work	20
4.3.2 Hydrostatic testing	20
4.3.3 Tensile testing	20
4.3.4 Inspection requirements	21
5 CSA N285.6.2, Seamless zirconium alloy tubing for reactivity control units	21
5.1 Scope	21
5.2 General requirements	21
5.3 Inspection	21

6	CSA N285.6.3, Annealed seamless zirconium alloy tubing for liquid injection shutdown system (LISS) nozzles	22
6.1	Scope	22
6.2	General requirements	22
6.3	Inspection	22
7	CSA N285.6.4, Thin-walled, large-diameter zirconium alloy tubing	23
7.1	Scope	23
7.2	Processing requirements	23
7.3	Final surface condition of the seam-welded and seamless tubes	24
7.4	Inspection	24
8	CSA N285.6.5, Zirconium alloy wire for fuel-channel spacers	25
8.1	Scope	25
9	CSA N285.6.6, Non-destructive examination criteria for zirconium alloys	25
9.1	Scope	25
9.2	Standard V-4 (for pressure tubes)	25
9.3	Liquid-penetrant standards	26
9.4	Ultrasonic standards	26
9.5	Eddy current standards — Standard EC-1 (for pressure tubes)	26
10	CSA N285.6.7, Zirconium alloy design data	26
10.1	Scope	26
10.2	General	26
11	CSA N285.6.8, Martensitic stainless steel for fuel-channel end fittings	27
11.1	Scope	27
11.2	Material selection	27
11.3	Mechanical properties	28
11.4	Ultrasonic examination	28
11.5	Quality of work	28
11.6	Product marking	29
12	CSA N285.6.9, Materials for supports for pressure-retaining items	29
13	CSA N285.6.10, Nickel-based alloy wire for fuel-channel spacers	29
13.1	Scope	29
13.2	General requirements	29
13.3	OPEX on nickel-based alloy degradation	30
14	CSA N285.6.11, Zirconium alloy wire	30
15	CSA N285.6.12, Zirconium alloy bars and rods for reactivity control units	30
16	CSA N285.6.13, Zirconium alloy sheet, strip and plate for reactivity control units	31
17	CSA N285.6.14, Bellows attachment rings for use in CANDU reactors	31

Technical Committee on CANDU Nuclear Power Plant Pressure-Retaining Systems and Components

R. W. Cook	Canadian Power Utility Services Limited (CPUS), Georgetown, Ontario, Canada <i>Category: Service Industry</i>	<i>Chair</i>
G. C. Deleanu	Ontario Power Generation Inc., Pickering, Ontario, Canada <i>Category: Owner/Operator/Producer</i>	<i>Vice-Chair</i>
K. Kirkhope	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario, Canada <i>Category: Government and/or Regulatory Authority</i>	<i>Vice-Chair</i>
R. W. Barnes	ANRIC Enterprises Inc., Toronto, Ontario, Canada <i>Category: Service Industry</i>	
B. Chan	Technical Standards & Safety Authority, Toronto, Ontario, Canada <i>Category: Government and/or Regulatory Authority</i>	
R. Chander	Toronto, Ontario, Canada	<i>Non-voting</i>
E. Creaser	Province of New Brunswick Dept. of Public Safety, Fredericton, New Brunswick, Canada <i>Category: Government and/or Regulatory Authority</i>	
J. deRuiter	Canadian Nuclear Laboratories, Chalk River, Ontario, Canada <i>Category: Owner/Operator/Producer</i>	
M. El Mehelmy Kotb	Kirkland, Québec, Canada	<i>Non-voting</i>
P. G. Gvildys	Peterborough, Ontario, Canada	<i>Non-voting</i>
G. Harvel	Ontario Tech University, Oshawa, Ontario, Canada <i>Category: General Interest</i>	

L. Kadden	Tetra Tech Canada Inc., Kincardine, Ontario, Canada	<i>Non-voting</i>
J. Krane	Stuart Olson, Port Elgin, Ontario, Canada <i>Category: Supplier/Fabricator/Contractor</i>	
S. Krishnan	Hatch Ltd., Mississauga, Ontario, Canada	<i>Non-voting</i>
G. Lemay	Carrying Place, Ontario, Canada	<i>Non-voting</i>
J. Lepper	NB Power Corporation, Lepreau, New Brunswick, Canada <i>Category: Owner/Operator/Producer</i>	
B. L. Li	Kinectrics, Toronto, Ontario, Canada	<i>Non-voting</i>
K. Lundie	Canadian Nuclear Laboratories Limited (CNL), Chalk River, Ontario, Canada	<i>Non-voting</i>
C. H. MacDonald	Norok Enterprises Incorporated, Mississauga, Ontario, Canada <i>Category: General Interest</i>	
T. Mason	Black & McDonald Ltd., Pickering, Ontario, Canada <i>Category: Supplier/Fabricator/Contractor</i>	
B. McGlone	NuSource, LLC, Alexandria, Virginia, USA <i>Category: Supplier/Fabricator/Contractor</i>	
A. A. Nabuurs	Beaver Harbour, New Brunswick, Canada <i>Category: General Interest</i>	
A. Pathak	BWXT Nuclear Energy Canada Inc., Peterborough, Ontario <i>Category: Supplier/Fabricator/Contractor</i>	
E. E. Pelling	Ted Pelling & Co. Ltd., Richmond Hill, Ontario, Canada <i>Category: General Interest</i>	

V. Raees	Technical Standards and Safety Authority, Ajax, Ontario, Canada	<i>Non-voting</i>
I. Roy	Trishan Consulting Inc., Mississauga, Ontario, Canada <i>Category: Service Industry</i>	
D. Rusnac	E.S. Fox, Ontario, Canada	<i>Non-voting</i>
N. M. Simpson	Claypine Technologies Inc., Mississauga, Ontario, Canada	<i>Non-voting</i>
J. C. Stranart	SNC-Lavalin Nuclear Inc., Mississauga, Ontario, Canada <i>Category: Service Industry</i>	
P. Tang	Bruce Power, Tiverton, Ontario, Canada <i>Category: Owner/Operator/Producer</i>	
Y. Wang	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario, Canada	<i>Non-voting</i>
G. D. Zakaib	Retired Professional, Toronto, Ontario, Canada	<i>Non-voting</i>
C. Chan	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

Working Group on Commentary for CSA N285.6-17, Material Standards for reactor components for CANDU nuclear power plants

J. C. Stranart	SNC-Lavalin Nuclear Inc., Mississauga, Ontario, Canada	<i>Chair</i>
B. Cheadle	Fuel Channel Consultant, Deep River, Ontario, Canada	
P. Doddihal	Kinectrics Inc., Toronto, Ontario, Canada	
G. Rife	Candu Owners Group, Toronto, Ontario, Canada	
M. Valenswain	SNC-Lavalin Nuclear Inc., Mississauga, Ontario, Canada	
A. Wallace	Kinectrics Inc., Toronto, Ontario, Canada	
O. Yong	Ontario Power Generation, Pickering, Ontario, Canada	
C. Chan	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

Preface

This is the first edition of CSA N285.6.0.1, *Commentary for CSA N285.6-17, Material Standards for reactor components for CANDU nuclear power plants*.

The discussion provided in this Commentary is directed towards the requirements in the CSA N285.6-17 Series, and does not address the amendments released since 2017. This Commentary does not address CSA N285.0, *General requirements for pressure-retaining systems and components in CANDU nuclear power plants*. This Commentary does not provide formal interpretations of the CSA N285.6 Series and should be viewed only as an informative annotation of portions of CSA N285.6. It has been written in informative (non-mandatory) language and is not intended to be adopted by users of CSA N285.6 or regulatory authorities as additional requirements. Significant changes between editions of CSA N285.6 are outlined, along with rationale for the changes, where needed.

This Commentary responds to questions and comments raised by those who have participated in developing and implementing CSA N285.6. It provides a context and explanation for the structure and content of CSA N285.6, and outlines the governing principles and requirements. The Commentary does not cover the entire content of every clause of CSA N285.6.

The intent is to update this Commentary after the publication of each new edition of CSA N285.6 so as to incorporate information associated with amendments to published editions and new editions, and to expand the Commentary as additional needs are identified.

This Commentary was prepared by CSA N285A Task Force C on Materials, under the jurisdiction of the Technical Committee on CANDU Nuclear Power Plant Pressure-Retaining Systems and Components and the Nuclear Strategic Steering Committee on Nuclear Standards, and has been formally approved by the Technical Committee.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Commentary is stated in its Scope, it is important to note that it remains the responsibility of the users of the Commentary to judge its suitability for their particular purpose.*
- 3) *This Commentary was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *This Commentary is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*

CSA N285.6.0.1:22

Commentary for CSA N285.6-17, Material Standards for reactor components for CANDU nuclear power plants

1 Scope

1.1

The purpose of this Commentary is to provide background information for specific clauses and requirements in the CSA N285.6 Series. This background information can help the user to clarify the context of the CSA N285.6 Series requirements. Also, this Commentary refers to sources of material that were used during the formulation of some of the requirements in the CSA N285.6 Series.

This Commentary focuses on the CSA N285.6 Series and is organized as follows:

- a) the original intent of the CSA N285.6 Series;
- b) the rationale for requirements; and
- c) the evolution of the CSA N285.6 Series through significant changes in various editions.

This Commentary addresses requirements relating to the manufacture and properties of materials for reactor components for CANDU nuclear power plants. It does not address requirements for the design and construction of pressure-retaining systems and components that are covered in CSA N285.0. Standards that relate to periodic inspection of pressure-retaining components are not addressed. Also, the requirements of other interfacing Standards and ASME *Boiler and Pressure Vessel and Piping Code (BPVC)*, Section III, Division 1 are not addressed in this Commentary.

The discussion provided in this Commentary is directed towards the requirements of the 2017 edition of CSA N285.6 Series and does not address the amendments released since 2017.

Although this Commentary can be read by itself, a better understanding of the Commentary will be obtained if a copy of the 2017 edition of the CSA N285.6 Series is available for reference. Many of the requirements in the CSA N285.6 Series are described in this Commentary. However, the Standards must always govern since they provide the formal requirements.

Note: ASME has published a companion guide to the ASME BPVC, which provides the criteria and a commentary on selected aspects of ASME BPVC.

Where this Commentary might not align with ASME, the differences are only applicable to materials covered and governed by the CSA N285.6 Series.

1.2 Scope of the N285.6 Series

The N285.6 Series is a set of individual standards numbered N285.6.x, each with their own specific scope. There is no overall identified scope for the N285.6 series. The preface of N285.0-17/ N285.6 Series-17 indicates that as of 2008 the N285.6 series is co-published with the N285.0 Standard, and this may sometimes be misinterpreted that they share the same scope. Whereas N285.0 is expressly concerned with the requirements for pressure retaining systems and components (the pressure boundary aspects) of the CANDU plant, the scope of the N285.6 Series is broader,