



**CSA Z432:23**  
National Standard of Canada



# Safeguarding of machinery



# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# *Standards Update Service*

*CSA Z432:23*

*July 2023*

**Title:** *Safeguarding of machinery*

To register for e-mail notification about any updates to this publication

- go to [www.csagroup.org/store/](http://www.csagroup.org/store/)
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2430287**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.

**Canadian Standards Association (operating as “CSA Group”)**, under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to  
CSA Group  
178 Rexdale Boulevard  
Toronto, Ontario, M9W 1R3  
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at [www.scc.ca](http://www.scc.ca).

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social wellbeing, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at [www.scc.ca](http://www.scc.ca).

Standards Council of Canada  
600-55 Metcalfe Street  
Ottawa, Ontario, K1P 6L5  
Canada



Cette Norme Nationale du Canada n’est disponible qu’en anglais.

*Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.*

®A trademark of the Canadian Standards Association, operating as “CSA Group”

*National Standard of Canada*

*CSA Z432:23*

*Safeguarding of machinery*



*®A trademark of the Canadian Standards Association,  
operating as "CSA Group"*



*Published in July 2023 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at  
[www.csagroup.org/store/](http://www.csagroup.org/store/) or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 13.110  
ISBN 978-1-4883-4496-1*

*© 2023 Canadian Standards Association  
All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.*

# Contents

Technical Committee on Safeguarding of Machinery	6
Preface	10
<b>0 Introduction</b>	<b>12</b>
0.1 General	12
0.2 Use of the ISO type A-B-C standards structure in CSA standards	12
<b>1 Scope</b>	<b>14</b>
1.1 General	14
1.2 Exclusions	14
1.3 Purpose	15
1.4 Interaction with other standards	15
1.5 Terminology	15
1.6 Measurements	15
<b>2 Reference publications</b>	<b>15</b>
<b>3 Definitions and abbreviations</b>	<b>22</b>
3.1 Definitions	22
3.2 Abbreviations	29
<b>4 Application</b>	<b>30</b>
4.1 Selecting risk reduction measures	30
4.2 Machinery lifecycle phases	31
<b>5 Risk assessment</b>	<b>31</b>
5.1 General	31
5.1.1 Shared responsibility — Manufacturer and user	31
5.1.2 Purpose of a task-based risk assessment	31
5.2 Stakeholders for risk assessment	31
5.3 Timing	32
5.4 Risk assessment methodology	32
5.5 Risk analysis	32
5.5.1 General	32
5.5.2 Scope of the risk assessment	33
5.5.3 Risk criteria	34
5.5.4 Determining the limits of the machine or system	34
5.5.5 Identifying the tasks, hazards, and lifecycle phases	34
5.5.6 Risk analysis	36
5.6 Risk evaluation	38
5.6.1 Purpose of risk evaluation	38
5.6.2 Level of risk	39
<b>6 Risk reduction</b>	<b>39</b>
6.1 General	39
6.2 Additional requirements for risk reduction measures	40

6.2.1	Additional hazards	40
6.2.2	Installation, access, and modification of risk reduction measures	40
6.3	Risk reduction measures	41
6.3.1	Hierarchy of risk reduction measures	41
6.3.2	Applying safeguards	43
6.4	Residual risk	43
6.5	Verification and validation	43
6.5.1	General	43
6.5.2	Verification and validation methods	43
6.5.3	Documentation	44
<b>7</b>	<b>Inherently safe design</b>	<b>44</b>
7.1	General	44
7.2	Inherently safe design measures	44
7.2.1	Consideration of gaps, machine layout, and physical aspects	44
7.2.2	Taking into account general technical knowledge of machine design	47
7.2.3	Choice of appropriate technology	47
7.2.4	Provisions for stability	48
7.2.5	Design of machinery for maintenance access	49
7.2.6	Observing ergonomic principles	50
7.2.7	Operating station design and ergonomic considerations	51
7.2.8	Electrical hazards	53
7.2.9	Pneumatic and hydraulic systems	54
7.2.10	Limiting exposure to hazards through reliability of equipment	55
7.2.11	Limiting exposure to hazards through mechanization or automation of loading (feeding)/ unloading (removal) operations	55
7.2.12	Hygiene	55
7.2.13	Measures for the escape and rescue of trapped persons	56
7.3	Installation design considerations	56
7.3.1	Lifting, handling, and transport	56
7.3.2	Measures for safe access to machinery	56
7.3.3	Platforms, steps, ladders, and walkover bridges	58
7.3.4	Cables and pipes	58
7.3.5	Lighting	59
7.3.6	Interactions	59
7.4	Mechanical system design	59
7.4.1	Braking systems	59
7.4.2	Clutches	62
7.4.3	Safety catches, overrun, runback, and fall-back protection devices	62
7.4.4	Counterweights and similar devices	62
7.4.5	Rotating shafts, spindles, and couplings	62
7.4.6	Coolant and swarf	63
7.4.7	Hand-wheels	63
7.4.8	Gravitational hazards from moving components	63
7.4.9	Particular measures for repetitive-cycle hand-fed machines	63
7.4.10	Workholding devices	63
<b>8</b>	<b>Performance requirements for safety-related parts of the control system (SRP/CS)</b>	<b>64</b>
8.1	Contribution to risk reduction	64

8.2	Reliability of the machine safety functions	65
8.2.1	General	65
8.2.2	New machinery	65
8.2.3	Existing, rebuilt, or redeployed machinery	66
<b>9</b>	<b>Safeguarding and complementary protective measures</b>	<b>66</b>
9.1	Overall requirements	66
9.1.1	General	66
9.1.2	Operational maintenance of safeguards	66
9.2	Selection of safeguards	67
9.2.1	General	67
9.2.2	Where access to the hazard zone is not required during normal operation	69
9.2.3	Where access to the hazard zone is required during normal operation	69
9.2.4	Where access to the hazard zone is required for machine setting, teaching, process changeover, fault-finding, cleaning, or maintenance	69
9.2.5	Selection of sensitive protective equipment (SPE)	70
9.3	Requirements for design of guards	70
9.3.1	Suitability	70
9.3.2	General	71
9.3.3	Requirements for guards	71
9.3.4	Requirements for movable guards	74
9.3.5	Requirements for adjustable guards	74
9.4	Requirements for design of protective devices	75
9.4.1	General requirements	75
9.4.2	Technical characteristics of protective devices	75
9.4.3	Documentation	75
9.4.4	Installation and integration requirements for protective devices	75
9.5	Guards, interlocked	76
9.5.1	General	76
9.5.2	Guard portion of the interlocked guard	76
9.5.3	Requirements for interlocking guards with a start function (control guards)	76
9.5.4	Interlocking devices associated with a guard	77
9.5.5	Mechanical interlocking devices	77
9.5.6	Electrical interlocking devices, with or without guard locking	79
9.6	Perimeter guard	83
9.7	Whole body access	83
9.7.1	General	83
9.7.2	Openings defined by physical obstruction	84
9.7.3	Risk reduction measures to minimize risks derived from whole body access	84
9.8	Vision-based protective devices	85
9.8.1	General	85
9.8.2	Verification of detection zone	86
9.8.3	AOPDs	86
9.9	Additional requirements for PSDI when used for cycle initiation	87
9.10	Muting	88
9.11	Active opto-electronic protective devices diffuse reflective (AOPDDR)	88
9.12	Safety mat systems	89
9.13	Safety edge and safety bumper systems	90
9.14	Two-hand control systems	90

9.14.1	General	90
9.14.2	Two-hand control systems — Single operator station	90
9.14.3	Two-hand control systems — Multiple operator stations	91
9.15	Hold-to-run control	91
9.15.1	General	91
9.15.2	Enabling devices	91
9.16	Limited movement devices	92
9.16.1	General	92
9.16.2	Types of limited movement devices	92
9.17	Protective device minimum (safety) distance	92
9.18	Operator restraint devices	93
9.18.1	General	93
9.18.2	Pull-back device (or pull-out device)	93
9.18.3	Hold-back device	94
9.19	Stopping performance monitoring	94
9.20	Other protective devices	95
9.21	Fluidic systems (pneumatic or hydraulic)	95
9.21.1	General	95
9.21.2	Safety-related controls	95
9.21.3	Isolation and release of trapped energy	95
9.22	Safeguarding to reduce emissions	95
9.22.1	General	95
9.22.2	Noise	95
9.22.3	Vibration	95
9.22.4	Hazardous substances	96
9.22.5	Radiation devices	96
9.22.6	Lasers	96
9.23	Complementary risk reduction measures	99
9.23.1	General	99
9.23.2	Emergency stop	99
9.23.3	Measures for isolation and energy dissipation	103
9.24	Span of control	103
9.24.1	General	103
9.24.2	Emergency stop span of control	103
<b>10</b>	<b>Administrative controls</b>	<b>104</b>
10.1	General	104
10.2	Job safety analysis (JSA)	104
10.2.1	General	104
10.2.2	Requirements for JSA	104
10.3	Awareness barriers	105
10.4	Awareness signals	105
10.5	Awareness devices, signs, and markings	105
10.6	Safe work procedures and practices	105
10.6.1	General	105
10.6.2	Safe work practices for machinery	106
10.7	Personal protective equipment (PPE)	107
10.8	Change management	107
10.9	Temporary suspension of safeguards	107

10.10	Control of hazardous energy	108
10.10.1	Lockout	108
10.10.2	Markings or labels	108
10.10.3	Other methods	108
10.10.4	Lockout affects tasks	108
10.10.5	Characteristics of tasks integral to production	108
10.10.6	Risk assessment	108
10.10.7	Restraint mechanisms	108
10.11	Information and communication	109
10.11.1	General	109
10.11.2	Information in instruction manuals	109
10.11.3	Instruction manual language	110
10.11.4	Instruction manual structure	110
10.11.5	Instruction placards adjacent to machinery	110
10.11.6	Warning labels	110
10.12	Installation, operation, decommission, and maintenance instructions	110
10.12.1	Sufficient information	110
10.12.2	Identification of potential hazards	111
10.12.3	Machinery supplied without tooling	111
10.12.4	Machinery supplied with tooling	111
10.13	Training	111
10.13.1	General	111
10.13.2	Training procedures	111

---

Annex A (informative)	— Hazard identification	113
Annex B (informative)	— Risk assessment	130
Annex C (informative)	— Illustrations of guarding examples for typical hazards	131
Annex D (informative)	— Illustrations of other hazard controls	136
Annex E (informative)	— Laser safety officer	142
Annex F (informative)	— Human performance and safe operation and maintenance of machinery	144
Annex G (informative)	— Determining the motivation of defeating safeguards	154
Annex H (informative)	— Protective devices minimum (safety) distance	156
Annex I (informative)	— Guard fastenings	160
Annex J (informative)	— Guidance on functional safety requirements	162
Annex K (informative)	— Examples of types of shrouded emergency stop button actuation	180
Annex L (informative)	— Illustrations of emergency stop cable pull installations (see Clause )	181

# ***Technical Committee on Safeguarding of Machinery***

<b>J. Van Kessel</b>	JVK Industrial Automation Inc., Cambridge, Ontario, Canada <i>Category: General Interest</i>	<i>Chair</i>
<b>C. Bidner</b>	SICK Canada, Richmond Hill, Ontario, Canada <i>Category: Producer Interest</i>	<i>Vice-Chair</i>
<b>S. Adolphe</b>	Toyota Motor Engineering & Manufacturing North America, Cambridge, Ontario, Canada <i>Category: User Management</i>	
<b>D. Albrecht</b>	WorkSafe BC, Richmond, British Columbia, Canada <i>Category: Regulatory Authority</i>	
<b>D. Boughner</b>	Unifor, Windsor, Ontario, Canada <i>Category: User Labour</i>	
<b>I. Brough</b>	Banner Canada, Lynden, Ontario, Canada <i>Category: Producer Interest</i>	
<b>A. Brown</b>	ABB Inc., St-Laurent, Québec, Canada <i>Category: Producer Interest</i>	
<b>I. Buzdugan</b>	Honda of Canada Manufacturing, Alliston, Ontario, Canada <i>Category: User Management</i>	
<b>L. Copp</b>	Linamar, Guelph, Ontario, Canada <i>Category: User Management</i>	
<b>F. Danial</b>	Mena Engineering, Mississauga, Ontario, Canada <i>Category: User Management</i>	

<b>B. Dhaliwal</b>	Manitoba Department of Family Services & Labour, Labour Programs, Winnipeg, Manitoba, Canada <i>Category: Regulatory Authority</i>	
<b>R. Djedid</b>	CNESST, Montréal, Québec, Canada <i>Category: Regulatory Authority</i>	
<b>T. Edwards</b>	SSC Manufacturing Solutions Inc., Waterloo, Ontario, Canada	<i>Non-voting</i>
<b>M. El-Naji</b>	Omron, Toronto, Ontario, Canada <i>Category: Producer Interest</i>	
<b>D. Felinski</b>	B11 Standards, Inc., Houston, Texas, USA	<i>Non-voting</i>
<b>C. A. Gow</b>	CAG Industrial Automation, West Montrose, Ontario, Canada	<i>Non-voting</i>
<b>K. J. Harris</b>	ProSafe Inc., Stratford, Ontario, Canada	<i>Non-voting</i>
<b>M. Hennessy</b>	UFCW Canada, Toronto, Ontario, Canada <i>Category: User Labour</i>	
<b>J. Hill</b>	The Hill Engineering Group Inc., Brantford, Ontario, Canada <i>Category: General Interest</i>	
<b>S. G. Hounkpe</b>	CNESST, Montréal, Québec, Canada	<i>Non-voting</i>
<b>M. Joaquin</b>	Sicura Consulting, Toronto, Ontario, Canada	<i>Non-voting</i>
<b>T. Knowles</b>	Actemium, Mississauga, Ontario, Canada	<i>Non-voting</i>
<b>P. Lacombe</b>	Schneider Electric, Dollard-des-Ormeaux, Québec, Canada	<i>Non-voting</i>

<b>S. Lawson</b>	USW 6500/Vale Canada, Sudbury, Ontario, Canada <i>Category: User Labour</i>	
<b>G. F. Mansour</b>	Mena Engineering, Mississauga, Ontario, Canada	<i>Non-voting</i>
<b>N. McDougall</b>	Trade-Mark Industrial, Cambridge, Ontario, Canada <i>Category: User Management</i>	
<b>M. Morrissey</b>	Toyota Motor Manufacturing Canada, Cambridge, Ontario, Canada	<i>Non-voting</i>
<b>R. Nelson Shea</b>	Universal Robots, Boston, Massachusetts, USA <i>Category: Producer Interest</i>	
<b>C. Newton</b>	Tekpress Solutions Limited, Ancaster, Ontario, Canada <i>Category: Producer Interest</i>	
<b>D. S G. Nix</b>	Compliance InSight Consulting Inc., Kitchener, Ontario, Canada <i>Category: General Interest</i>	
<b>K. Petaski</b>	EHS Partnerships Ltd., Winnipeg, Manitoba, Canada	<i>Non-voting</i>
<b>R. I. Rood</b>	UBSafe Inc., Langley, British Columbia, Canada <i>Category: General Interest</i>	
<b>M. Sementilli</b>	Fiat Chrysler Automobiles, Windsor, Ontario, Canada	<i>Non-voting</i>
<b>D. P. Simpson</b>	Ontario Ministry of Labour, Training and Skills Development, London, Ontario, Canada	<i>Non-voting</i>
<b>D. Smith</b>	Cobot Safety, Barrie, Ontario, Canada <i>Category: General Interest</i>	
<b>C. Soranno</b>	SICK Product & Competence Center America, LLC, Minneapolis, Minnesota, USA	<i>Non-voting</i>

---

<b>J. Toth</b>	Rockwell Automation Canada, Cambridge, Ontario, Canada	<i>Non-voting</i>
<b>K. Vashi</b>	Euchner Canada Inc., Ltd., Old Castle, Ontario, Canada	<i>Non-voting</i>
<b>J. T. Vo</b>	Ontario Ministry of Labour, Training and Skills Development, Mississauga, Ontario, Canada <i>Category: Regulatory Authority</i>	
<b>M. Wilson</b>	Workplace Safety and Prevention Services (WSPS), Mississauga, Ontario, Canada	<i>Non-voting</i>
<b>R. A. Zobolotny</b>	Safety 1 Consulting, Weston, Ontario, Canada	<i>Non-voting</i>
<b>A. Holbeche</b>	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

# Preface

This is the fourth edition of CSA Z432, *Safeguarding of machinery*. It supersedes the previous editions published in 2016, 2004, and 1994.

This Standard specifies requirements for the design, manufacture (including remanufacture and rebuilding), installation, maintenance, operation, and safeguarding of industrial equipment to prevent injuries and accidents and enhance the safety of personnel who operate, assemble, and maintain machinery.

The major changes to this edition include the following:

- a) restructure flow of document to align with hierarchy of control;
- b) updates for continued alignment with applicable ISO standards and ANSI B11.19; and
- c) updates to Clause [6](#).

This Standard was developed by CSA Group with funding support provided by the Canadian Association of Administrators of Labour Law — Occupational Safety and Health (CAALL-OSH), including Provincial and Territorial Governments, as well as the Government of Canada. CSA Group is solely responsible for the content of this Standard, and CSA Group and the funding bodies disclaim any liability in connection with the use of the information contained herein.

Clauses [7.2.5.1](#), [7.2.9](#), [7.2.10](#), [7.2.11](#) (modified), [7.2.13](#) (modified), [7.3.2.1](#), [9.2.1](#) (modified), [9.2.2](#) (modified), [9.2.3](#) (modified), [9.2.5.1](#), [9.3.1](#), [9.3.3.2](#), [9.3.3.4](#), [9.3.5](#) (modified), [9.5.3](#) (modified), and [9.23.3](#) are copied from ISO 12100:2010 by CSA Group with the permission of the Standards Council of Canada (SCC) on behalf of ISO. ISO 12100 can be purchased from the national ISO member in your country or the ISO Store. Copyright remains with ISO.

Clauses [J.5.1](#) (modified) and [J.5.2](#) (modified) are copied from ISO 13849-1:2015 by CSA Group with the permission of the Standards Council of Canada (SCC) on behalf of ISO. ISO 13849-1 can be purchased from the national ISO member in your country or the ISO Store. Copyright remains with ISO.

This Standard was prepared by the Technical Committee on Safeguarding of Machinery, under the jurisdiction of the Strategic Steering Committee on Occupational Health and Safety, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

## Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:*
  - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
  - b) *provide an explanation of circumstances surrounding the actual field condition; and*