



CLINICAL AND
LABORATORY
STANDARDS
INSTITUTE

2nd Edition

CLSI EP30™

Characterization and Qualification of Commutable Reference Materials for Laboratory Medicine

CLSI EP30 provides information to help material manufacturers in the production and characterization of commutable reference materials.

A guideline for global application developed through the Clinical and Laboratory Standards Institute consensus process.

Clinical and Laboratory Standards Institute

Setting the standard for quality in medical laboratory testing around the world.

The Clinical and Laboratory Standards Institute (CLSI) is a not-for-profit membership organization that brings together the varied perspectives and expertise of the worldwide laboratory community for the advancement of a common cause: to foster excellence in laboratory medicine by developing and implementing medical laboratory standards and guidelines that help laboratories fulfill their responsibilities with efficiency, effectiveness, and global applicability.

Consensus Process

Consensus—the substantial agreement by materially affected, competent, and interested parties—is core to the development of all CLSI documents. It does not always connote unanimous agreement but does mean that the participants in the development of a consensus document have considered and resolved all relevant objections and accept the resulting agreement.

Commenting on Documents

CLSI documents undergo periodic evaluation and modification to keep pace with advances in technologies, procedures, methods, and protocols affecting the laboratory or health care.

CLSI's consensus process depends on experts who volunteer to serve as contributing authors and/or as participants in the reviewing and commenting process. At the end of each comment period, the committee that developed the document is obligated to review all comments, respond in writing to all substantive comments, and revise the draft document as appropriate.

Comments on published CLSI documents are equally essential and may be submitted by anyone, at any time, on any document. All comments are managed according to the consensus process by a committee of experts.

Appeal Process

When it is believed that an objection has not been adequately considered and responded to, the process for appeal, documented in the CLSI *Standards Development Policies and Processes*, is followed.

All comments and responses submitted on draft and published documents are retained on file at CLSI and are available upon request.

Get Involved—Volunteer!

Do you use CLSI documents in your workplace? Do you see room for improvement? Would you like to get involved in the revision process? Or maybe you see a need to develop a new document for an emerging technology? CLSI wants to hear from you. We are always looking for volunteers. By donating your time and talents to improve the standards that affect your own work, you will play an active role in improving public health across the globe.

For additional information on committee participation or to submit comments, contact CLSI.

Clinical and Laboratory Standards Institute

P: +1.610.688.0100

F: +1.610.688.0700

www.clsi.org

standard@clsi.org

Characterization and Qualification of Commutable Reference Materials for Laboratory Medicine

Jeffrey R. Budd, PhD
Alicia N. Lyle, PhD
Tony Badrick, PhD
Natalya Benina, MS
Marvin Berman, PhD
Johanna Camara, PhD
Liesbet Deprez, PhD

Stephen L. R. Ellison, PhD
Jacqueline Green, BS
Jesper V. Johansen, PhD
W. Gregory Miller, PhD
Mauro Panteghini, MD
Robert Rej, PhD
Jeffrey E. Vaks, PhD

Abstract

Clinical and Laboratory Standards Institute EP30—*Characterization and Qualification of Commutable Reference Materials for Laboratory Medicine* provides guidance on characterizing and qualifying the fitness for use of commutable reference material (RM) as either a common calibrator or a trueness control for multiple measurement procedures.

This guideline covers RM qualification requirements, characterization of homogeneity and stability, the assignment of quantity values, and determining RM value uncertainties. Three approaches for assessing commutability of RM are provided along with worked examples. Recommendations are made on how to report the results of the RM qualification process.

Clinical and Laboratory Standards Institute (CLSI). *Characterization and Qualification of Commutable Reference Materials for Laboratory Medicine*. 2nd ed. CLSI guideline EP30 (ISBN 978-1-68440-242-7 [Print]; ISBN 978-1-68440-243-4 [Electronic]). Clinical and Laboratory Standards Institute, USA, 2024.

The Clinical and Laboratory Standards Institute consensus process, which is the mechanism for moving a document through two or more levels of review by the health care community, is an ongoing process. Users should expect revised editions of any given document. Because rapid changes in technology may affect the procedures, methods, and protocols in a standard or guideline, users should replace outdated editions with the current editions of CLSI documents. Current editions are listed in the CLSI catalog and posted on our website at www.clsi.org.

If you or your organization is not a member and would like to become one, or to request a copy of the catalog, contact us at:

P: +1.610.688.0100 **F:** +1.610.688.0700 **E:** customerservice@clsi.org **W:** www.clsi.org



Copyright ©2024 Clinical and Laboratory Standards Institute. Except as stated below, any reproduction of content from a CLSI copyrighted standard, guideline, or other product or material requires express written consent from CLSI. All rights reserved. Interested parties may send permission requests to permissions@clsi.org.

CLSI hereby grants permission to each individual member or purchaser to make a single reproduction of this publication for use in its laboratory procedures manual at a single site. To request permission to use this publication in any other manner, e-mail permissions@clsi.org.

To read CLSI's full Copyright Policy, please visit our website at <https://clsi.org/terms-of-use/>.

Suggested Citation

CLSI. *Characterization and Qualification of Commutable Reference Materials for Laboratory Medicine*. 2nd ed. CLSI guideline EP30. Clinical and Laboratory Standards Institute; 2024.

Previous Edition:

May 2010

CLSI EP30-Ed2

ISBN 978-1-68440-242-7 (Print)

ISBN 978-1-68440-243-4 (Electronic)

ISSN 1558-6502 (Print)

ISSN 2162-2914 (Electronic)

Volume 44, Number 21

.....

Committee Membership

Consensus Council

The Consensus Council sets priorities for CLSI standards development and votes on Final Draft documents to confirm that process requirements have been met. Consensus Council members are listed on the CLSI website:

<https://clsi.org/standards-development/consensus-council/>

Document Development Committee on Commutable Reference Material

Jeffrey R. Budd, PhD
Chairholder
USA

Kevin Horan
Siemens Healthineers
USA

François Rousseau, MD, MSc, FRCPC,
FCAHS
Université Laval and Centre
Hospitalier Universitaire de Québec
Canada

Alicia N. Lyle, PhD
Vice-Chairholder
Centers for Disease Control and
Prevention
USA

Qing Li, MD
Shanghai Centre for Clinical
Laboratory
China

Paul Stickings, PhD
National Institute for Biological
Standards and Control
United Kingdom

Natalya Benina, MS
Fujirebio Diagnostics, Inc.
USA

Mauro Panteghini, MD
Research Centre for Metrological
Traceability in Laboratory Medicine
(CIRME), University of Milan
Italy

Jeffrey E. Vaks, PhD
Roche Molecular Systems
USA

Johanna Camara, PhD
National Institute of Standards and
Technology
USA

Robert Rej, PhD
Department of Biomedical Sciences,
School of Public Health, State
University of New York at Albany
USA

Christina Higgins, PhD
LightDeck Diagnostics
USA

Expert Panel on Evaluation Protocols

Expert panel volunteers support the development of CLSI documents by providing technical expertise in specialty areas.

Expert panel members are listed by area of expertise on the CLSI website: <https://clsi.org/standards-development/expert-panels/>

Acknowledgment

CLSI, the Consensus Council, and the Document Development Committee on Commutable Reference Material gratefully acknowledge the following volunteers for their important contributions to the revision of this guideline:

Tony Badrick
RCPA Quality Assurance Programs Pty
Limited
Australia

Stephen L. R. Ellison, PhD
LGC Limited
United Kingdom

W. Gregory Miller, PhD
Virginia Commonwealth University
Health System
USA

Marvin Berman, PhD
Abbott Laboratories
USA

Jacqueline Green, BS
Sekisui Diagnostics
Canada

Liesbet Deprez, PhD
Joint Research Centre
Belgium

Jesper V. Johansen, PhD
Radiometer Medical ApS
Denmark

Contents

Abstract	i
Committee Membership	iii
Foreword	vii
Chapter 1: Introduction	1
1.1 Scope	2
1.2 Background	5
1.3 International Federation of Clinical Chemistry and Laboratory Medicine Working Group on Reference Material Commutability	6
1.4 Standard Precautions	6
1.5 Terminology	6
Chapter 2: Commutable Reference Material Characterization	13
2.1 Process Flow Chart	14
2.2 Definition of the Measurand	15
2.3 Intended Use	15
2.4 Analytical Performance Specifications	16
2.5 Material Specifications	16
2.6 Initial Reference Material Assessment	16
Chapter 3: Characterization of Homogeneity	17
3.1 General Aspects	18
3.2 Additional Design Considerations	18
3.3 Evaluation of Homogeneity Data	19
Chapter 4: Characterization of Stability	21
4.1 General Aspects	22
4.2 Long-Term Stability Study	23
4.3 Accelerated Stability Study	23
4.4 In-Use Stability Study	24
4.5 Transport Simulation Study	24
4.6 Stability Verification	24
4.7 Additional Stability Considerations	25
4.8 Stability Study Designs	25
4.9 Evaluation of Stability Data	27
4.10 Uncertainty Evaluation From Stability Studies	27

Contents (Continued)

Chapter 5: Value Assignment and Traceability	29
5.1 Approach 1: One Reference Measurement Procedure in One Laboratory	30
5.2 Approach 2: One Reference Measurement Procedure Across Multiple Laboratories	32
5.3 Approach 3: Multiple Reference Measurement Procedures Across Multiple Laboratories	34
5.4 Approach 4: One or More Nonreference Measurement Procedures Across Multiple Laboratories	35
Chapter 6: Combined Uncertainty of the Value Assigned to a Reference Material	39
6.1 Combined Uncertainty	40
6.2 Expanded Uncertainty	40
6.3 Relative Uncertainty	40
Chapter 7: Characterization of Commutability	43
7.1 General Considerations Regarding Samples and Measurement Procedures Used for Commutability Validation	44
7.2 Logistical Considerations for Commutability Assessment	46
7.3 Selection of a Procedure to Assess Commutability	49
7.4 Criteria for Accepting the Equivalence of the Mathematical Relationship for Clinical Samples and Candidate Reference Material	50
7.5 Reference Material Commutability Assessment Procedures	50
7.6 Other Commutability Considerations	64
Chapter 8: Commutable Reference Material Certificate	65
8.1 Overview of Reference Material Certificate	66
8.2 Reporting Uncertainty and Traceability Information	67
8.3 Reporting Commutability Information	67
Chapter 9: Considerations for Harmonization Reference Material	69
Chapter 10: Conclusion	71
References	74
Additional Resource	78
Appendix A. Study Designs for Certified Reference Material Value Assignment	79
Appendix B. Worked Examples Dataset	85
Appendix C. Commutability Assessment Using Regression Analysis	87
Appendix D. Commutability Assessment Using Difference in Bias	92
Appendix E. Calibration Effectiveness for Commutability Assessment of Reference Material Used as a Common Calibrator	94
Quality Management System Approach	98

Foreword

Reference materials (RMs) are an important requisite for ensuring reliable laboratory measurements and appropriate patient care. To ensure that an RM is suitable for its intended purpose, its characteristics need to be assessed in a defined manner, taking all relevant aspects into consideration. This guideline provides information to help RM manufacturers in the production and characterization of commutable RMs. Guidance on characterization requirements for RM related to the definition of the measurand, the intended use of the material, and other material specifications is provided. Information is included on study designs; data evaluation; assigning quantity values; and assessing measurement uncertainty, homogeneity, and stability. This guideline provides recommendations on how to perform a commutability assessment and what information to report in a certificate that accompanies an RM.

Overview of Changes

This guideline replaces CLSI EP30-A, published in 2010. Several changes were made in this edition, including:

- Updating to align with the latest revision of ISO 17511¹
- Changing content to align commutability assessment techniques with the latest revision of CLSI EP14² and with recommendations by the International Federation of Clinical Chemistry and Laboratory Medicine working group on commutability in metrological traceability
- Updating content on characterization of stability to align with the latest revision of CLSI EP25³

NOTE: The content of this guideline is supported by the CLSI consensus process and does not necessarily reflect the views of any single individual or organization.

KEY WORDS

commutability

measurement uncertainty

reference material

homogeneity assessment

metrological traceability

stability assessment

measurement quantification

Chapter ①

Introduction

Characterization and Qualification of Commutable Reference Materials for Laboratory Medicine

1 Introduction

CLSI EP30 provides information to assist reference material (RM) manufacturers in the production and characterization of commutable RMs and users of these RMs, such as *in vitro* diagnostic (IVD) manufacturers and medical laboratories, in assessing the applicability of RMs for a specific measurement procedure (MP) or clinical application.

1.1 Scope

This guideline provides recommendations for the material characterization, assessment of commutability, and assignment of measurand concentration values to commutable RMs that are used at the higher levels of the calibration hierarchy. These RMs are created with the intent of promoting the generation of equivalent results for a measurand across multiple end-user MPs. Commutable RMs include:

- Secondary certified reference materials (CRMs)
- International conventional calibrators

The commutable RMs covered in this guideline are all at position m.3 in the calibration hierarchies shown in Figures 1A, 1B, and 1C. The designations “m” for material and “p” for procedure are as used in ISO 17511 to designate sequential positions in calibration hierarchies.¹ The m.3 designation is used for a commutable CRM or a commutable international conventional calibrator, which are the focus of this guideline. Similarly, a p.3 designation is used to describe the reference measurement procedure (RMP) used to assign the value of m.3, and a primary calibrator (m.2) designation can be used to describe the next higher-level calibration material in the calibration hierarchy, when applicable.

Commutable RMs with a certified assigned value and associated uncertainty can be used as controls for trueness assessment of measuring systems. Commutable RMs without a certified assigned value can be used to assess equivalence of measuring system results, for example in an external quality assessment or proficiency testing program, but such applications are not in scope for this guideline. Also not in scope are MP manufacturer-specific working or end-user calibrators.

This guideline does not apply to qualitative examinations whose purpose is to provide only nominal or ordinal results. In addition, laboratories should refer to CLSI EP25³ for establishing and verifying the shelf life and in-use stability for reagent kits, calibrators, and control products.