



**APPROVED METHOD:
IES STANDARD FILE FORMAT FOR THE
ELECTRONIC TRANSFER OF PHOTOMETRIC
DATA AND RELATED INFORMATION
AN AMERICAN NATIONAL STANDARD**



ANSI/IES LM-63-19

**APPROVED METHOD:
IES STANDARD FILE FORMAT FOR
THE ELECTRONIC TRANSFER OF PHOTOMETRIC DATA
AND RELATED INFORMATION
AN AMERICAN NATIONAL STANDARD**

Publication of this report
has been approved by IES.
Suggestions for revisions
should be directed to IES.

**Prepared by:
The IES Computer Committee**



Copyright 2019 by the Illuminating Engineering Society.

Approved by the IES Standards Committee May 5, 2019 as a Transaction of the Illuminating Engineering Society.

Approved January 6, 2020 as an American National Standard.

All rights reserved. No part of this publication may be reproduced in any form, in any electronic retrieval system or otherwise, without prior written permission of the IES.

Published by the Illuminating Engineering Society, 120 Wall Street, New York, New York 10005.

IES Standards and Guides are developed through committee consensus and produced by the IES Office in New York. Careful attention is given to style and accuracy. If any errors are noted in this document, please forward them to Brian Liebel, Director of Standards, at standards@ies.org or the above address for verification and correction. The IES welcomes and urges feedback and comments.

ISBN #978-0-87995-015-6

Printed in the United States of America.

DISCLAIMER

IES publications are developed through the consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on lighting recommendations. While the IES administers the process and establishes policies and procedures to promote fairness in the development of consensus, it makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

The IES disclaims liability for any injury to persons or property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document.

In issuing and making this document available, the IES is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the IES undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The IES has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the IES list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or statement of compliance with the requirements of this document shall not be attributable to the IES and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether that person has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation to any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Prepared by the IES Computer Committee

Paul Ericson, *Chair*

Jianzhong Jiao, *Vice Chair*

Members

W. Dau

G. Gregory

D. Hansen

G. A. Hauser

R. Kelley

R. M. King

R. J. Koshel

L. K. Livingston

J. L. Pimenta

D. N. Randolph

T. F. Saemisch

Advisory Members

D. Chabaud

R. D. Gananathan

A. M. Mor

J. W. Ouellette

CONTENTS

1.0	Introduction	1
2.0	Scope	1
3.0	Definitions	1
3.1	Absolute (or Direct) Photometry	1
3.2	Delimiter	1
3.3	Goniophotometer	1
3.4	Horizontal Angles	1
3.5	Keyword	1
3.6	Photometric Horizontal	1
3.7	Photometric Plane	1
3.8	Photometric Zero	2
3.9	Relative Photometry	2
3.10	Search String	2
3.11	Vertical Angles	2
3.12	Zero-Degree Photometric Plane	2
4.0	Summary of Modifications From BSR/IES LM-63-02	2
5.0	Detailed Description of Data	2
5.1	IES:LM-63-20xx	3
5.2	Keywords	3
5.3	Tilt=None or Tilt=Include	3
5.4	<Number of Lamps>	4
5.5	<Lumens Per Lamp>	4
5.6	<Multiplier>	4
5.7	<Number of Vertical Angles>	4
5.8	<Number of Horizontal Angles>	4
5.9	<Photometric Type>	4
5.10	Luminous Dimensions	4
5.10.1	<Units Type>	5
5.10.2	<Width>	5
5.10.3	<Length>	5
5.10.4	<Height>	5

5.11	Luminous Shape	5
5.12	<Ballast Factor>	6
5.13	<File Generation Type>.....	6
5.13.1	Undefined:.....	7
5.13.2	Computer Simulation	7
5.13.3	Accredited Lab.....	7
5.13.4	Lumen Scaling	8
5.13.5	Angle Interpolation	8
5.14	<Input Watts>.....	8
5.15	<Vertical Angles>	8
5.16	<Horizontal Angles>	8
5.17	<Candela Values>	8
6.0	Programming and File Conventions.....	9
	Informative References	9
	Annex A – General Rules for Keywords	10
	Annex B – Valid Keywords And Their Descriptions.....	11
	Annex C – Example of an IES File.....	12
	Annex D – Describing Luminous Openings	13
	Annex E – Lamp Position	15
	Annex F – Format for Tilt=Include	17
	Annex G – Use of <i>Shall, Should, May, and Can</i>	19
	Annex H – <i>File Generation Type</i> Value Determination.....	20

1.0 Introduction

This is the fifth revision of this Standard. Since its introduction in 1986 (IES LM-63-1986), this Standard has proved to be very useful and powerful. This revision further clarifies the standard to make its use as simple as possible. This update is intended as the final update to LM-63, which will put this file format into a long-term stability mode, ensuring it remains available as a reference. This Standard will eventually be replaced by a new XML-based file format, *ANSI/IES TM-33-18, Standard Format for the Electronic Transfer of Luminaire Optical Data* (see **Informative References**). However, both Standards are valid until this transition is complete and this Standard has been deprecated.

2.0 Scope

This document describes the standard data system and how to build a file using this system. The document addresses photometric data file formats specifically for data transfer, data storage and retrieval, and other data usage purposes.

3.0 Definitions

3.1 absolute (or direct) photometry

Consists of the direct measurement of a source of light.

3.2 delimiter

Used to delineate data in a file. Acceptable delimiters are: a comma, a space, multiple spaces, or a carriage-return and line-feed character sequence.

3.3 goniophotometer

A photometer for measuring the directional light distribution characteristics of sources, luminaires, media, and surfaces.

3.4 horizontal angles

Measurements in degrees of angular displacement, measured counterclockwise in a horizontal plane for Type C photometry and clockwise for Type A and B photometry.

3.5 keyword

Square bracketed word(s) used in IES LM-63 to label data.

3.6 photometric horizontal

The direction directly in front of the source relative to its testing position. This direction is coincident with horizontal angle 0° and vertical angle 90° for Type B and C photometry. For Type A photometry, the direction is coincident with horizontal angle 0° and vertical angle 0°.

3.7 photometric plane

A plane, not a cone, upon which photometric data are measured. In Types A and C photometry, the planes are all vertical and share a common vertical axis. In Type B photometry, the planes share a common horizontal axis.