



ATIS-1000065.2024

**Emergency Telecommunications Service (ETS) Evolved
Packet Core (EPC) Network Element Requirements**



As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global ICT companies to advance the industry's most pressing business priorities. ATIS' nearly 200 member companies are currently working to address the All-IP transition, 5G, network functions virtualization, big data analytics, cloud services, device solutions, emergency services, M2M, cyber security, network evolution, quality of service, billing support, operations, and much more. These priorities follow a fast-track development lifecycle — from design and innovation through standards, specifications, requirements, business use cases, software toolkits, open source solutions, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). The organization is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of the oneM2M global initiative, a member of the International Telecommunication Union (ITU), as well as a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires review by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made towards their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY ATIS FOR THIS DOCUMENT, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES THAT ANY AND ALL USE OF OR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to [<http://www.atis.org/legal/patentinfo.asp>] to determine if any statement has been filed by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.

ATIS-1000065.2024, *Emergency Telecommunications Service (ETS) Evolved Packet Core (EPC) Network Element Requirements*

Is an American National Standard developed by the ATIS **Packet Technologies and Systems Committee (PTSC)**.

Published by

Alliance for Telecommunications Industry Solutions
1200 G Street, NW, Suite 500
Washington, DC 20005

Copyright © 2024 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at < <http://www.atis.org> >.

American National Standard for Telecommunications

Emergency Telecommunications Service (ETS) Evolved Packet Core (EPC) Network Element Requirements

Alliance for Telecommunications Industry Solutions

Approved April 2, 2024

American National Standard

Abstract

This standard specifies Emergency Telecommunications Service (ETS) requirements for an Evolved Packet System (EPS) consisting of the Evolved UMTS (Universal Mobile Telecommunications System) Terrestrial Radio Access Network (E-UTRAN) and the Evolved Packet Core (EPC) for support of NGN GETS Voice, NGN GETS Video, NGN GETS Guaranteed Bit Rate (GBR) Data, and NGN GETS Data Transport.

Foreword

The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. As such, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.

The Alliance for Telecommunication Industry Solutions (ATIS) serves the public through improved understanding between providers, customers, and manufacturers. The Packet Technologies and Systems Committee (PTSC) develops and recommends standards and technical reports related to services, architectures, and signaling, in addition to related subjects under consideration in other North American and international standards bodies. PTSC coordinates and develops standards and technical reports relevant to telecommunications networks in the U.S., reviews and prepares contributions on such matters for submission to U.S. ITU-T and U.S. ITU-R Study Groups or other standards organizations, and reviews for acceptability or per contra the positions of other countries in related standards development and takes or recommends appropriate actions.

ANSI guidelines specify two categories of requirements: mandatory and recommendation. The mandatory requirements are designated by the word SHALL and recommendations by the word SHOULD. Where both a mandatory requirement and a recommendation are specified for the same criterion, the recommendation represents a goal currently identifiable as having distinct compatibility or performance advantages.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to [<https://www.atis.org/policy/patent-assurances/>] to determine if any statement has been filed by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.

Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, PTSC, 1200 G Street NW, Suite 500, Washington, DC 20005.

At the time of consensus on this document, PTSC, which was responsible for its development, had the following leadership:

- M. Dolly, PTSC Chair (AT&T)
- V. Shaikh, PTSC Vice-Chair (Peraton Labs)
- M. Dolly, PTSC SAC Chair (AT&T)
- M. Dolly, Technical Editor (AT&T)
- V. Shaikh, Technical Editor (Peraton Labs)
- G. Pollini, Technical Editor (Peraton Labs)

Table of Contents

1	SCOPE.....	1
1.1	SCOPE.....	1
2	NORMATIVE REFERENCES	1
3	DEFINITIONS, ACRONYMS, & ABBREVIATIONS.....	4
3.1	DEFINITIONS	4
3.2	ACRONYMS & ABBREVIATIONS.....	4
4	REFERENCE ARCHITECTURE	9
4.1	ARCHITECTURES FOR 3GPP ACCESS	9
4.1.1	<i>Non-Roaming Architecture</i>	10
4.1.2	<i>Roaming Architecture with Home Routed Traffic</i>	10
4.1.3	<i>Roaming Architecture with Local Breakout</i>	11
4.2	ARCHITECTURES FOR EHRPD ACCESS	12
4.2.1	<i>Non-Roaming Architecture</i>	12
4.2.2	<i>Roaming Architecture with Home Routed Traffic</i>	12
4.2.3	<i>Roaming Architecture with Local Breakout</i>	13
4.3	REFERENCE ARCHITECTURES FOR CSFB.....	14
4.3.1	<i>Architecture for CSFB to UMTS CS</i>	14
4.3.2	<i>Architecture for CSFB to 1xRTT (cdma2000)</i>	14
4.4	FUNCTIONAL ENTITIES	15
4.4.1	<i>User Equipment (UE)</i>	15
4.4.2	<i>eNodeB (eNB)</i>	15
4.4.3	<i>Mobility Management Entity (MME)</i>	16
4.4.4	<i>Serving Gateway (S-GW)</i>	16
4.4.5	<i>Packet Data Network Gateway (PDN-GW)</i>	16
4.4.6	<i>Home Subscriber Server (HSS)</i>	17
4.4.7	<i>Serving GPRS Support Node (SGSN)</i>	17
4.4.8	<i>Policy and Charging Rules Function (PCRF)</i>	17
4.4.9	<i>Authentication, Authorization and Accounting (AAA)</i>	18
4.4.10	<i>Subscription Profile Repository/User Data Repository (SPR/UDR)</i>	18
4.4.11	<i>Radio Network Subsystem (RNS)</i>	18
4.4.12	<i>UMTS Mobile Switching Center (MSC)</i>	18
4.4.13	<i>3GPP2 Interworking Solution (1x IWS)</i>	18
4.4.14	<i>1x Mobile Switching Center (1x MSC)</i>	18
4.5	INTERFACES.....	19
4.5.1	<i>Parameters with NGN GETS Usage</i>	19
4.5.2	<i>Interfaces for 3GPP Access</i>	25
4.5.3	<i>PCC Interfaces</i>	41
4.5.4	<i>Interfaces for eHRPD Access</i>	46
4.5.5	<i>Interfaces for CSFB</i>	46
5	FUNCTIONAL ENTITY REQUIREMENTS.....	47
5.1	COMMON REQUIREMENTS	48
5.1.1	<i>Common Priority Treatment Related to Machine Congestion Controls</i>	48
5.2	EPS BEARER REQUIREMENTS FOR NGN GETS.....	48
5.2.1	<i>NGN GETS Priority Treatment for the Media Bearer</i>	49
5.2.2	<i>NGN GETS Priority Treatment for the Default Bearer</i>	50
5.2.3	<i>NGN GETS Priority Treatment for the IMS Signaling Bearer</i>	51
5.2.4	<i>Advance Priority at the Time of Attach</i>	52
5.2.5	<i>NGN GETS Data Transport Service</i>	53
5.2.6	<i>NGN GETS GBR Data Service</i>	54
5.3	FE SPECIFIC REQUIREMENTS.....	55
5.3.1	<i>UE Requirements</i>	55

5.3.2	<i>eNodeB Requirements</i>	56
5.3.3	<i>Mobility Management Entity (MME) Requirements</i>	59
5.3.4	<i>Serving Gateway (S-GW) Requirements</i>	64
5.3.5	<i>Packet Data Network Gateway (PDN-GW) Requirements</i>	66
5.3.6	<i>Policy & Charging Rules Function (PCRF) Requirements</i>	67
5.3.7	<i>Home Subscriber Server (HSS) Requirements</i>	70
5.3.8	<i>Subscription Profile Repository/User Data Repository (SPR/UDR) Requirements</i>	70
5.3.9	<i>S4-SGSN Requirements</i>	71
5.3.10	<i>Radio Network Subsystem (RNS) Requirements</i>	72
5.3.11	<i>UMTS Mobile Switching Center (MSC) Requirements</i>	72
5.3.12	<i>1x Interworking Solution (IWS) Requirements</i>	72
5.3.13	<i>1x Mobile Switching Center (MSC) Requirements</i>	73
6	OAM&P REQUIREMENTS	73
6.1	COMMON REQUIREMENTS	73
6.2	FE REQUIREMENTS	74
6.2.1	<i>UE Requirements</i>	74
6.2.2	<i>eNodeB Requirements</i>	74
6.2.3	<i>MME Requirements</i>	75
6.2.4	<i>S-GW Requirements</i>	76
6.2.5	<i>PDN-GW Requirements</i>	77
6.2.6	<i>PCRF Requirements</i>	77
6.2.7	<i>SPR/UDR Requirements</i>	78
6.2.8	<i>HSS Requirements</i>	78

Table of Figures

FIGURE 4-1 - NON-ROAMING REFERENCE ARCHITECTURE FOR 3GPP ACCESS.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-2 - ROAMING REFERENCE ARCHITECTURE WITH HOME ROUTED TRAFFIC FOR 3GPP ACCESS.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-3 - ROAMING REFERENCE ARCHITECTURE WITH LOCAL BREAKOUT FOR 3GPP ACCESS.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-4 - NON-ROAMING REFERENCE ARCHITECTURE FOR EHRPD ACCESS.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-5 - ROAMING REFERENCE ARCHITECTURE WITH HOME ROUTED TRAFFIC FOR EHRPD ACCESS.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-6 - ROAMING REFERENCE ARCHITECTURE WITH LOCAL BREAKOUT FOR EHRPD ACCESS.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-7 - REFERENCE ARCHITECTURE FOR CSFB TO UMTS.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-8 - REFERENCE ARCHITECTURE FOR CSFB TO 1xRTT (CDMA2000).	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-9 - KEY PARAMETERS WITHIN THE RRC "RRC CONNECTION RELEASE" MESSAGE.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-10 - KEY PARAMETERS WITHIN THE RRC "RRC CONNECTION REQUEST" MESSAGE.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-11 - KEY PARAMETERS WITHIN THE S1-AP "E-RAB MODIFY REQUEST" MESSAGE.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-12 - KEY PARAMETERS WITHIN THE S1-AP "E-RAB SETUP REQUEST" MESSAGE.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-13 - KEY PARAMETERS WITHIN THE S1-AP "HANDOVER REQUEST" MESSAGE.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-14 - KEY PARAMETERS WITHIN THE S1-AP "HANDOVER REQUEST ACKNOWLEDGE" MESSAGE.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-15 - KEY PARAMETERS IN THE S1-AP "HANDOVER REQUIRED" MESSAGE.	ERROR! BOOKMARK NOT DEFINED.
FIGURE 4-16 - KEY PARAMETERS WITHIN THE S1-AP "INITIAL CONTEXT SETUP REQUEST" MESSAGE.	ERROR! BOOKMARK NOT DEFINED.

ATIS-1000065.2024

- FIGURE 4-17 - KEY PARAMETERS WITHIN THE S1-AP "PAGING" MESSAGE. **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-18 - KEY PARAMETERS WITHIN THE S1-AP "PATH SWITCH REQUEST" MESSAGE..... **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-19 - KEY PARAMETERS WITHIN THE S1-AP "UE CONTEXT MODIFICATION REQUEST" MESSAGE..... **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-20 - KEY PARAMETERS WITHIN THE X2-AP "HANDOVER REQUEST" MESSAGE. **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-21 - KEY PARAMETERS WITHIN THE S3 "FORWARD RELOCATION REQUEST" MESSAGE.. **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-22 - KEY PARAMETERS WITHIN THE S5 / S8 / S11 "CREATE BEARER REQUEST" MESSAGE... **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-23 - KEY PARAMETERS WITHIN THE S5 / S8 / S11 "CREATE SESSION RESPONSE" MESSAGE..... **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-24 - KEY PARAMETERS WITHIN THE S5 / S8 / S11 "UPDATE BEARER REQUEST" MESSAGE... **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-25 - KEY PARAMETERS WITHIN THE S6A "UPDATE-LOCATION-ANSWER" COMMAND. **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-26 - KEY PARAMETERS WITHIN THE S10 "CONTEXT RESPONSE" MESSAGE.... **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-27 - KEY PARAMETERS WITHIN THE S10 "FORWARD RELOCATION REQUEST" MESSAGE. **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-28 - KEY PARAMETERS WITHIN THE S5 / S8 / S11 "CREATE SESSION REQUEST" MESSAGE. . **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-29 - KEY PARAMETERS WITHIN THE S11 "DOWNLINK DATA NOTIFICATION" MESSAGE.... **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-30 - KEY PARAMETERS WITHIN THE GN "FORWARD RELOCATION REQUEST" MESSAGE SENT FROM THE UTRAN TO THE E-UTRAN. **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-31 - KEY PARAMETERS WITHIN THE GN "FORWARD RELOCATION REQUEST" MESSAGE SENT FROM THE E-UTRAN TO THE UTRAN. **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-32 - KEY PARAMETERS WITHIN THE GX "CC-ANSWER" COMMAND. **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-33 - KEY PARAMETERS WITHIN THE GX "RE-AUTH-REQUEST" COMMAND..... **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-34 - KEY PARAMETERS WITHIN THE GX/GXC "CC-ANSWER" COMMAND. **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-35 - KEY PARAMETERS WITHIN THE GX/GXC "RE-AUTH-REQUEST" COMMAND..... **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-36 - KEY PARAMETERS WITHIN THE RX "AA-REQUEST" COMMAND. **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-37 - EXAMPLE OF KEY PARAMETERS FOR THE RX "AA-REQUEST" COMMAND FOR THE CASE WHERE TWO BEARERS (ONE VOICE AND ONE VIDEO) ARE TO BE SETUP WITHIN THE EPC..... **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-38 - KEY PARAMETERS WITHIN THE SGS "SGSAP-PAGING-REQUEST" MESSAGE. **ERROR! BOOKMARK NOT DEFINED.**
- FIGURE 4-39 - KEY PARAMETERS WITHIN THE S102 "A21-1X AIR INTERFACE SIGNALING" MESSAGE.... **ERROR! BOOKMARK NOT DEFINED.**

Table of Tables

- TABLE 4-1 - MAPPING/LISTING OF ARP PRIORITY LEVEL, PCI, AND PVI PARAMETERS AMONG VARIOUS EPS INTERFACES. **ERROR! BOOKMARK NOT DEFINED.**
- TABLE 4-2 - INFORMATION ELEMENTS CONTAINING THE ARP PARAMETER. **ERROR! BOOKMARK NOT DEFINED.**
- TABLE 4-3 - SAMPLE MAPPING OF NGN GETS PRIORITY LEVEL VS. SESSION LEVEL RESERVATION-PRIORITY AVP AND ARP PRIORITY LEVEL ASSIGNMENTS..... **ERROR! BOOKMARK NOT DEFINED.**
- TABLE 4-4 - MAPPING OF NGN GETS SERVICE USER'S PRIORITY LEVEL WITH eMLPP PRIORITY LEVEL AND [TS 24.008] CALL PRIORITY. **ERROR! BOOKMARK NOT DEFINED.**
- TABLE 4-5 - MAPPING OF NGN GETS SERVICE USER'S PRIORITY LEVEL TO CALL PRIORITY. **ERROR! BOOKMARK NOT DEFINED.**
- TABLE 5-1 - MAPPING OF FES WITHIN THE EPS AND TOPIC AREAS TO SUB-SUBSECTIONS. **ERROR! BOOKMARK NOT DEFINED.**

American National Standard for Telecommunications on –

ETS EPC Network Element Requirements

1 Scope

1.1 Scope

This standard specifies Emergency Telecommunications Service (ETS) requirements for an Evolved Packet System (EPS) consisting of the Evolved UMTS (Universal Mobile Telecommunications System) Terrestrial Radio Access Network (E-UTRAN) and the Evolved Packet Core (EPC) for support of:

- NGN GETS Voice,
- NGN GETS Video,
- NGN GETS Guaranteed Bit Rate (GBR) Data, and
- NGN GETS Data Transport.

This standard describes requirements for NGN GETS treatments for:

- E-UTRA access for an NGN GETS session initiated from, or terminated to the UE via the E-UTRA air interface and the E-UTRAN access network;
- Advance Priority-SPR and Advance Priority-HSS;
- Congestion control;
- Circuit Switched Fallback (CSFB) to UTRAN/GERAN;
- CSFB to 1xRTT;
- Intra-RAT E-UTRAN handover;
- Inter-RAT (IRAT) handover to/from the UMTS PS domain; and
- IRAT handover to/from eHRPD.

This standard assumes a 3GPP Release 10 system.

2 Normative References

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.

3GPP¹

- | | |
|-------------|---|
| [TS 22.011] | TS 22.011, Service accessibility (Release 8). |
| [TS 23.203] | TS 23.203, Policy and Charging Control Architecture (Release 10). |
| [TS 23.272] | TS 23.272, Circuit Switched (CS) fallback in Evolved Packet System (EPS); Stage 2 (Release 10). |

¹ These documents are available from the Third Generation Partnership Project (3GPP) at <<http://www.3gpp.org/specs/specs.htm>>.