



ATIS-0300106

ATIS Standard on -

Intercarrier Call Completion/Call Termination Handbook



As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global ICT companies to advance the industry's most pressing business priorities. ATIS' nearly 200 member companies are currently working to address the All-IP transition, 5G, network functions virtualization, big data analytics, cloud services, device solutions, emergency services, M2M, cyber security, network evolution, quality of service, billing support, operations, and much more. These priorities follow a fast-track development lifecycle — from design and innovation through standards, specifications, requirements, business use cases, software toolkits, open source solutions, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). The organization is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of the oneM2M global initiative, a member of the International Telecommunication Union (ITU), as well as a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY ATIS FOR THIS DOCUMENT, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES THAT ANY AND ALL USE OF NOR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to <https://www.atis.org/policy/patent-assurances/> to determine if any statement has been filed by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.

Published by

Alliance for Telecommunications Industry Solutions
1200 G Street, NW, Suite 500
Washington, DC 20005

Copyright © 2022 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at < <http://www.atis.org> >.

ATIS-0300106

ATIS Standard on

Intercarrier Call Completion/Call Termination Handbook

Alliance for Telecommunications Industry Solutions

Updated on March 2, 2022

Abstract

This handbook describes some of the problems being encountered by rural telephone service provider (SP) customers in receiving long distance calls. It discusses some of the industry standards and practices relevant to ensuring call completion, particularly signaling, routing, and trouble handling. This handbook attempts to relate these standards and practices to the call completion problems reported and offers some best practices for ensuring call completion. This handbook provides a resource to SPs to address issues as they are encountered related to long distance call completion/call termination.

Foreword

The Alliance for Telecommunication Industry Solutions (ATIS) serves the public through improved understanding between carriers, customers, and manufacturers. The Next Generation Interconnection Interoperability Forum (NGIIF) addresses next-generation network interconnection and interoperability issues associated with emerging technologies. Specifically, it develops operational procedures that involve the network aspects of architecture, disaster preparedness, installation, maintenance, management, reliability, routing, security, and testing between network operators. In addition, the NGIIF addresses issues that impact the interconnection of existing and next generation networks and facilitate the transition to emerging technologies.

The mandatory requirements are designated by the word *shall* and recommendations by the word *should*. Where both a mandatory requirement and a recommendation are specified for the same criterion, the recommendation represents a goal currently identifiable as having distinct compatibility or performance advantages. The word *may* denotes an optional capability that could augment the standard. The standard is fully functional without the incorporation of this optional capability.

Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions, Next Generation Interconnection Interoperability Forum (NGIIF), 1200 G Street NW, Suite 500, Washington, DC 20005.

At the time of consensus on this document, Next Generation Interconnection Interoperability Forum (NGIIF), which was responsible for its development, had the following leadership:

Karen Riepenkroger, NGIIF Co-Chair, T-Mobile

Sarah Halko, NGIIF Co-Chair, Telnyx

Trademark Acknowledgments

iconectiv® and Common Language® are registered trademarks and CLCI™, CLLI™, LERG™ Routing Guide and TPM™ Data Source are trademarks and the Intellectual Property of iconectiv®, LLC.

Table of Contents

1	SCOPE, PURPOSE, & APPLICATION	1
1.1	SCOPE.....	1
1.2	PURPOSE.....	1
1.3	APPLICATION.....	1
1.3.1	<i>Problems Reported.....</i>	<i>1</i>
1.3.2	<i>Call Completion Components</i>	<i>2</i>
2	REFERENCES	2
3	DEFINITIONS, ACRONYMS, & ABBREVIATIONS.....	4
3.1	DEFINITIONS	4
3.2	ACRONYMS & ABBREVIATIONS.....	4
4	GENERAL STANDARDS AND/OR GUIDELINES.....	6
4.1	GENERAL NETWORK MANAGEMENT PRACTICES.....	6
4.2	METRICS FOR MONITORING PERFORMANCE	7
4.2.1	<i>Answer Seizure Ratio (ASR).....</i>	<i>7</i>
4.2.2	<i>Network Effective Ratio (NER)</i>	<i>7</i>
5	APPLICABLE STANDARDS/GUIDELINES FOR CERTAIN ROOT CAUSES	8
5.1	SIGNALING.....	8
5.1.1	<i>Identification of Calling Party.....</i>	<i>8</i>
5.1.2	<i>Missing Caller ID</i>	<i>8</i>
5.1.3	<i>Incorrect Caller ID</i>	<i>8</i>
5.1.4	<i>Identification of the Chargeable Party</i>	<i>9</i>
5.1.5	<i>Cause Codes, Tones, & Announcements.....</i>	<i>9</i>
5.1.6	<i>Interconnection Parameters & Looping</i>	<i>13</i>
5.1.7	<i>SS7 Inter Network Trunk Signaling Testing.....</i>	<i>14</i>
5.1.8	<i>Call Set-up Delay.....</i>	<i>15</i>
5.2	TRANSMISSION QUALITY	18
5.2.1	<i>Fax.....</i>	<i>19</i>
5.2.2	<i>Voiceband Data</i>	<i>19</i>
5.3	ROUTING	19
5.3.1	<i>Numbering Plan Area/ Central Office Code Routing (NPA/NXX).....</i>	<i>19</i>
5.3.2	<i>Interconnection Agreements</i>	<i>20</i>
5.3.3	<i>Homing Arrangements</i>	<i>20</i>
5.3.4	<i>Routing Implementation.....</i>	<i>21</i>
5.3.5	<i>Considerations in the Code Routing Process.....</i>	<i>22</i>
5.3.6	<i>Potential Call Failure Points.....</i>	<i>24</i>
5.3.7	<i>Looping.....</i>	<i>28</i>
5.3.8	<i>LNP Implications</i>	<i>29</i>
5.4	NETWORK CONGESTION	29
5.4.1	<i>Network Element Degradation.....</i>	<i>30</i>
5.4.2	<i>Mass Calling.....</i>	<i>30</i>
5.4.3	<i>Fraud</i>	<i>31</i>
5.4.4	<i>Force Majeure & Disasters</i>	<i>31</i>
5.4.5	<i>Inadvertent Human-Related Issues</i>	<i>31</i>
5.4.6	<i>Traffic Pumping/Access Stimulation.....</i>	<i>31</i>
5.5	CALL ANALYTICS.....	32
5.5.1	<i>Use of Call Analytics</i>	<i>32</i>
5.5.2	<i>Application of Call Analytics.....</i>	<i>32</i>
5.5.3	<i>False Negative</i>	<i>34</i>
5.5.4	<i>False Positive.....</i>	<i>34</i>
6	INTERMEDIATE SPS.....	34

6.1	INTERMEDIATE SPS' REGISTRATION.....	34
6.2	CONTRACTUAL ARRANGEMENTS.....	35
6.3	MANAGE THE NUMBER & IDENTITY OF INTERMEDIATE SPS	35
6.4	MANAGEMENT OF DIRECT & INDIRECT LOOPING	35
6.5	CRANK-BACK ON FAILURE TO FIND A ROUTE	35
6.6	MAINTAIN SUFFICIENT DIRECT TERMINATION CAPACITY	35
6.7	DO NOT TERMINATE & RE-ORIGINATE CALLS.....	35
6.8	DIRECT MEASURES OF QUALITY	36
6.9	DO NOT MANIPULATE SIGNALING.....	37
6.10	INHERITANCE OF RESTRICTIONS	37
6.11	INTERCARRIER PROCESS REQUIREMENTS	37
6.12	REQUIRE ACCEPTANCE TESTING	38
7	TROUBLE REPORTING & CONTACT DIRECTORIES.....	38
7.1	TROUBLE REPORTING	39
7.1.1	<i>Applicability</i>	40
7.1.2	<i>Responsibilities</i>	40
7.2	END-TO-END/INTERCARRIER TESTING.....	42
7.2.1	<i>Use of Test Lines for Call Completion Trouble Resolution</i>	42
7.2.2	<i>Types of End-to-End/Intercarrier Testing</i>	42
7.3	CALL SETUP TIME TROUBLE REPORTING & SECTIONALIZATION.....	43
7.3.1	<i>Originating Test Procedure</i>	47
7.3.2	<i>Terminating Test Procedures</i>	47
7.4	CONTACT DIRECTORIES.....	47
7.4.1	<i>ATIS NGIIF SPCD & National LNP Contact Directory</i>	47
7.4.2	<i>Updating Contact Information and Test Numbers in the LERG Routing Guide</i>	48
8	REGULATORY ENVIRONMENT	48
8.1	RURAL CALL COMPLETION (RCC) ORDERS	49
8.1.1	<i>The FCC's Report and Order (R&O) and Further Notice of Proposed Rulemaking (FNPRM), FCC 13-135, WC Docket No. 13-39</i>	49
8.1.2	<i>The FCC's Report and Order and Further Notice of Proposed Rulemaking, FCC 17-151, CG Docket No. 17-59</i>	49
8.1.3	<i>The Improving Rural Call Quality and Reliability Act</i>	49
8.1.4	<i>The FCC's Second R&O and Third Further Notice of Proposed Rulemaking (FNPRM) FCC 18.45, WC Docket No. 13-39</i>	49
8.1.5	<i>The FCC's Third R&O, WC Docket No. 13-39</i>	49
8.2	USF/ICC REFORM ORDER.....	50
8.2.1	<i>Phantom Traffic</i>	50
8.2.2	<i>Caller ID</i>	50
8.2.3	<i>Calling Party Number (CPN)</i>	51
8.3	PRACTICES TO SUPPORT PROPER JURISDICTIONALIZATION OF TRAFFIC	51
8.4	CPNI.....	51
8.5	LNP.....	51
9	SUMMARY	52

Table of Figures

FIGURE 5.1 - EXAMPLE #1: ROUTING PORTED TRAFFIC INTRALATA	24
FIGURE 5.2 - EXAMPLE #2: ROUTING NON-PORTED INTERLATA TRAFFIC	25
FIGURE 5.3 - EXAMPLE #3: ROUTING NON-PORTED TRAFFIC CMRS ORIGINATED INTERLATA INTER-MTA.....	26
FIGURE 5.4 - EXAMPLE #4: ROUTING COMPLICATIONS, PORTED TRAFFIC NOT QUERIED BY IXC.....	27
FIGURE 5.5 - EXAMPLE #5: ROUTING TRAFFIC INTERLATA, IXC EMPLOYS INTERMEDIATE CARRIERS	28
FIGURE 5.6 - BASIC EXAMPLE OF LONG DISTANCE (LD) CALL LOOPING	29
FIGURE 7.1 - CALL SETUP TIME (CST) TESTING METHODOLOGY	46
FIGURE 7.2 - CALL SETUP TIME (CST)	47

FIGURE 7.3 - CALL SETUP TIME.....47

Table of Tables

TABLE 5.1 - CAUSE INDICATORS PARAMETER FIELD..... 10
TABLE 5.2 - CAUSE CODE CLASSES AND DEFAULT CODES..... 10
TABLE 5.3 - EXAMPLES OF CAUSE CODES RECEIVED AND SENT BY ACH NETWORK OR CPE 12
TABLE 5.4 - SIP TIMERS..... 17
TABLE 6.1 - EXAMPLES OF DIRECT MEASURES OF QUALITY METRICS..... 37

ATIS Standard on –

Intercarrier Call Completion/Call Termination Handbook

1 Scope, Purpose, & Application

1.1 Scope

Call completion/call termination in today's Public Switched Telephone Network (PSTN)¹ depends on coordination between different service provider (SP) entities, each playing their part in setting up a workable connection between calling and called parties. As the PSTN has evolved through the Bell System divestiture, the Telecom Act of 1996, and the introduction of Internet Protocol (IP)-based technologies, the number and diversity of these entities has grown. In this context, problems with call completion may arise.

This handbook:

- Is a living document, which will be updated as applicable
- Describes some of the problems being encountered
- Discusses various industry standards and practices relevant to ensuring call completion, particularly signaling, routing, and trouble handling
- Attempts to relate these standards and practices to the call completion problems reported
- Offers best practices for ensuring call completion, especially in the management of intermediate SPs

1.2 Purpose

This handbook provides a resource to SPs to address issues as they are encountered related to intercarrier LD call completion/call termination.

1.3 Application

1.3.1 Problems Reported

Customers of some telecommunications SPs (particularly those in rural areas) have experienced difficulties with the receipt of LD calls via their phone service, including problems that generally fall into the following categories:

- Call completion failure
 - Failure scenarios reported included:
 - The Calling Party hears ringing but the Called Party hears nothing (no ringing)
 - The Called Party's phone rings, but the Called Party hears nothing when the call is answered, i.e., "dead air"
 - The Calling Party hears local busy tone (when the line was not busy)
 - The Calling Party hears fast or network busy, or hears a network failure announcement including inappropriate "number not in service"
- Very long post dial delay
- Poor transmission quality
 - Both voice and fax

¹ PSTN is used here to refer to the set of networks used to complete calls using E.164 number addressing.