



CSA B311:24
National Standard of Canada



Safety code for manlifts



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA B311:24
October 2024

Title: *Safety code for manlifts*

To register for e-mail notification about any updates to this publication go to updates.csagroup.org.

The **List ID** that you will need to register for updates to this publication is **2431406**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social wellbeing, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Cette Norme Nationale du Canada n’est disponible qu’en anglais.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

National Standard of Canada

CSA B311:24

Safety code for manlifts



*®A trademark of the Canadian Standards Association,
operating as "CSA Group"*



*Published in October 2024 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at
www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 53.020.99
ISBN 978-1-4883-5192-1*

*© 2024 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Manlifts	6
Preface	8
Sustainable Development Goals (SDG) Foreword	9
1 Scope	10
1.1 Inclusions	10
1.2 Exclusions	10
1.3 Terminology	10
1.4 Units of measure	10
2 Reference publications	11
3 Definitions	13
4 General requirements — Electrical equipment and wiring	19
4.1 General	19
4.2 Electrical protection of motors	19
4.2.1 Phase protection	19
4.2.2 Overload protection	19
5 General design	19
5.1 Wood	19
5.2 Steel components	19
5.3 Welding	20
5.3.1 Steel	20
5.3.2 Aluminum	20
5.4 Factors of safety	20
5.5 Springs	20
6 Endless belt-type manlifts	20
7 Hand-powered counterbalanced manlifts	20
8 Power-type manlift	20
8.1 Application	20
8.2 Limitation of load, speed, and platform area	21
8.3 Hoistways, hoistway enclosures, and related construction	21
8.3.1 Hoistways and hoistway enclosures	21
8.3.2 Construction at the top and bottom of the hoistway	21
8.4 Floor over hoistway	22
8.4.1 Application	22
8.4.2 General requirements	22
8.4.3 Strength of the floor	22
8.4.4 Construction of floors	22
8.5 Pits	22

8.5.1	General	22
8.5.2	Design and construction of pits	22
8.5.3	Guards between adjacent pits	23
8.5.4	Access to pits	23
8.5.5	Illumination of pits	24
8.5.6	Pit receptacle	24
8.5.7	Emergency stop switch in pits	24
8.5.8	Minimum pit depths required	25
8.5.9	Access to underside of car	25
8.6	Location and enclosure of counterweights	25
8.6.1	Location of counterweights	25
8.6.2	Counterweight guards	25
8.6.3	Remote counterweight hoistways	26
8.6.4	Counterweight runway enclosures	26
8.6.5	Access to enclosed counterweights and ropes	26
8.7	Clearances	27
8.7.1	Bottom car clearances	27
8.7.2	Bottom runby	27
8.7.3	Top of car clearance	27
8.7.4	Clearances between cars, counterweights, and hoistway enclosures	27
8.7.5	Clearance between the loading side of car platforms and hoistway enclosures	28
8.7.6	Hoistway shear protection hazards	28
8.8	Protection of spaces below hoistways	28
8.9	Machine rooms	29
8.9.1	General	29
8.9.2	Headroom	29
8.9.3	Encroachment on headroom	29
8.9.4	Means of access	29
8.9.5	Access doors and openings	29
8.9.6	Control panels	30
8.9.7	In lieu of electric contacts	30
8.9.8	Remote machine and control rooms	31
8.9.9	Machine room lighting	31
8.9.10	Machine room receptacles	31
8.10	Overhead machinery beams and supports	31
8.10.1	Securing of machinery beams and type of supports	31
8.10.2	Loads on overhead beams and supports	32
8.10.3	Allowable stresses and deflections	32
8.11	Hoistway doors and gates	33
8.11.1	Where required	33
8.11.2	Solid doors	33
8.11.3	Projections of hoistway doors or gates into hoistway	34
8.11.4	Access to hoistways for emergency and inspection purposes	34
8.11.5	Opening of hoistway doors and gates	34
8.11.6	Entrances — Horizontally sliding type	34
8.11.7	Emergency doors in blind hoistways	36
8.11.8	Entrance illumination	37
8.12	Locking devices for hoistway doors or gates	37
8.12.1	Interlock functions	37

8.12.2	Interlock contact opening	37
8.12.3	Interlock locked position	37
8.12.4	Operation of interlock	37
8.12.5	Access from landing side or inside car	37
8.12.6	Mercury tube switches	37
8.13	Car enclosures	38
8.13.1	Enclosure construction	38
8.13.2	Securing enclosures	38
8.13.3	Lights in cars	38
8.13.4	Emergency exit	38
8.13.5	Vision panels and car lights	39
8.13.6	Emergency illumination	39
8.14	Car doors or gates	39
8.14.1	General	39
8.14.2	Car door and car gate electric contacts and mechanical latches	39
8.15	Car construction	40
8.15.1	Car frames and platforms	40
8.15.2	Use of cast iron	40
8.15.3	Protection of platforms against fire	40
8.15.4	Platform guards (aprons)	40
8.15.5	Standing railing on top of car	40
8.16	Capacity and data plates	40
8.16.1	Plates required and location	40
8.16.2	Information required on plates	41
8.16.3	Material and marking of plates	41
8.17	Additional requirements for passenger overload in the down direction	41
8.18	Car safeties and governors	41
8.18.1	General	41
8.18.2	Safeties and governors for rack-and-pinion-type manlifts	42
8.18.3	Car safeties and governors for traction-type manlifts	43
8.18.4	Function and stopping distance of safeties	43
8.18.5	Identification and classification of types of safeties	44
8.18.6	Release of car safeties	44
8.18.7	Opening of brake and motor control circuits on safety application	44
8.18.8	Application of car safety	44
8.18.9	Minimum factors of safety and stresses of safety parts and rope connections	44
8.18.10	Governor-rope-releasing carriers	45
8.18.11	Rail lubricants and lubrication plate	45
8.19	Speed governors	45
8.19.1	Tripping speeds for speed governors	45
8.19.2	Speed-governor overspeed switch	45
8.19.3	Setting of speed-governor overspeed switches	45
8.19.4	Type of speed-governor overspeed switches and speed-reducing switches	46
8.20	Governor ropes	46
8.20.1	Material and factor of safety	46
8.20.2	Speed-governor-rope clearance	46
8.20.3	Governor rope tag	46
8.21	Design of governor-rope-retarding means for Type B safeties	47
8.22	Governor-actuated safeties and car safety mechanism switches required	47

- 8.23 Suspension ropes 47
 - 8.23.1 Suspension means 47
 - 8.23.2 Factor of safety 47
 - 8.23.3 Minimum number and diameter of suspension ropes 48
 - 8.23.4 Suspension rope fastening 48
 - 8.23.5 Auxiliary rope-fastening devices 53
 - 8.23.6 Equalizing rope tension 54
 - 8.23.7 Rope data 54
 - 8.23.8 Suspension-rope hitch plates or shapes 54
- 8.24 Types of counterweight construction 55
 - 8.24.1 Steel counterweights 55
 - 8.24.2 Retention of counterweight sections 55
- 8.25 Buffers 55
 - 8.25.1 Stroke and deceleration of buffers 55
 - 8.25.2 Load ratings for buffers, excluding rack-and-pinion manlifts 55
 - 8.25.3 Marking plates 56
 - 8.25.4 Rack-and-pinion manlifts 56
- 8.26 Car guide rails and guide-rail fastenings 56
 - 8.26.1 General 56
 - 8.26.2 Material 56
 - 8.26.3 Fastenings, deflections, and joints 56
 - 8.26.4 Extension of guide rails at top and bottom of hoistway 56
- 8.27 Counterweight guiding 56
- 8.28 Driving machines and sheaves 57
 - 8.28.1 Types of driving machines 57
 - 8.28.2 Factor of safety for driving machines and sheaves 57
 - 8.28.3 Factors of safety based on alternating/reversing stresses 57
 - 8.28.4 Material and grooving 57
 - 8.28.5 Minimum pitch diameter 57
 - 8.28.6 Traction 57
 - 8.28.7 Fasteners transmitting load 58
 - 8.28.8 Shaft fillets and keys 58
 - 8.28.9 Cast-iron worms and worm gears 58
 - 8.28.10 Friction gearing and clutches 58
 - 8.28.11 Rack-and-pinion machines 58
- 8.29 Driving-machine braking system 59
 - 8.29.1 General 59
 - 8.29.2 Deceleration 59
 - 8.29.3 Driving machine brake 60
- 8.30 Terminal-stopping devices 60
 - 8.30.1 General requirements for terminal-stopping devices 60
 - 8.30.2 Normal terminal-stopping devices 61
 - 8.30.3 Final terminal-stopping devices 61
 - 8.30.4 Rack sensor for rack-and-pinion machines 62
- 8.31 Types of operation 62
 - 8.31.1 General 62
 - 8.31.2 Key control 63
- 8.32 Electrical protective devices 63
 - 8.32.1 General 63

8.32.2	Motor generator running switch	63
8.32.3	Compensating-rope sheave switch	63
8.32.4	Motor field sensing means	63
8.32.5	In-car emergency stop switch	63
8.32.6	Broken rope, tape, or chain switches	63
8.32.7	Emergency stop switch in pit	64
8.32.8	Emergency stop switches in bottom enclosure and top of car	64
8.32.9	Car safety mechanism switch	64
8.32.10	Speed-governor overspeed switch	64
8.32.11	Final terminal-stopping devices	64
8.32.12	Hoistway-door interlocks	64
8.32.13	Car door and car gate electric contacts	64
8.32.14	Car top emergency exit electrical device	64
8.32.15	Emergency stop switch in remote machine and control rooms	65
8.32.16	Blind hoistway emergency door locking device	65
8.32.17	Pit access door electric contact	65
8.32.18	Access panel door locking device	65
8.32.19	Auxiliary rope-fastening device switch	65
8.32.20	Top mast sensing device	65
8.33	Electrical equipment	65
8.33.1	General	65
8.33.2	Controllers	65
8.33.3	Contacts	65
8.33.4	Control equipment	65
8.33.5	Power supply line disconnection means	66
8.33.6	Capacitors or other devices	66
8.34	Release and application of driving-machine brakes	66
8.34.1	General	66
8.34.2	Brake power	66
8.34.3	Automatic braking	66
8.35	Control and operating circuits	66
8.35.1	All controls	66
8.35.2	Wireless control	68
8.35.3	Priority of control stations	69
8.36	Absorption of regenerated power	69
8.37	Load-weighing devices	69
8.38	Ground fault circuit interrupter	69
8.39	Power supply line disconnecting means	69
8.40	Emergency signal and/or communication	69
8.41	Welding	70
8.41.1	Qualification of welders	70
8.41.2	Welding steel	70
8.41.3	Welding metals other than steel	70
8.41.4	Acceptable equivalent standards	70
8.42	Layout drawings — Required information	70

Annex A (normative) — General guidelines 78

Annex B (informative) — Power type acceptance inspections 81

Technical Committee on Manlifts

L. Csaszar	UCEL Inc. Uxbridge, Ontario, Canada <i>Category: Producer Interest</i>	<i>Chair</i>
C. M. Ayling	PCL Constructors Canada Inc. Mississauga, Ontario, Canada <i>Category: General Interest</i>	
D. Bruce	Alberta Municipal Affairs Edmonton, Alberta, Canada <i>Category: Regulatory Authority</i>	
K. Desjardins-Galley	Fraco Saint-Mathias-sur-Richelieu, Québec, Canada <i>Category: Producer Interest</i>	
T. Evans	UL Solutions Toronto, Ontario, Canada <i>Category: General Interest</i>	
L. MacKenzie	ABCO Elevator Regina, Saskatchewan, Canada <i>Category: General Interest</i>	
J. Makrugin	Mak Hoists Inc. Strathmore, Alberta, Canada <i>Category: Producer Interest</i>	
P. McClare	Safety Branch, Department of Labour, Skills and Immigration Dartmouth, Nova Scotia, Canada <i>Category: Regulatory Authority</i>	
J. Miller	International Union of Elevator Constructors Ajax, Ontario, Canada <i>Category: General Interest</i>	
R. Santos	Technical Safety Authority of Saskatchewan (TSASK) Regina, Saskatchewan, Canada <i>Category: Regulatory Authority</i>	

A. Sharma Technical Standards and Safety Authority (TSSA)
Etobicoke, Ontario, Canada
Category: Regulatory Authority

G. Lee CSA Group *Project Manager*
Toronto, Ontario, Canada

Preface

This is the third edition of CSA B311, *Safety code for manlifts*. It supersedes the previous editions published in 2002 and 1979.

The following are major changes to this edition:

- a) The Code was updated to reflect changes in industry practice. Requirements related to the following technologies that are no longer being installed have been removed; however, requirements to maintain the following existing technologies currently in service are addressed in this edition:
 - i) endless-belt-type manlifts; and
 - ii) hand-powered counterbalanced manlifts.
- b) Requirements for various new technologies (e.g., elastomeric buffers, wireless controls) were added.
- c) The roles of authorized personnel and elevator personnel have been clarified.

This Code was prepared by the Technical Committee on Manlifts, under the jurisdiction of the Strategic Steering Committee on Mechanical Industrial Equipment Safety, and has been formally approved by the Technical Committee.

This Code has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Code is stated in its Scope, it is important to note that it remains the responsibility of the users of the Code to judge its suitability for their particular purpose.*
- 3) *This Code was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Code.*
- 4) *To submit a request for interpretation of this Code, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include a graphical image;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csagroup.org.

- 5) *This Code is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*