

RTCA, Inc.  
1150 18th Street, NW, Suite 910  
Washington, DC 20036 USA

# **User Requirements for Aerodrome Mapping Information**

RTCA DO-272C  
September 28, 2011

Prepared by: SC-217  
© 2011 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.

Telephone: 202-833-9339

Facsimile: 202-833-9434

Internet: [www.rtca.org](http://www.rtca.org)

Please visit the RTCA Online Store for document pricing and ordering information.

## Foreword

This report was prepared by RTCA Special Committee 217 (SC-217) and EUROCAE Working Group 44 (WG-44) and approved by the RTCA Program Management Committee (PMC) on September 28, 2011.

RTCA, Incorporated is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal Advisory Committee and develops consensus based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- Coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- Analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- Developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation; and
- Assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U.S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

This Page Intentionally Left Blank

## EXECUTIVE SUMMARY

Operations at large aerodromes have become a complex combination of many activities being performed by many individuals. This group of individuals includes pilots, air traffic controllers, apron controllers, surface vehicle operators, construction/maintenance crews, emergency/security personnel, commercial and cargo airline operations personnel, and general and business aviation operations personnel. All of these individuals must work collaboratively to ensure safe efficient flight operations at the aerodrome. Furthermore, all of these individuals, or *users*, require some knowledge of the aerodrome layout.

Traditionally, pilots navigate on the surface based on visual aids such as airfield markings, signs, and lighting, in conjunction with a paper chart of the aerodrome layout. Radio communications between air traffic control (ATC) and pilots are used to obtain the route to follow while on the surface. ATC issues route instructions, using explicit phraseology along with unique names of legs along the route. ATC must remember the routes given to all aircraft, as well as all aircraft locations, so that no one is directed into a potential collision. If there is a potential for collision, hold short instructions can be issued over the radio frequency to constrain aircraft movements. To maintain safe separation, surveillance on the aerodrome surface is performed by the flight crews based primarily on the “see-and-avoid” principle. Similarly, ATC performs the surveillance task based primarily on visual cues. Occasionally, both pilots and controllers will use radio communications to confirm positions of relevant traffic. From this brief description of aircraft movements, it is apparent that both ATC and pilots require geospatial information about the aerodrome layout (e.g. the relative location and orientation of runways, taxiways, and stands).

In order to support flight operations at aerodromes, several other activities are required, each performed by separate organizations and/or facilities. The aerodrome authority is responsible for construction and maintenance of aerodrome resources such as buildings, pavement, markings, and landing systems (e.g., ILS). They are also responsible for providing emergency response teams such as fire/rescue and aerodrome security in some cases. Commercial and cargo airline operators perform activities such as apron control, aircraft maintenance and fueling, baggage and cargo handling, catering services, crew and aircraft scheduling, flight planning, and ticketing. They also manage training activities such as flight simulations to assure pilot currency. Finally, General Aviation (GA) and Business Aviation operations are typically supported by Fixed Base Operators (FBOs). FBOs support GA and Business Aviation operations by providing maintenance, fueling, flight planning, and local ground transportation services. As with pilots and controllers, all of these users also require geospatial information.

The information contained in this document has been compiled by industry for the purpose of stating surface mapping information requirements for users such as those described above. The requirements presented are not all-inclusive, but represent those of more immediate concern. Airworthiness authorities, civil aviation authorities, and the aviation industry urge aerodrome mapping database (AMDB) originators and integrators to use this document when providing those data to system designers and users. In addition, this document provides guidance material on structure of AMDBs. Based on the availability of standardized current AMDBs, a variety of applications can be envisioned. Several are described in this document. This document has been written under the assumption that if all users are using consistent aerodrome mapping data, operations can be improved, and new capabilities can be realized.

The document is organized as follows:

- Section 1 provides background information with respect to the purpose of developing AMDB requirements
- Section 2 describes aerodrome mapping data considerations that are important when attempting to comply with this document
- Section 3 provides general requirements and recommendations for AMDB development

- Section 4 provides more detailed content requirements and specific numerical requirements
- Appendix A provides an overview of the types of applications that may make use of AMDBs
- Appendix B is a glossary of relevant terms
- Appendix C lists important abbreviations and acronyms
- Appendix D may be used as guidance material when creating AMDBs to meet the quality requirements specified in this document
- Appendix E lists the membership of the committee that developed this document

## REVISIONS TO RTCA DO-272B/EUROCAE ED-99B

The following list is a summary of the major changes made to RTCA DO-272B/EUROCAE ED-99B for the DO-272C and ED-99C versions.

Editorial errors, mainly reported by the users of the previous version of the document, or found during the update of the document were corrected.

The reference list was updated.

For temporality new sections were added, Sections 2.1.2, 2.3.4, 3.12, 4.1.3, 4.1.4.

The completeness text was re-written, Section 2.3.2.

Changes were made to the data elements text, Section 4.3.

New text was added to cover the requirements related to the Aerodrome Surface Routing Network (ASRN), Sections 2.2.4, 4.3.10. The data elements related to the ASRN were grouped in the dedicated Section 4.3.10.

The General and Specific Requirements text was updated and new rules were added, Section 3, 4. Geometrical/functional relations and constraints requirements were amended to reflect new features.

Numerical requirements tables were updated following harmonization with ICAO Annex 4, 14 and 15, Section 4.4.4.

The Appendix-A was re-written with new state-of-art and latest realization examples of AMDB applications.

Definitions, features, attributes, and data content were revised. A brief summary of these changes follows:

- New features were added: ArrestingSystemLocation; RunwayCenterlinePoint; AsrnEdge; AsrnNode;
- The new temporal attributes stfeat, endfeat, stvalid, endvalid, interp were added to all features;
- A new attribute rwyahxt was added to TaxiwayHoldingPosition;
- A new attribute rwymktyp was added to RunwayMarking;
- A new attribute termref was added to StandGuidanceLine, ParkingStandArea, and ParkingStandLocation;
- Attribute restacn was renamed to restacft and definition was modified;
- Attribute acn was renamed to acft and definition was modified;
- Attribute elev was added to RunwayThreshold and Helipad Threshold;
- The definition of elev was updated;
- Attribute status was added to RunwayElement, RunwayIntersection, FinalApproachandTakeoff Area, TouchDownLiftOff Area, TaxiwayElement, and ParkingStandArea;
- A new attribute aprontyp was added to ApronElement;
- Feature attribute definitions were enhanced (example: pcn, width, length);
- New attributes required by new features were added (example: setback for the ArrestingSystemLocation feature).

The membership list was updated and this summary of revisions was included.

This Page Intentionally Left Blank

## TABLE OF CONTENTS

1	PURPOSE AND SCOPE .....	1
1.1	Introduction .....	1
1.2	Scope .....	1
1.2.1	Definition of Terms .....	2
1.2.2	Reference Documents .....	2
1.3	Application of Standards .....	3
1.4	Aerodrome Mapping Information .....	4
1.4.1	Introduction .....	4
1.4.2	Overview of Trade Practices .....	4
2	AERODROME MAPPING DATA CONSIDERATIONS.....	5
2.1	Reference System Considerations .....	5
2.1.1	Spatial Reference System.....	5
2.1.2	Temporal Reference System.....	6
2.2	Aerodrome Data .....	6
2.2.1	Characterization of Aerodrome Mapping Data.....	6
2.2.2	Obstacle and Obstruction Data for the Aerodrome Surface.....	7
2.2.3	Terminal Area Terrain Data .....	8
2.2.4	Aerodrome Surface Routing Network.....	8
2.3	Application Considerations .....	10
2.3.1	Correctness.....	10
2.3.2	Completeness .....	11
2.3.3	Connectivity .....	12
2.3.4	Temporality .....	12
2.4	Types of Errors .....	14
2.4.1	Effect of Errors on System Integrity .....	15
2.4.2	Errors That Affect the Confidence Level of a Database .....	15
2.4.3	Accuracy and Precision.....	15
2.4.4	Resolution .....	16
2.4.5	Timeliness Effects and Currency Errors .....	16
2.4.6	Semantic Errors .....	16
3	GENERAL REQUIREMENTS .....	17
3.1	Position Data .....	17
3.2	Data Acquisition.....	17
3.3	Data Merging.....	17
3.4	Data Conversion .....	18
3.5	Data Source Identification.....	18
3.6	Data Traceability .....	18
3.7	Database Update Cycles and Timeliness.....	18
3.8	Processing, Handling, and Distribution of Aeronautical Data .....	19

3.9	Verification and Validation .....	19
3.10	Supplier Qualifications .....	20
3.11	Data Element Extent and Boundary Definition .....	20
3.11.1	Vertical Objects .....	20
3.11.2	Aerodrome Structures .....	22
3.12	Temporal Data .....	23
4	SPECIFIC REQUIREMENTS .....	25
4.1	Geometry .....	25
4.1.1	Geometrical Primitives .....	25
4.1.2	Geometrical Constraints .....	25
4.1.3	Temporal Primitives .....	36
4.1.4	Temporal Constraints .....	37
4.2	Attributes .....	38
4.2.1	Conformance .....	38
4.2.2	Attribute Names .....	38
4.2.3	Supplemental Features and Their Attribution .....	38
4.2.4	Supplemental Attributes for Feature Catalogue .....	38
4.2.5	Feature Attribute Functional Requirements .....	38
4.3	Data Elements .....	43
4.3.1	Runways .....	44
4.3.2	Helipads .....	65
4.3.3	Taxiways .....	69
4.3.4	Aprons .....	80
4.3.5	Vertical Structures .....	93
4.3.6	Construction Areas .....	98
4.3.7	Water .....	99
4.3.8	Hotspots .....	101
4.3.9	Reserved .....	103
4.3.10	Aerodrome Surface Routing Network Features .....	103
4.3.11	Aerodrome Surface Lighting .....	130
4.3.12	Quality Data .....	132
4.4	Quality .....	133
4.4.1	Accuracy .....	133
4.4.2	Resolution .....	134
4.4.3	Integrity .....	134
4.4.4	Numerical Requirements .....	134
A	APPLICATIONS OF AERODROME MAPPING DATABASES .....	A-1
A.1	Introduction .....	A-1
A.2	Background .....	A-2
A.2.1	Related ICAO, EUROCAE, and RTCA activities .....	A-2
A.2.2	Overview of Aerodrome Surface Operations .....	A-3
A.3	List of Applications .....	A-5
A.4	Digital Charts .....	A-6
A.4.1	Intended Function and Operational Concept .....	A-6

A.4.2	Benefits .....	A-7
A.5	Traffic Awareness and Runway Incursion Prevention .....	A-8
A.5.1	Intended Function and Operational Concept.....	A-8
A.5.2	Benefits .....	A-13
A.6	Position and Route Awareness, Runway Excursion Prevention .....	A-15
A.6.1	Intended Function and Operational Concept.....	A-15
A.6.2	Benefits .....	A-23
A.7	Display of Notices to Airmen (D-NOTAMs).....	A-25
A.7.1	Intended Function and Operational Concept.....	A-25
A.7.2	Benefits .....	A-29
A.8	Synthetic/Enhanced Vision .....	A-30
A.8.1	Intended Function and Operational Concept.....	A-30
A.8.2	Benefits .....	A-31
A.9	Resource Management .....	A-32
A.9.1	Operational Concept.....	A-32
A.9.2	Benefits .....	A-33
A.10	Training and High Fidelity Simulation.....	A-33
A.10.1	Operational Concept.....	A-33
A.10.2	Benefits .....	A-34
A.11	Aerodrome Facility Management.....	A-34
A.11.1	Operational Concept.....	A-34
A.11.2	Benefits .....	A-36
A.12	Aerodrome Emergency and Security Services Management .....	A-37
A.12.1	Operational Concept.....	A-37
A.12.2	Benefits .....	A-37
A.13	Aerodrome Asset Management on the Aerodrome Surface Using Hand-held Devices.....	A-38
A.13.1	Operational Concept.....	A-38
A.13.2	Benefits .....	A-39
A.14	References .....	A-40
B	GLOSSARY .....	B-1
C	ABBREVIATIONS AND ACRONYMS .....	C-1
D	AERODROME MAPPING DATA CONSIDERATIONS.....	D-1
D.1	Reference System Considerations .....	D-1
D.1.1	WGS-84.....	D-1
D.1.2	Transformation .....	D-1
D.2	Errors .....	D-1
D.2.1	Random Errors .....	D-1
D.2.2	Systematic Errors.....	D-1
D.2.3	Blunders.....	D-2
D.3	Error Assessment.....	D-2

D.4	Confidence Level of a Database.....	D-2
D.5	Accuracy and Precision .....	D-4
D.6	Resolution.....	D-5
D.7	References for Appendix D.....	D-6
E	MEMBERSHIP LIST .....	E-1

## TABLE OF FIGURES

<u>Figure 1-1</u> Data Integration Processes .....	3
<u>Figure 1-2</u> AMDB Data Storage Methods .....	5
<u>Figure 2-1</u> Left, coarse depiction of a taxi route; right, snapped to existing guidance lines.....	8
<u>Figure 2-2</u> Desired graphical representation of taxi route .....	9
<u>Figure 3-1</u> Aerodrome Mapping Data Horizontal Extent (ICAO Annex 15) .....	21
<u>Figure 3-2</u> Aerodrome Mapping Data Vertical Extent (profile view) .....	22
<u>Figure 3-3</u> Aerodrome Structure Modeling Example .....	22
<u>Figure 4-1</u> Features Attached to Each Other.....	28
<u>Figure 4-2</u> Connected Line Features.....	29
<u>Figure 4-3</u> Line Feature Intersecting Polygonal Feature.....	29
<u>Figure 4-4</u> Ordering of Polygon Vertices .....	30
<u>Figure 4-5</u> Example Geometries for “0” Runway Marking .....	32
<u>Figure 4-6</u> Taxiway Guidance Lines.....	36
<u>Figure 4-7</u> Temporal attributes for AMDB features .....	37
<u>Figure 4-8</u> Runway Elements.....	44
<u>Figure 4-9</u> Runway Thresholds.....	48
<u>Figure 4-10</u> Arresting Gear Locations .....	56
<u>Figure 4-11</u> Illustrates the dimensional criteria for EMAS within the United States .....	60
<u>Figure 4-12</u> Helipad Elements .....	65
<u>Figure 4-13</u> Taxiway Elements .....	70
<u>Figure 4-14</u> Taxiway Intersections .....	70
<u>Figure 4-15</u> Individually Captured Taxiway Elements.....	71
<u>Figure 4-16</u> Attribute ‘idapron’.....	73
<u>Figure 4-17</u> Frequency Area Extent.....	79
<u>Figure 4-18</u> Aprons.....	80
<u>Figure 4-19</u> Runway Turn-Around Areas and Wide Turns .....	81
<u>Figure 4-20</u> Parking Stand Locations.....	84
<u>Figure 4-21</u> Features with attributes ‘idbase’ and ‘ident’ .....	89
<u>Figure 4-22</u> Service Roads Within the Movement Area.....	90
<u>Figure 4-23</u> Vertical Structures.....	93
<u>Figure 4-24</u> Water capture example (not to scale).....	100
<u>Figure 4-25</u> Water capture example results (not to scale).....	100
<u>Figure 4-26</u> Legend for ASRN figures .....	103
<u>Figure 4-27</u> ASRN for typical intersection (left, minimum solution; right, recommended).....	104
<u>Figure 4-28</u> Unconnected node .....	108
<u>Figure 4-29</u> Node on attached side with no line intersect.....	108
<u>Figure 4-30</u> Node on attached side with single line intersect .....	108
<u>Figure 4-31</u> Logically unnecessary node .....	109
<u>Figure 4-32</u> Nodes with multiple line intersects .....	110
<u>Figure 4-33</u> Multiple nodes on an attached side .....	110
<u>Figure 4-34a</u> Taxiway Node identifiers at simple intersection .....	111
<u>Figure 4-34b</u> Taxiway node identifiers at complex intersections .....	112
<u>Figure 4-35</u> Taxiway Holding Position Nodes placed without a line intersect.....	113
<u>Figure 4-36</u> Taxiway Holding Position Nodes placed with line intersect.....	113
<u>Figure 4-37</u> Taxiway Holding Position nodes with multiple line intersects .....	114
<u>Figure 4-38</u> Runway Exit Line and Runway Entry/Exit nodes.....	115
<u>Figure 4-39</u> Runway Exit Line node for multiple close intersects.....	116
<u>Figure 4-40</u> Node on PaintedCenterline from extended RunwayExitLine .....	117
<u>Figure 4-41</u> Node on attached side from extended RunwayExitLine .....	117

<u>Figure 4-42</u> Runway Intersection Nodes .....	118
<u>Figure 4-43</u> Parking Entry/Exit Node impact on displayed taxi route.....	119
<u>Figure 4-44</u> Parking Entry/Exit identifiers for co-located nodes .....	120
<u>Figure 4-45</u> Parking Entry/Exit nodes at guidance line intersects .....	121
<u>Figure 4-46</u> Parking Entry/Exit nodes not on guidance line intersect.....	121
<u>Figure 4-47</u> Apron Entry/Exit Nodes.....	122
<u>Figure 4-48</u> Taxiway Link Nodes .....	123
<u>Figure 4-49</u> Taxiway Link Node placement based on guidance line.....	124
<u>Figure 4-50</u> Relationship between edge geometry and direction.....	124
<u>Figure 4-51</u> Edges derived from existing lines .....	125
<u>Figure 4-52</u> Abstracted edges .....	126
<u>Figure 4-53</u> Taxiway edges.....	127
<u>Figure 4-54</u> Edges on a runway crossing .....	128
<u>Figure 4-55</u> Runway Edges.....	128
<u>Figure 4-56</u> Runway Exit Edges .....	129
<u>Figure 4-57</u> Parking Edges.....	130
<u>Figure A-1</u> Example Digital Charting Information Display .....	A-7
<u>Figure A-2</u> Example of ASDE-X ATC Display .....	A-9
<u>Figure A-3</u> Examples of Traffic Awareness Displays .....	A-10
<u>Figure A-4</u> OANS-Based Traffic Awareness Display (Courtesy Airbus).....	A-11
<u>Figure A-5</u> RWSL and D-Lighting Concept.....	A-13
<u>Figure A-6</u> Example of Ownship Position Display (Courtesy Jeppesen) .....	A-17
<u>Figure A-7</u> Example of Ownship Position Display (Courtesy LH Systems).....	A-17
<u>Figure A-8</u> Example of Ownship Position Display and Approaching Runway Advisory (Courtesy Airbus) .....	A-18
<u>Figure A-9</u> Ownship, Route, and Hold Short Line Display Concepts.....	A-18
<u>Figure A-10</u> Example of HUD Surface Guidance .....	A-19
<u>Figure A-11</u> Example of Roll-Out Turn-Off Guidance .....	A-21
<u>Figure A-12</u> Brake To Vacate (Courtesy Airbus).....	A-22
<u>Figure A-13</u> Runway Occupancy Prevention System (Courtesy Airbus).....	A-23
<u>Figure A-14</u> Example of NOTAM Display .....	A-27
<u>Figure A-15</u> Digital SNOWTAM showing surface contaminations.....	A-28
<u>Figure A-16</u> Digital SNOWTAM using AMDB for marking area of cleared snow.....	A-28
<u>Figure A-17</u> Example of SVS HUD and PFD using AMDBs .....	A-31
<u>Figure D-1</u> Probability Distribution Functions .....	D-4

## TABLE OF TABLES

Table 4-1 Geometrical Primitives .....	26
Table 4-2 Graphical Depiction of Geometrical Relationships .....	26
Table 4-3 Geometrical Constraints .....	31
Table 4-4 Functional Constraints .....	40
Table 4-5 Horizontal Data Quality Requirements .....	135
Table 4-6 Vertical Data Quality Requirements .....	136
Table 4-7 Angular Data Quality Requirements .....	137
Table 4-8 Dimensional Data Quality Requirements .....	137
Table A-1 AMDB Application Summary .....	A-5
Table A-2 Examples of AMDB-Relevant NOTAMs for Display .....	A-29

This Page Intentionally Left Blank

# 1 PURPOSE AND SCOPE

## 1.1 Introduction

The information contained in this document has been compiled for the purpose of stating aerodrome surface mapping information requirements for aeronautical uses. The term aerodrome is used in this document to include: Aerodromes, Heliports, and Sea-Plane aerodromes. The requirements are not all-inclusive, but represent those of more immediate concern. As future applications are developed, more stringent numerical requirements may be needed. Airworthiness authorities, civil aviation authorities, and the aviation industry urge the aerodrome mapping data originators and integrators to use this information when providing those data to system designers and users.

Based on the availability of standardized aerodrome mapping databases (AMDBs), a wide variety of applications can be envisioned (Appendix A). It is important to note that multiple user classes can benefit from using these databases, for example: pilots, controllers, aerodrome managers, and aerodrome emergency/security personnel. Each of the applications listed below are described in detail in Appendix A.

### Applications of AMDBs:

- Digital charts
- Traffic awareness, runway incursion prevention
- Position and route awareness, runway excursion prevention
- Display of notices to airmen
- Synthetic/enhanced vision
- Resource management
- Training and simulation
- Facility management
- Emergency and security service management
- Asset management

## 1.2 Scope

This document provides minimum requirements and reference material applicable to the content, origination, publication, and updating of aerodrome mapping information. The document also provides guidance to assess compliance and determination of the levels of confidence that need to be reached to support the types of applications listed in Appendix A. This document should be used to support the development and application of AMDBs. AMDBs represent a collection of aerodrome information that is organized and arranged for ease of electronic storage and retrieval in systems that support aerodrome surface movements, training, charting, and planning.

Appendix A is intended to provide an overview of the types of applications that may make use of AMDBs. These application categories were used as guidance to ensure the defined AMDB user requirements could support the selected current and future capabilities.

The content generated/surveyed within the scope of this document will be interchangeable according to the rules defined in RTCA DO-291B/EUROCAE ED-119B.