

RTCA, Inc.
1828 L Street, NW, Suite 805
Washington, DC 20036 USA

**NEXT GENERATION AIR/GROUND
COMMUNICATIONS (NEXCOM)
PRINCIPLES OF OPERATIONS
VDL MODE 3**

Copies of this document may be obtained from

RTCA, Inc.
1828 L Street, NW, Suite 805
Washington, DC 20036 USA

Telephone: 202-833-9339

Fax: 202-833-9434

Internet: www.rtca.org

Please call RTCA for price and ordering information.

FOREWORD

This report was prepared by Special Committee 198 (SC-198) and approved by the RTCA Program Management Committee (PMC) on March 5, 2002.

RTCA, Incorporated, is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal Advisory Committee and develops consensus-based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation; and
- assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U.S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

This page intentionally left blank.

EXECUTIVE SUMMARY

This Government/Industry NEXCOM Principles of Operations VDL Mode 3 document characterizes the operational use of VDL Mode 3 integrated voice and data system for air/ground communications in the U.S. NAS.

The NEXCOM communications principles defined in this document are for Air Traffic Control related air/ground communications services that apply to both voice and data operations in accordance with the NEXCOM Terms of Reference (TOR) for Special Committee (SC) SC-198. It was developed using the templates in RTCA SC-189 document, DO-264, Guidelines for Approval of the Provision and Use of Air Traffic Services Supported by Data Communications. It also corresponds to the Operational Services and Environment Description (OSED) as identified in DO-264 and is consistent with the Joint RTCA/EUROCAE SC-189/WG 53 position paper P-G6-03, Initial Continental OSED. The data link environment was derived from RTCA publication, NAS Concept of Operations, and RTCA SC-194 document, DO-269, Concepts for Services Integrating Flight Operations and ATM Management Using Addressed Data Link. Safety and performance products identified in RTCA DO-264 will be completed by a separate working group in a subsequent product. As an integrated voice and data communications system, NEXCOM must provide a capability to initiate and deliver "critical" safety-of-life services. All levels of voice and data service criticality must be accounted for.

Major milestones and a preliminary schedule for deployment are found in Section 1.

Stakeholders are identified in Section 2. They represent a broad spectrum of the aviation community with a particular emphasis on operations.

NEXCOM operational objectives, intentions and capabilities are found in Section 3 and form the basis for success criteria used to determine system acceptability. This section begins with a discussion on human factors. It suggests that VDL Mode 3 capabilities demonstrated in the scenarios and any others under consideration should be assessed in a laboratory environment. It also provides human-centered design principles that should serve as initial industry guidelines when introducing any NEXCOM enhancements to the NAS. Other objectives include increasing the number of voice channels available to Air Traffic Control (ATC), increasing system performance, remote maintenance monitoring and control of ground radios, and operation with legacy systems. They also include operationally integrated voice and data being used for aircraft separation, flight information services, emergency communications coordination, flight operations support service, airport lighting control at airports not staffed, enhanced communications security and situational awareness.

Section 4 provides a description of the operational communications services to be used to support Air Traffic operations. It uses operational scenarios to describe how the air traffic operations are supported by the communications services described. Differences among the services are described in terms of relative performance attributes. The services and the defined service attributes are applicable to either voice or data communications.

Section 5 provides a description of the environment within which NEXCOM is expected to operate. It includes a discussion of the impact of current operational realities and constraints on the environment as a result of the terrorist events of September 11, 2001.

The environment evolves from the NAS as a ground-based infrastructure to one that encompasses both ground and aircraft systems. The description is based upon the NAS Concept of Operations approved by the Free Flight Steering Committee in December 2000, and draws upon the environmental characteristic used for the PETAL IIe OSED. The environment as defined in Section 5 serves as the common base for the operational safety assessment and the operational performance assessment to be developed in the Safety and Performance document that will follow this product.

This page intentionally left blank.

TABLE OF CONTENTS

1	INTRODUCTION	1
1.1	Purpose of NEXCOM Principles of Operation Document	1
1.2	Scope	1
1.3	Background	2
1.4	Major Milestones and Schedule	3
1.4.1	Segment One	4
1.4.2	Segment Two	4
1.4.3	Segment Three	4
1.4.4	Beyond Segment Three	4
2	STAKEHOLDER IDENTIFICATION	5
3	OPERATIONAL OBJECTIVES, INTENTIONS AND CAPABILITIES	7
3.1	Human Factors	7
3.2	Frequency Spectrum Efficiency	7
3.3	ATS System Performance Improvements	8
3.4	Remote Maintenance Monitoring and Control of Ground Radios	8
3.5	Concurrent ATS Communication Systems	8
3.6	Integrated Voice and Data	9
3.6.1	Aircraft Separation	9
3.6.2	Flight Information Services (FIS)	9
3.6.3	Emergency Communications	9
3.6.4	Flight Operations Support Service	10
3.6.5	Airport Lighting Control	10
3.6.6	Enhanced Communications Security	10
3.6.7	Simultaneous Voice and Data	10
3.6.8	Situational Awareness	10
3.7	VDL Mode 3 System Capabilities	11
3.7.1	System Overview	11
3.7.2	System Configuration	11
3.7.3	System Timing	12
3.7.3.1	User Group Entry and Exit	13
3.7.3.2	Discrete Addressing	14
3.7.4	Digital Voice Capability	14
3.7.4.1	Basic Digital Voice Operation	14
3.7.4.2	Enhanced Digital Voice Operation	14
3.7.5	Digital Data Operation	14
3.7.6	Features of VDL Mode 3	15
3.7.6.1	Controller Override	16
3.7.6.2	Transmit Status Indicator	16
3.7.6.3	Service Level Status Indicator	17
3.7.6.4	Next Channel Uplink	18
3.7.6.5	Aircraft Logged In	18
3.7.6.6	Aircraft Transmit ID	18
3.7.6.7	Signal Quality Indicator	18

3.7.6.8	Ground Contact Indicator	19
3.7.6.9	Ground Transmit ID	19
3.7.6.10	Call Queuing Request	19
3.7.6.11	Urgent Downlink Request	19
4	AIR TRAFFIC COMMUNICATIONS SERVICES DESCRIPTION	21
4.1	Communications Service Categories	22
4.1.1	Communications Management Service Category	22
4.1.1.1	Scenario 1: Communications Initiation	23
4.1.1.2	Scenario 2: Transfer of Communications	23
4.1.1.3	Scenario 3: Urgent Downlink Request	24
4.1.1.4	Scenario 4: Controller Override	24
4.1.1.5	Scenario 5: Failure Recovery	26
4.1.2	Planning Communications Service Category	27
4.1.2.1	Scenario 1: File flight plan	27
4.1.2.2	Scenario 2: Initial clearance delivery	27
4.1.2.3	Scenario 3: Initial clearance delivery after short delay	27
4.1.3	Strategic Communications Service Category	28
4.1.3.1	Scenario 1: Pilot requests direct to a fix	28
4.1.3.2	Scenario 2: Pilot requests change of altitude due to continuous light turbulence	28
4.1.3.3	Scenario 3: Pilot requests a routing change to avoid weather that is <150 NM> ahead on his current cleared route	29
4.1.4	Tactical Communications Service Category	29
4.1.4.1	Scenario 1: Pilot request for tactical maneuver denied by Controller	29
4.1.4.2	Scenario 2: Request for clearance with immediate approval	29
4.1.4.3	Scenario 3: Request for clearance approved after slight delay	30
4.1.4.4	Scenario 4: Controller delivers taxi clearance	30
4.1.4.5	Scenario 5: Pilot advising Controller of a TCAS Resolution Advisory	30
4.1.5	Emergency Communications Service Category	30
4.1.5.1	Scenario 1: Aircraft experiences engine failure after takeoff while under departure control	30
4.1.5.2	Scenario 2: Emergency Descent	31
4.2	Communication Services	31
4.2.1	ATC Communications Management (ACM) Services	32
4.2.2	Air Traffic Clearances (ACL) Services	33
4.2.3	Departure Clearance (DCL) Service	34
4.2.4	Downstream Clearance Request Service (DCR)	34
4.2.5	Controller Access Parameter (CAP) Service	36
4.2.6	Flight Plan Consistency (FLIPCY) Service	36
4.2.7	Flight Information Services (FIS)	37
4.2.7.1	Automatic Terminal Information Service (ATIS)	37
4.2.8	Emergency Services	37
4.2.9	Service Category Attributes and Technology Discussions	38
5	ENVIRONMENT DEFINITIONS	43
5.1	Security Considerations	43
5.2	Overview of the National Airspace System – Concept of Operations	43
5.2.1	Introduction/Background	43
5.2.2	Evolution of the NAS	43
5.2.3	Near Term (Through 2005)	45

5.2.4	Mid Term (2005–2010)	45
5.2.5	Far Term (2010–2015)	47
5.3	Environmental Characteristics	47
5.3.1	Airspace Characteristics	48
5.3.1.1	Airspace Definition	48
5.3.1.2	Route Configuration	48
5.3.1.3	Type of Control	48
5.3.1.4	Airspace Management Structure	49
5.3.1.5	Geographic Characteristics	50
5.3.1.6	Separation Minima	50
5.4	Vertical Separation by an air traffic control unit is obtained by at least one of the following:	50
5.4.1	Traffic Characteristics	51
5.4.1.1	Sector Traffic Throughput	51
5.4.1.2	Track Occupancy	51
5.4.1.3	Minimum Required Navigation Performance	51
5.4.2	Aircraft Characteristics	51
5.4.2.1	Fleet Type Composition	51
5.4.2.2	Aircraft Type Performance Characteristics	51
5.4.2.3	Speed	51
5.4.2.4	Altitude	52
5.4.2.5	Level of CNS/ATM Equipage	52
5.4.3	Technical Characteristics	53
5.4.3.1	Ground Data Network Architecture	53
5.4.3.2	Air/Ground Sub-network Architecture	53
5.4.3.3	Air Space User Traffic Volume Characteristics	53
5.4.3.4	Volume of ATC Transactions	53
5.4.3.5	Number of Participating Aircraft	53
5.4.3.6	Message Traffic Density	53
	MEMBERSHIP LIST	55

APPENDICES

Appendix A—ACRONYMS	A-1
Appendix B—REFERENCE MATERIAL	B-1
Appendix C—STAKEHOLDERS	C-1

TABLE OF FIGURES

<u>Figure 1-1</u>	National Airspace System Communications Triad	2
<u>Figure 3-1</u>	User Group (Net) Entry Process	13

TABLE OF TABLES

<u>Table 3-1</u>	VDL Mode 3 Optional Features	15
<u>Table 4-1</u>	Communication Services by Category	32
<u>Table 4-2</u>	Services, Service Description Variations, and Provision	32
<u>Table 4-3</u>	Attributes Derived from DO-264 (Appendix F) and Adapted for SC-198	38
<u>Table 4-4</u>	Summary of Service Attributes	39

This page intentionally left blank.

1 INTRODUCTION

1.1 Purpose of NEXCOM Principles of Operation Document

This document characterizes the principles of operational use of the Very High Frequency (VHF) Digital Link (VDL) Mode 3 voice and data systems. Specifications for the VDL Mode 3 protocol are contained in RTCA DO-224A. The Principles of Operation document provides a high-level operational services and environmental definition (OSED) of the NEXCOM VDL Mode 3 system for the domestic NAS implementation. U.S. Airspace is planned for NEXCOM operation. The ideas presented in this document are intended to drive new NAS technology and lay the groundwork for NAS communication transitional segments.

Note: In this document, the term “Service Provider” is used generically to refer to any air traffic service employee or DoD member who provides separation assurance, traffic management, infrastructure management, aviation information, navigation, landing, airspace management, search and rescue, or aviation assistance services for NAS users. The terms “user” and “NAS user” refer to any customer that uses the air traffic system, including commercial aviation, general aviation, and DoD aviation and commercial/DoD space vehicles. Some of these customers are differentiated by representation through Flight Operations Centers (FOCs) that provide any or all of the flight planning, dispatch, fleet management, or DoD tactical air control functions that support various user operations in the NAS. The Aeronautical Operational Control Centers (AOCC) used today by many air carriers are examples of FOCs that may be used in the future by a wide range of air carrier, general aviation, commercial space transportation, and DoD operators.

This document follows the guidance of RTCA DO-264 for an OSED, and will serve as the basis for deriving the safety and performance requirements (SPR) products identified by RTCA DO-264. The SPR products will be developed in a subsequent RTCA SC-198 activity.

1.2 Scope

For the purposes of the committee's deliberations, the term NEXCOM is used in its broadest connotation and embraces all aspects of transitioning Air Traffic Control (ATC) communications from an analog voice communication system to a digital voice and data communication system in the VHF band. NEXCOM encompasses more than the acquisition of new air-ground (A/G) ATC radios. It includes all spectrum policy, procedure development, equipment acquisition, certification, training, facility and maintenance issues and/or considerations attendant with the transition to the enhanced ATC communications. Aircraft modifications and radio avionics upgrades to meet NEXCOM communications interoperability requirements are the responsibility of the service users.

RTCA DO-274 is the first document which identifies the operations aspects of the integrated digital voice and data system for the future National Airspace System (NAS) from a technology independent viewpoint. This technology specific document will supplement information in the earlier document to identify characteristics of the VDL Mode 3 digital voice and data A/G communications system to be used in the operation of the NAS. The NAS communications system provides communications between three primary stakeholders: the aircraft, the Air Traffic Services (ATS) provider, and the Flight Operational Control (FOC). The communications model forms a triad as shown in [Figure 1-1](#).