



Technical Report No. 70

Fundamentals of Cleaning and Disinfection Programs for Aseptic Manufacturing Facilities



PDA Fundamentals of Cleaning and Disinfection Programs for Aseptic Manufacturing Facilities

Technical Report Team

Authors

Arthur Vellutato Jr., Veltek Associates, Inc. (Chair)

Cindy Adams, Northampton Community College

Barbara M. Andon, Merck and Company, Inc.

Michael B. Dolan, Merck and Company, Inc.

Pamela D. Deschenes, Veltek Associates, Inc.

Roger E. Deschenes, Cubist Pharmaceuticals

Jayne Dovin, Sanofi Pasteur

Barry A. Friedman, Ph.D., Consultant

Jill K. Giulianelli, West-Ward Pharmaceuticals

Peter Koger, Veltek Associates, Inc.

Alison Livsey, Contec, Inc.

Carol Molinaro, Sanofi Pasteur

James N. Polarine Jr., Steris Corporation

Dona Reber, Pfizer, Inc.

Mike Sarli, Steris Corporation

Michael A. Szymanski, GlaxoSmithKline Biologicals

Steve Trombetta, Hospira, Inc.

Brent Watkins, Veltek Associates, Inc.

PDA would like to recognize **Glenn Wright** of the PDA Science Advisory Board for supporting this technical report as the SAB subject matter advisor.

DISCLAIMER: The content and views expressed in this Technical Report are the result of a consensus achieved by the authorizing Task Force and are not necessarily the views of the organizations they represent.

Fundamentals of Cleaning and Disinfection Programs for Aseptic Manufacturing Facilities

Technical Report No. 70

ISBN: 978-0-939459-77-3

© 2015 Parenteral Drug Association, Inc.

All rights reserved.



Table of Contents

1.0 INTRODUCTION	1	9.1.1 Cleaning and Disinfecting Grade A (ISO 5) and Grade B (ISO 5 at Rest, 6/7 in operation) Areas	27
1.1 Purpose	1	9.1.2 Cleaning and Disinfecting Grade C (ISO 7 at rest / ISO 8 in operation) and Grade D (ISO 8 at rest) Areas.....	28
1.2 Scope	1	9.2 Application Methods	29
2.0 GLOSSARY OF TERMS	2	9.3 Cleaning and Disinfecting Materials and Workstations	30
3.0 SANITIZER, DISINFECTANT, AND SPORICIDE CLAIMS AND CLASSIFICATIONS	5	9.3.1 Cleaning and Disinfecting Curtains ...	30
4.0 REGULATORY EXPECTATIONS	6	9.3.2 Cleaning and Disinfecting Unidirectional Airflow Hoods, Benches, and Biosafety Cabinets	30
4.1 Regulations and Guidance	6	9.4 Cleaning and Disinfecting Equipment Surfaces.....	31
4.2 Regulatory Inspections	7	9.4.1 Non-product-contact Equipment Surfaces.....	31
5.0 QUALIFICATION OF NEW SUPPLIERS AND AGENTS	8	9.4.2 Work Surfaces.....	31
5.1 Qualification Testing	9	9.4.3 Nonstructural Clean Room and Hard-to-Clean Surfaces.....	31
5.2 Efficacy Testing	9	9.5 Cleaning and Disinfecting Tools	32
5.2.1 In-Suspension Studies.....	10	9.6 Cleaning and Disinfecting Water Points of Use.....	33
5.2.2 Carrier Surface Studies.....	11	9.7 Disinfecting Drains.....	33
6.0 IN-USE EXPIRATION DATING	15	9.8 Reducing Corrosion and Deterioration of Surfaces	34
7.0 CONTROL OF THE ENVIRONMENT	16	9.9 Cleaning and Disinfection of Nonclassified Areas.....	34
7.1 Introduction of Clean Room Manufacturing Supplies.....	17	10.0 FREQUENCY FOR CLEANING AND DISINFECTION	35
7.1.1 Types of Clean Room Disinfecting Agents	18	11.0 RESISTANCE AND ROTATION	38
7.1.2 Introduction of Tanks, Vessels, Carts, and Equipment into the APA	18	12.0 RETURN FROM A SHUTDOWN	39
7.1.3 Introduction of Cleaning Supplies and Equipment into the APA.....	19	13.0 HOLD TIMES FOR CLEANED AREAS, NON-PRODUCT-CONTACT EQUIPMENT, AND UTENSILS	40
7.1.4 Introduction of Components into the APA	20	14.0 TRAINING	41
7.2 Environmental Monitoring Data Analysis	20	14.1 Basic Microbiology	41
7.3 Attaining and Selecting Environmental Isolates.....	21	14.2 Contamination Sources and Risks	42
8.0 IN-SITU FIELD STUDIES	22	14.3 Facility Design and Airflow	42
8.1 Environmental Monitoring Before and After the Start-up of a Facility or Area	22	14.4 Gowning	42
8.2 Environmental Monitoring Before and After Cleaning and Disinfection During Routine Operation	23	14.5 Clean Room Behavior and Personal Hygiene	42
9.0 CLEANING AND DISINFECTION	24	14.6 Basic Environmental Monitoring	43
9.1 Area Classifications and Cleaning and Disinfecting Approaches.....	24	14.7 Aspects of a Cleaning Program.....	43

14.8 Aspects of a Disinfection Program.....	43	20.0 APPENDIX IV: OVERVIEW OF THE EU BIOCIDAL REGULATIONS	53
14.9 Assessment of Understanding and Qualification	44	21.0 APPENDIX V: EPA-RELATED SAFETY LABELING INFORMATION	54
15.0 CONDUCTING INVESTIGATIONS RELATED TO CLEANING AND DISINFECTION	45	22.0 APPENDIX VI: AOAC PROTOCOL TESTING FOR DISINFECTANT REGISTRATION	57
16.0 CONCLUSION	47	23.0 APPENDIX VII: EN TESTS FOR DISINFECTION EFFICACY	60
17.0 APPENDIX I: HISTORY OF DISINFECTION	48	24.0 APPENDIX VIII: LARGE-SCALE GASSING OR FOGGING OF CLEAN ROOMS.....	62
17.1 Disinfecting Technologies of the Past	48	25.0 REFERENCES	65
17.2 Disinfecting Technologies in the Age of Chemistry	48	26.0 SUGGESTED READING.....	66
17.3 Discovering Microorganisms as a Basis of Disease.....	49		
17.4 Microbiological Contamination Control Today.....	49		
18.0 APPENDIX II: REGISTRATION OF SANITIZERS, DISINFECTANTS AND SPORICIDES	51		
19.0 APPENDIX III: OVERVIEW OF THE U.S. ENVIRONMENTAL PROTECTION AGENCY	52		

FIGURES AND TABLES INDEX

Table 5.2.1-1	Commonly Used Neutralization Agents	11	Figure 10.0-1	Example Risk-Based Approach for Selection of Routine Cleaning and Disinfection Frequencies for Classified Manufacturing Areas	37
Table 5.2.2-1	Recommended Acceptance Criteria..	14	Table 21.0-1	Toxicity Categories	54
Figure 7.0-1	Considerations to Maintain Low Levels of Contamination.....	17	Table 21.0-2	Precautionary Statements by Route of Entry	55
Table 9.1-1	Area Classifications: Cleanroom Standards–Airborne Particulate Limits..	25	Table 23.0-1	Summary of EN Test Criteria for Registration for Established Claims...	60
Table 9.1-2	Environmental Monitoring Requirements/Guidance.....	26			
Table 9.4.3-1	Examples of Surfaces	32			

1.0 Introduction

While sterile product manufacturing has the most stringent application, these concepts can also be used to design a program for the manufacture of nonsterile products. To ensure a consistently controlled production environment, a comprehensive cleaning and disinfection program together with a contamination control program should be supported by the following:

- Sound facility design and maintenance
- Established documentation systems
- Validated/qualified disinfection procedures
- Reliable process controls
- Good housekeeping practices
- Effective area traffic and access controls
- Effective training, certification/qualification, and evaluation programs
- Quality assurance of materials and equipment
- Risk management mitigation

The purpose of the cleaning and disinfection program is not only to control microbial contamination, but also to serve as a corrective action for the loss of control for viable excursions contamination. While the destruction of viable cells are an integral part of the cleaning and disinfection program, the use of disinfection as a singular focus without efforts to control contamination from entering the area is without technical merit. Environmental monitoring (EM) evaluates the efficacy of controls on the manufacturing environment. It is through control of bioburden levels entering the area, along with cleaning and disinfection, that acceptable viable control of the manufacturing or appropriate testing environment is achieved. This technical report provides comprehensive information and suggested best practices as well as appropriate references to support such guidance.

For individuals wanting a historical perspective of disinfection, a summary can be found in Appendix I (**Section 17.0**).

The technical report team consisted of members who are cleaning and disinfection experts from various global pharmaceutical and biopharmaceutical companies, academia, and companies that manufacture agents used in disinfection.

1.1 Purpose

The purpose of this document is to identify systematic elements that are essential to assuring an appropriate and compliant cleaning and disinfection program for aseptic and bioburden controlled manufacturing facilities and classified environments.

1.2 Scope

The document covers cleaning and disinfection within controlled and noncontrolled environments using chemical agents that reduce or destroy microorganisms. The document provides guidance for non-product-contact surface cleaning and disinfection. This document is not intended to fully address product-contact surface cleaning from a clean-in-place (CIP) or clean-out-of-place (COP) system which is specifically addressed in PDA's *Technical Report No. 29 (Revised 2012): Points to Consider for Cleaning Validation* and *Technical Report No. 49: Points to Consider for Biotechnology Cleaning Validation (1,2)*.

This document should be considered as technical guidance; it is not intended to establish any mandatory or implied standard.