

# Requirements for Safe Entry and Cleaning of Petroleum Storage Tanks

API STANDARD 2015  
NINTH EDITION, AUGUST 2024



American  
Petroleum  
Institute

## Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be used. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Classified areas may vary depending on the location, conditions, equipment, and substances involved in any given situation. Users of this standard should consult with the appropriate authorities having jurisdiction.

Users of this standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

Where applicable, authorities having jurisdiction should be consulted.

Work sites and equipment operations may differ. Users are solely responsible for assessing their specific equipment and premises in determining the appropriateness of applying the standard. At all times users should employ sound business, scientific, engineering, and judgment safety when using this standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001-5571.

## Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, [standards@api.org](mailto:standards@api.org).



# Contents

|            | Page  |
|------------|---|
| <b>1</b>   | Scope..... 1  |
| <b>1.1</b> | General ..... 1   |
| <b>1.2</b> | Non-applicability and Other Tank-cleaning Applications ..... 1        |
| <b>2</b>   | Normative References ..... 1  |
| <b>3</b>   | Terms and Definitions ..... 2   |
| <b>4</b>   | Administrative Controls and Procedures ..... 9                        |
| <b>4.1</b> | General ..... 9   |
| <b>4.2</b> | Hazard Identification ..... 9   |
| <b>4.3</b> | Hazard Evaluation ..... 10  |
| <b>4.4</b> | Hazard Mitigation Strategies..... 10                                  |
| <b>4.5</b> | Written Tank-cleaning/Entry Programs ..... 10                         |
| <b>4.6</b> | Written Tank-specific Cleaning/Entry Plans ..... 13                   |
| <b>4.7</b> | Regulatory Requirements ..... 14                                      |
| <b>4.8</b> | Tank-cleaning/Entry Overview ..... 14                                 |
| <b>5</b>   | Preparing the Tank for Cleaning and Entry..... 15                     |
| <b>5.1</b> | Initial Preparation (Prior to Tank-cleaning/Entry Operations)..... 15 |
| <b>5.2</b> | Removal from Service ..... 16   |
| <b>5.3</b> | Isolating the Tank..... 17  |
| <b>5.4</b> | Control of Ignition Sources ..... 18                                  |
| <b>5.5</b> | Vapor- and Gas-freeing, Degassing, and Ventilating ..... 20           |
| <b>5.6</b> | Initial Tank Cleaning..... 21   |
| <b>6</b>   | Testing the Tank Atmosphere..... 21                                   |
| <b>6.1</b> | Atmospheric Testing Procedures ..... 21                               |
| <b>6.2</b> | Atmospheric Testing Instruments..... 21                               |
| <b>6.3</b> | Atmospheric Testing..... 21   |
| <b>6.4</b> | Acceptable Limits..... 23   |
| <b>7</b>   | Storage Tank Hazards ..... 24   |
| <b>7.1</b> | General..... 24   |
| <b>7.2</b> | Oxygen Deficiency and Enrichment..... 24                              |
| <b>7.3</b> | Fire and Explosion Hazards..... 26                                    |
| <b>7.4</b> | Toxic Substances..... 26  |
| <b>7.5</b> | Physical and Other Hazards ..... 29                                   |
| <b>7.6</b> | Heat Stress ..... 30  |
| <b>7.7</b> | Pyrophoric Iron Sulfide ..... 30                                      |
| <b>7.8</b> | Floating Roof Hazards ..... 31  |
| <b>7.9</b> | Hazard Assessment to Determine Permit-required Confined Space..... 34 |
| <b>8</b>   | Personal Protective Equipment (PPE)..... 34                           |
| <b>8.1</b> | Protective Clothing and Equipment ..... 34                            |
| <b>8.2</b> | Respiratory Protection ..... 36                                       |
| <b>9</b>   | Tank-cleaning/Entry Personnel ..... 38                                |
| <b>9.1</b> | General ..... 38  |
| <b>9.2</b> | Entry Supervisors ..... 39  |
| <b>9.3</b> | Entrants ..... 42   |

## Contents

|   | Page |
|---|------|
| <b>9.4</b> Attendants.....  | 43   |
| <b>9.5</b> Atmospheric Tester (Tester).....   | 44   |
| <b>10</b> Entering and Working inside the Tank .....  | 45   |
| <b>10.1</b> General .....   | 45   |
| <b>10.2</b> Entry Permit .....  | 46   |
| <b>10.3</b> Floating Roof Stabilization .....   | 48   |
| <b>10.4</b> Heat Stress .....   | 48   |
| <b>10.5</b> Ventilation .....   | 48   |
| <b>10.6</b> Tank Safe (Cold) Work, Maintenance, and Repairs.....                            | 50   |
| <b>10.7</b> Undesirable Product, Sludge, and Residue Disposal .....                         | 50   |
| <b>10.8</b> Coordination .....  | 50   |
| <b>11</b> Hot Work and Tank Repairs .....   | 51   |
| <b>11.1</b> General .....   | 51   |
| <b>11.2</b> Hot Work Permits.....   | 52   |
| <b>11.3</b> Hot Work Hazards.....   | 52   |
| <b>11.4</b> Hot Work In Organic Leaded Service Tanks .....                                  | 53   |
| <b>11.5</b> Fire Prevention .....   | 54   |
| <b>12</b> Emergency Planning.....   | 54   |
| <b>12.1</b> Emergency Response Plan .....   | 54   |
| <b>12.2</b> Outside Rescue Services .....   | 55   |
| <b>12.3</b> Employer Rescuers .....   | 56   |
| <b>12.4</b> Rescue Equipment .....  | 56   |
| <b>12.5</b> Other Emergencies.....  | 57   |
| <b>12.6</b> Medical Emergencies .....   | 57   |
| <b>13</b> Return To Service .....   | 58   |
| <b>13.1</b> General .....   | 58   |
| <b>13.2</b> Preparation .....   | 59   |
| <b>13.3</b> Refilling Tanks.....  | 59   |
| <b>13.4</b> Sampling and Gauging Tanks .....  | 60   |
| <b>13.5</b> Control of Ignition Sources .....   | 60   |
| <b>14</b> Training .....  | 61   |
| <b>14.1</b> General .....   | 61   |
| <b>14.2</b> Training Requirements.....  | 61   |
| <b>14.3</b> Training Verification .....   | 61   |
| <b>14.4</b> Qualification .....   | 61   |
| Annex A (informative) Petroleum Storage Tank Hazards .....                                  | 62   |
| Annex B (informative) Vapor-freeing and Degassing Procedures .....                          | 98   |
| Annex C (informative) Tank Cleaning .....   | 112  |
| Annex D (Reserved for Future Use) .....   | 120  |
| Annex E (informative) Oxygen, Combustible Gas, and Toxic Substance Testing Instruments..... | 121  |

## Contents

|   | Page |
|---|------|
| Annex F (informative) Safe Tank Entry for Activities Other than Tank Cleaning ..... | 127  |
| Bibliography .....  | 141  |

## Figures

|             |  |    |
|-------------|--|----|
| <b>A.1</b>  | Lateral Movement of Floating Roof .....                                | 90 |
| <b>A.2</b>  | Rim Space Blocking with Rim Wedges .....                               | 90 |
| <b>A.3</b>  | Rim Space Blocking with Rim Jacks .....                                | 91 |
| <b>A.4</b>  | Rotational Movement of Floating Roof .....                             | 91 |
| <b>A.5</b>  | Spiral Collapse Caused by Floating Roof Rotation .....                 | 91 |
| <b>A.6</b>  | Welded Blank Nuts, Shackles, and Chain-type Anti-rotation System ..... | 92 |
| <b>A.7</b>  | Manway-anchored Anti-rotation .....                                    | 92 |
| <b>A.8</b>  | Radial Beam and Anti-rotation Bracket System .....                     | 92 |
| <b>A.9</b>  | Leg Kickout .....  | 93 |
| <b>A.10</b> | Jack Post for Vertical Support .....                                   | 93 |
| <b>A.11</b> | Timber for Vertical Support .....                                      | 93 |
| <b>A.12</b> | Cribbing Stack for Vertical Support .....                              | 93 |
| <b>A.13</b> | Elevation Diagram Showing High-leg and Low-leg Positions .....         | 94 |
| <b>A.14</b> | Improper Pinning (Leaving One Leg in High-leg Position) .....          | 94 |
| <b>A.15</b> | Improper Pinning (Leaving One Leg in a Low-leg Position) .....         | 94 |
| <b>A.16</b> | Water Accumulation on Floating Roof .....                              | 95 |
| <b>A.17</b> | Water Accumulation in Floating Roof Pontoons .....                     | 95 |
| <b>A.18</b> | Liquid in the Floating Roof Panel Sections .....                       | 96 |
| <b>A.19</b> | Concentrated Loads of Staged Materials .....                           | 96 |
| <b>A.20</b> | Vacuum or Uplift on Floating Roof from Venting .....                   | 97 |
| <b>A.21</b> | Working under Suspended Load .....                                     | 97 |



# Requirements for Safe Entry and Cleaning of Petroleum Storage Tanks

## 1 Scope

### 1.1 General

This standard is applicable to stationary atmospheric low-pressure (up to and including 103 kPa [15 psig]) aboveground petroleum storage tanks used in all sectors of the petroleum and petrochemical industry, including:

- crude oil and gas production;
- refining;
- petrochemicals;
- pipelines and terminals;
- bulk storage;
- ethanol facilities.

This standard provides requirements for safely planning, coordinating, and conducting tank entry and cleaning operations, from removal from service through return to service.

This standard does not and cannot cover every possible unique hazard or situation that may arise during tank-cleaning operations. Site, product, and tank-specific hazards and situations shall be addressed by employers using the appropriate principles and considerations provided for by this standard.

### 1.2 Non-applicability and Other Tank-cleaning Applications

This standard does not apply to the following types of tanks or vessels:

- pressure vessels and pressurized tanks exceeding 103 kPa (15 psig);
- cryogenic or refrigerated vessels or pressure tanks;
- vessels and tanks maintained under a vacuum;
- process vessels;
- underground storage tanks.

Although API Standard 2015 is not intended to cover these types of tanks and vessels, many of the safe tank-cleaning and entry principles and requirements in this standard apply and should be considered.

## 2 Normative References

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any addenda) applies.

API Recommended Practice 2003, *Protection Against Ignitions Arising Out of Static, Lightning, and Stray Currents*

API Recommended Practice 2009, *Safe Welding, Cutting and Hot Work Practices in the Petroleum and Petrochemical Industries*