

Australian Standard[®]

Powered industrial trucks

**Part 18: Stability tests for industrial
variable-reach trucks**



This Australian Standard® was prepared by Committee ME-026, Industrial Trucks. It was approved on behalf of the Council of Standards Australia on 15 May 2008. This Standard was published on 25 June 2008.

The following are represented on Committee ME-026:

- Australian Council of Trade Unions
 - Australian Electrical and Electronic Manufacturers Association
 - Australian Industrial Truck Association
 - Australian Industry Group
 - Australian Retailers Association
 - Chamber of Commerce and Industry
 - Construction and Mining Equipment Association of Australia
 - Department of Consumer & Employment Protection, WorkSafe Division, WA
 - Department of Defence (Australia)
 - Hire and Rental Industry Association of Australia
 - Safety Institute of Australia
 - Victorian WorkCover Authority
 - WorkCover New South Wales
-

This Standard was issued in draft form for comment as DR 05098.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting **www.standards.org.au**

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at **mail@standards.org.au**, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

Powered industrial trucks

Part 18: Stability tests for industrial variable-reach trucks

First published as AS 2359.18—2008.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 8773 8

PREFACE

This Standard was prepared by the Standards Australia Committee ME-026, Industrial Trucks.

This Standard is identical with and has been reproduced from ISO 13562-1:2000, *Industrial variable-reach trucks*, Part 1: *Stability tests*.

The objective of this Standard is to specify the basic tests to verify the stability of industrial variable-reach fork-lift trucks.

These trucks are also known as telescopic handlers or telehandlers. In addition when used as dedicated container handler they are referred to as a reach stacker. The stability test requirements for rough terrain variable reach trucks can be found in AS 1418.19.

Additional information on the application of this Standard in Australia is given in Appendix ZA

This Standard is Part 18 of AS 2359, *Powered industrial trucks* which is published in part as follows:

- Part 1: General requirements
- Part 2: Operation
- Part 3: Counterbalanced fork-lift trucks—Stability tests
- Part 4: Reach and straddle fork-lift trucks—Stability tests
- Part 5: Symbols for operator controls and other displays
- Part 6: Safety code
- Part 7: Terminology
- Part 8: Pallet stackers and high-lift platform trucks—Stability tests
- Part 9: Overhead guards—Specification and testing
- Part 10: Hook-on type fork arms—Vocabulary
- Part 11: Hook-on type fork arms and fork carriers—Mounting dimensions
- Part 12: Hazardous areas
- Part 13: Brake performance and component strength
- Part 14: Fork arms—Technical characteristics and testing
- Part 15: Fork arm extension and telescopic fork arms—Technical characteristics and strength requirements
- Part 16: Safety signs and hazard pictorials—General principles
- Part 17: Stability test for rough terrain trucks
- Part 18: Stability tests for industrial variable-reach trucks (this Standard)
- Part 19: Additional stability tests for industrial variable-reach trucks handling freight containers of length 6 m above

As this Standard is reproduced from an International Standard, the following applies:

- (a) *Terminology* The words ‘this Australian Standard’ should replace the words ‘this part of ISO 13562’ whenever they appear.
- (b) *Decimal comma* The decimal point should replace the decimal comma wherever it appears.

None of the normative references in the source document has been adopted as an Australian or Australian/New Zealand Standard.

CONTENTS

	<i>Page</i>
1 Scope	1
2 Normative reference	1
3 Purpose of tests.....	1
3.1 Normal operating conditions.....	1
3.2 Operating under conditions other than normal.....	2
4 Stability tests.....	2
4.1 Test requirements.....	2
4.2 Verification procedure.....	2
4.3 Test conditions	2
5 Stability tests for trucks with attachments	5
Bibliography	10

AUSTRALIAN STANDARD

Powered industrial trucks

Part 18:

Stability tests for industrial variable-reach trucks

1 Scope

This part of ISO 13562 specifies basic tests to verify the stability of industrial variable-reach fork-lift trucks.

It applies to self-propelled, seated rider operated, counterbalanced industrial variable-reach fork-lift trucks

- with non-slewing booms or with a slewing movement not greater than 5° either side of the longitudinal centre plane of the truck,
- fitted with fork arms or load-handling attachments,
- with a fixed or articulated chassis,
- that may have stabilizers, axle-locking or frame-levelling devices, and
- with two- or four-wheel or articulated steering systems.

This part of ISO 13562 is not applicable to the above trucks when they are handling suspended loads which may swing freely.

2 Normative reference

The following normative document contains provisions which, through reference in this text, constitute provisions of this part of ISO 13562. For dated references, subsequent amendments to, or revisions of, this publication do not apply. However, parties to agreements based on this part of ISO 13562 are encouraged to investigate the possibility of applying the most recent edition of the normative document indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 5353:1995, *Earth-moving machinery, and tractors and machinery for agriculture and forestry — Seat index point.*

3 Purpose of tests

3.1 Normal operating conditions

The basic tests specified in this part of ISO 13562 ensure that the type of truck specified has satisfactory stability when reasonably and appropriately used under the following normal operating conditions:

- a) stacking with the fork arms reasonably horizontal, with the truck on substantially firm, smooth, level and prepared surfaces;