

Steel Gate, Globe, and Check Valves for Sizes NPS 4 (DN 100) and Smaller for the Petroleum and Natural Gas Industries

Downstream Segment

API STANDARD 602
NINTH EDITION, OCTOBER 2009

EFFECTIVE DATE: APRIL 1, 2010



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Copyright © 2009 American Petroleum Institute

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Contents

Page

1	Scope	1
2	Normative References	2
3	Terms and Definitions	3
4	Pressure/Temperature Ratings	4
4.1	Valve Ratings	4
4.2	Temperature Constraints	7
5	Design	10
5.1	Reference Design	10
5.2	Flow Passageway	10
5.3	Wall Thickness	11
5.4	Valve Body	11
5.5	Valve Bonnet or Cover	16
5.6	Wedge or Disc	17
5.7	Stem	18
5.8	Stem Nut or Stem Bushing	19
5.9	Packing, Packing Chamber, and Gland	20
5.10	Packing Retention	20
5.11	Handwheel	21
6	Materials	21
6.1	Trim Materials	21
6.2	Materials Other Than Trim	24
7	Marking	24
7.1	Legibility	24
7.2	Body Marking	24
7.3	Ring Joint Groove Marking	24
7.4	Identification Plate Marking	25
7.5	Weld Fabrication Marking	25
8	Testing and Inspection	25
8.1	Pressure Tests	25
8.2	Inspection	25
9	Preparation for Dispatch	26
	Annex A (normative) Requirements for Extended Body Gate Valve Bodies	27
	Annex B (normative) Requirements for Valves with Bellows Stem Seals	31
	Annex C (normative) Type Testing of Bellows Stem Seals	35
	Annex D (informative) Identification of Valve Parts	38
	Annex E (informative) Information to be Specified by the Purchaser	45
	Annex F (informative) Valve Material Combinations	47
Figures		
1	Butt-welding Ends	15
A.1	Threaded End Extension for Class 800	28
A.2	Welding End Extension for Class 800 and 1500	29

A.3	Socket Welding End Preparation for Class 800 and Class 1500	29
D.1	Outside Screw and Yoke Bolted Bonnet Gate Valve	38
D.2	Inside Screw Gate Valve	39
D.3	Bellows Stem Seal Gate Valve	40
D.4	Welded Bonnet Gate Valve	41
D.5	Outside Screw and Yoke Globe Valve	42
D.6	Union Bonnet Globe Valve	43
D.7	Piston Check Valve	44
D.8	Ball Check Valve	44

Tables

1	ASME B16.34 Material Group 1 and Material Group 2 Forging and Casting Descriptions	5
2a	800 Class Pressure/Temperature Ratings (USC Units)	6
2b	800 Class Pressure/Temperature Ratings (SI Units)	8
3	Minimum Diameter of Equivalent Flow Passageway for Standard a Bore Valves	10
4	Minimum Diameter of Equivalent Flow Passageway for Full-bore Valves	11
5	Minimum Wall Thickness for Valve Bodies, Bonnets, and Check Valve Covers	12
6	Minimum Wall Thickness for Bonnet Extensions and Bellows Enclosures	12
7	Butt-welding End Diameters	15
8	Wear Travel for Gate Valves	17
9	Minimum Stem Diameter for Standard Bore Valves	18
10	Minimum Stem Diameter for Full-bore Valves	19
11	Minimum Uncompressed Packing Height	20
12	Nominal Seating Surfaces, Stem, or Weld-deposit Materials and Hardness	22
13	Alternative CNs	23
14	Materials for Valve Parts Other Than Trim Items	23
A.1	Threaded End Extension for Class 800	27
A.2	Welding End Extension for Class 800 and Class 1500	28
A.3	Socket Welding End Preparation for Class 800 and Class 1500	30
A.4	Postweld Heat Treatment	30
B.1	Bellows Material Chart	33
C.1	Bellows Test Cycles	36
F.1	Material Combinations for Group 1 Body, Bonnet, and Cover Materials	48
F.2	Material Combinations for Group 2 Body to Bonnet Materials	49
F.3	Substitute Body to Bonnet Bolting Materials	50

Steel Gate, Globe, and Check Valves for Sizes NPS 4 (DN 100) and Smaller for the Petroleum and Natural Gas Industries

1 Scope

This international standard specifies the requirements for a series of compact steel gate, globe and check valves for petroleum and natural gas industry applications.

It is applicable to valves of:

- nominal pipe sizes NPS $\frac{1}{4}$, NPS $\frac{3}{8}$, NPS $\frac{1}{2}$, NPS $\frac{3}{4}$, NPS 1, NPS $1\frac{1}{4}$, NPS $1\frac{1}{2}$, NPS 2, NPS $2\frac{1}{2}$, NPS 3, and NPS 4;
- corresponding to nominal sizes DN 8, DN 10, DN 15, DN 20, DN 25, DN 32, DN 40, DN 50, DN 65, DN 80, and DN 100.

It is also applicable to pressure designations of Class 150, Class 300, Class 600, Class 800 and Class 1500.

Class 800 is not a listed class designation, but is an intermediate class number widely used for socket welding and threaded end compact valves.

It includes provisions for the following valve characteristics.

- Outside screw with rising stems (OS & Y), in sizes $\frac{1}{4} \leq \text{NPS} \leq 4$ ($8 \leq \text{DN} \leq 100$) and pressure designations including Class 800.
- Inside screw with rising stems (ISRS), in sizes $\frac{1}{4} \leq \text{NPS} \leq 2\frac{1}{2}$ ($8 \leq \text{DN} \leq 65$) and pressure designations of classes ≤ 800 .
- Socket welding or threaded ends, in sizes $\frac{1}{4} \leq \text{NPS} \leq 2\frac{1}{2}$ ($8 \leq \text{DN} \leq 65$) and pressure designations of Class 800 and Class 1500.
- Flanged or butt-welding ends, in sizes $\frac{1}{2} \leq \text{NPS} \leq 4$ ($15 \leq \text{DN} \leq 100$) and pressure designations of Class 150 through Class 1500, excluding flanged end Class 800.
- Bonnet Joint Construction—Bolted, welded and threaded with seal weld for classes ≤ 1500 and union nut for classes ≤ 800 .
- Standard and full-bore body seat openings.
- Materials, as specified.
- Testing and inspection.

This publication is applicable to valve end flanges in accordance with ASME B16.5, valve body ends having tapered pipe threads to ASME B1.20.1 or ISO 7-1, valve body ends having socket weld ends to ASME B16.11 and butt-weld connections per the requirements described within this standard. It is applicable to extended body construction in sizes $\frac{1}{2} \leq \text{NPS} \leq 2$ ($15 \leq \text{DN} \leq 50$) and pressure designations of Class 800 and Class 1500, and to bellows and bellows assembly construction as may be adaptable to gate or globe valves in sizes $\frac{1}{4} \leq \text{NPS} \leq 2$ ($8 \leq \text{DN} \leq 50$). It covers bellows stem seal type testing requirements.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Standard 598, *Valve Inspection and Testing*

ASME B1.1¹, *Unified Inch Screw Threads (UN and UNR Thread Form)*

ASME B1.5, *Acme Screw Threads*

ASME B1.8, *Stub Acme Screw Threads*

ASME B1.13M, *Metric Screw Threads: M Profile*

ASME B1.20.1, *Pipe Threads, General Purpose (Inch)*

ASME B16.5, *Pipe Flanges and Flanged Fittings*

ASME B16.10, *Face-to-Face and End-to-End Dimensions of Valves*

ASME B16.11, *Forged Fittings, Socket-welding and Threaded*

ASME B16.34, *Valves—Flanged, Threaded, and Welding End*

ASME B31.3, *Process Piping*

ASME *Boiler and Pressure Vessel Code (BPVC), Section IX: Welding and Brazing Qualifications*

ASTM A193², *Standard Specification for Alloy-steel and Stainless Steel Bolting Materials for High-temperature Service*

ASTM A194, *Standard Specification for Carbon and Alloy Steel Nuts for Bolts for High Pressure and High-Temperature Service, or Both*

ASTM A307, *Standard Specification for Carbon Steel Bolts and Studs, 60 000 PSI Tensile Strength*

EN 10269³, *Steels and nickel alloys for fasteners with specified elevated and/or low temperature properties*

ISO 7-1⁴, *Pipe threads where pressure-tight joints are made on the threads—Part 1: Dimensions, tolerances and designation*

ISO 7-2, *Pipe threads where pressure-tight joints are made on the threads—Part 2: Verification by means of limit gauges*

ISO 2902, *ISO metric trapezoidal screw threads—General plan*

¹ ASME International, 3 Park Avenue, New York, New York 10016, www.asme.org.

² ASTM International, 100 Barr Harbor Drive, West Conshohocken, Pennsylvania 19428, www.astm.org.

³ European Committee for Standardization, Avenue Marnix 17, B-1000, Brussels, Belgium, www.cen.eu.

⁴ International Organization for Standardization, 1, ch. de la Voie-Creuse, Case postale 56, CH-1211, Geneva, Switzerland, www.iso.org.