

Valve Selection Guide

API RECOMMENDED PRACTICE 615
FIRST EDITION, JUNE 2010



AMERICAN PETROLEUM INSTITUTE

Valve Selection Guide

Downstream Segment

API RECOMMENDED PRACTICE 615
FIRST EDITION, JUNE 2010



AMERICAN PETROLEUM INSTITUTE

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Copyright © 2010 American Petroleum Institute

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a recommended practice, “shall” denotes a minimum requirement in order to conform to the RP.

Should: As used in a recommended practice, “should” denotes a recommendation or that which is advised but not required in order to conform to the RP.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Contents

	Page
1	Scope 1
2	Normative References 1
3	Terms and Definitions 2
4	Considerations for Valve Selection 4
4.1	Valve Functions 4
4.2	Valve Types 5
4.3	Other Considerations 5
5	Primary Valve Types 5
5.1	Valves to Stop Flow or to Provide for Equipment Isolation (Block Valves) 5
5.2	Valves for Preventing Flow Reversal—Check Valves 9
5.3	Valves for Throttling (Controlling) Flow—Globe Valves 10
6	Service Considerations 11
6.1	General 11
6.2	Chlorine Service 11
6.3	Cryogenic (Low Temperature) Service 11
6.4	Hydrofluoric Acid Service 11
6.5	Hydrogen Service 12
6.6	Oxygen Service 12
6.7	Pulsating or Unstable Flow 12
6.8	Sour Service (Wet H ₂ S Service) 12
6.9	Viscous or Solidifying Service 12
7	Valve Material Selection 13
7.1	Body Material Selection 13
7.2	Valve Trim Selection 13
7.3	Seating Surfaces—Soft Seats 14
7.4	Stem Sealing—Fugitive Emissions 14
7.5	Valve Bonnet Gaskets 14
8	Valve Specific Features and Options 15
8.1	Valve Operation 15
8.2	Position Indication 15
8.3	Hot Tap Valves 15
8.4	Double Block Valves for Positive Isolation 15
8.5	Double Block and Bleed (DB&B) Valves 15
8.6	“Fire Tested” Valves 16
8.7	Valve End Connections 16
8.8	Cavity Overpressure 16
8.9	Flange Shields 16
8.10	Valve Purge Connections 16
9	Steps for Valve Selection and Procurement 16
Annex A (informative) Schematic Drawings for Typical Valve Types 18	
Annex B (informative) Examples of Typical Valve Purchase Descriptions 35	

Contents

Page

Figures

A.1	Typical API 600 Bolted Bonnet Gate Valve—Outside Screw and Yoke	18
A.2	Typical API 602 Bolted Bonnet Gate Valve	19
A.3	Typical API 602 Welded Bonnet Gate Valve	19
A.4	Typical Valve Nomenclature Example from API 603	20
A.5	Typical Example of Floating Ball Valve—One Piece Body Design Illustrated	21
A.6	Typical Trunnion Mounted Ball Valves—Two Examples of Split Body Designs	22
A.7	Typical Sleeve Lined Plug Valve	23
A.8	Typical Nonlubricated Plug Valve	23
A.9	Typical Lubricated Plug Valve	24
A.10	Typical Category A Butterfly Valve	25
A.11a	Typical Category B Butterfly Valve—Double Offset Type.	25
A.11b	Detail of Double Offset Butterfly Valve—Disc and Seats (Seal).	26
A.12	Detail of Triple Offset Butterfly Valve—Disc and Seats (Seal)	27
A.13	Typical Single Plate Wafer Check Valve	28
A.14	Typical Dual Plate Wafer Check Valve.	29
A.15	Typical Flanged Swing Check Valve	30
A.16	Typical Ball Check Valve—Threaded End	31
A.17	Typical Piston Check Valve—Threaded End	31
A.18	Typical Threaded Globe Valve	32
A.19	Typical Flanged Globe Valve	33
A.20	Example of API 602 Bellows Stem Seal	34

Introduction

API Recommended Practice (RP) 615 was developed to aid in the selection of valves for the Hydrocarbon Processing Industry (HPI), which includes refineries, petrochemical and chemical plants, and the various processes associated with them. This RP may assist in the selection of valves for other industrial processes, such as power or general industry process applications. The task force members who developed this document represent many years of experience in the design and selection of valves and are comprised of professionals from manufacturing, engineering contractors, and end users.

The objective of this RP is to disseminate suggested information on valve selection recommendations as an aid to reduce operational problems and maintenance costs.

While this RP provides guidance on the selection of valves, the valve specifier or end user is required to pay particular attention to, and is ultimately responsible for, all aspects of the application involving process, metallurgical and mechanical considerations.

Typical purchase descriptions are provided in an Annex to assist in the complete definition of valve details to help ensure that the correct product is specified for the intended application.

Of prime importance, however, is that this RP is a general guideline for valve selection; the final responsibility is that of the user of this document.

Valve Selection Guide

1 Scope

This recommended practice (RP) provides guidance on the selection of common types of valves used by the petroleum refining, chemical, petrochemical and associated industries. These include gate, ball, plug, butterfly, check, and globe valves covered by API and ASME Standards.

Modulating control valves and pressure relief valves are outside the scope of this RP.

Installation issues are discussed briefly for a few valve types.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Standard 594, *Check Valves: Flanged, Lug, Wafer, and Butt-welding*

API Standard 598, *Valve Inspection and Testing*

API Standard 599, *Metal Plug Valves—Flanged, Threaded, and Welding Ends*

API Standard 600, *Steel Gate Valves—Flanged and Butt-welding Ends, Bolted Bonnets*

API Standard 602, *Steel Gate, Globe and Check Valves for Sizes NPS 4 and Smaller*

API Standard 603, *Corrosion-resistant, Bolted Bonnet Gate Valves—Flanged and Butt-welding Ends*

API Standard 607, *Fire Testing for Soft-seated Quarter-turn Valves*

API Standard 608, *Metal Ball Valves—Flanged, Threaded, and Welding Ends*

API Standard 609, *Butterfly Valves—Double Flanged, Lug- and Wafer-Type*

API RP 622, *Type Testing of Process Valve Packing for Fugitive Emissions*

API Recommended Practice 941, *Steels for Hydrogen Service at Elevated Temperatures and Pressures in Petroleum Refineries and Petrochemical Plants*

ASME B16.1¹, *Gray Iron Pipe Flanges and Flanged Fittings*

ASME B16.24, *Cast Copper Alloy Pipe Flanges and Flanged Fittings*

ASME B16.34, *Valves—Flanged, Threaded, and Welding End*

ASME B16.42, *Ductile Iron Pipe Flanges and Flanged Fittings, Class 150 and 300*

¹ ASME International, 3 Park Avenue, New York, New York 10016-5990, www.asme.org.