

Recommended Practice on Drilling Fluids Processing Systems Evaluation

ANSI/API RECOMMENDED PRACTICE 13C
FOURTH EDITION, DECEMBER 2010

**ISO 13501(Modified), Drilling fluids processing
equipment evaluation**



AMERICAN PETROLEUM INSTITUTE



Recommended Practice on Drilling Fluids Processing Systems Evaluation

Upstream Segment

ANSI/API RECOMMENDED PRACTICE 13C
FOURTH EDITION, DECEMBER 2010

**ISO 13501(Modified), Drilling fluids processing
equipment evaluation**



AMERICAN PETROLEUM INSTITUTE



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Copyright © 2010 American Petroleum Institute

API Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Contents

Page

API Foreword	iii
Foreword	vii
Introduction.....	viii
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols and abbreviated terms	1
3.1 Terms and definitions.....	1
3.2 Symbols and abbreviated terms	10
4 Requirements	11
5 Drilled solids removal — System performance	11
5.1 Principle.....	11
5.2 Apparatus	12
5.3 Sampling.....	12
5.4 Procedure	13
5.4.1 Suction pit drilling fluid density chloride content, and solids by retort	13
5.4.2 Base fluid additions to the drilling fluid	13
5.4.3 Base fluid fraction.....	13
5.4.4 Drilled solids fraction	13
5.4.5 Volume of drilling fluid built.....	13
5.4.6 Excavated volume of solids drilled	14
5.4.7 Total dilution	14
5.4.8 Dilution factor (k).....	14
5.4.9 Drilled-solids removal system performance (η), expressed as percent	15
6 Rigsite evaluation of drilled-solids management	15
6.1 Principle.....	15
6.2 Application	16
6.3 Sampling of streams for capture analysis	17
6.4 Determination of mass fraction (percent) solids	17
6.5 Calculation of capture	17
6.6 Interpretation of results.....	18
6.7 Procedure for characterising removed solids	18
6.8 Calculation of mass fraction (percent) of low-gravity solids.....	18
6.9 Particle size assessment on removed solids	19
6.10 Economics.....	19
6.10.1 Unweighted drilling fluids	19
6.10.2 Weighted drilling fluids	19
7 Practical operational guidelines	19
7.1 Principle.....	19
7.2 Apparatus	20
7.3 Procedure for design and operation.....	20
7.3.1 General	20
7.3.2 Flow line	20
7.3.3 Tank	20
7.3.4 Process rate	20
7.3.5 Surface tank	21
7.3.6 Sand trap	21
7.3.7 Removal section	22
7.3.8 Flow direction.....	22
7.3.9 Tank agitation.....	22
7.3.10 Fluid routing.....	22
7.4 Design of shale shakers	23
7.5 Operation of shale shakers	23
7.6 Design of degassers	24

7.7	Operation of degassers	24
7.8	Design of desanders and desilters	24
7.9	Design of mud cleaners.....	26
7.10	Design of centrifuges	26
7.11	Use of addition sections.....	26
7.12	Use of drilling-fluid mixing and blending equipment	27
7.13	Use of suction section.....	27
7.14	Use of discharge section.....	27
8	Conductance of shale-shaker screens	27
8.1	Principle.....	27
8.2	Principle of conductance.....	27
8.2.1	General	27
8.2.2	Darcy's law	28
8.3	Apparatus for measurement of conductance	29
8.4	Procedure for calibrating fluid	30
8.5	Procedure for flow test	30
8.6	Procedure for measuring pressure drop.....	30
8.7	Procedure for conductance test	31
8.8	Calculation of conductance	31
9	Shale-shaker screen designation	32
9.1	Principle.....	32
9.2	Apparatus	33
9.3	Preparation of aluminium oxide (aluminum oxide) test media	34
9.4	Preparation of test screen	36
9.5	Test procedure	37
9.6	Calculation of D100 separation for test screen cloth	37
10	Non-blanked area of shale-shaker screen panel	38
10.1	Principle.....	38
10.2	Apparatus	38
10.3	Procedure for pretensioned or perforated panel-type screens	38
10.4	Calculation for pretensioned or perforated panel-type screens	38
10.5	Procedure for open-hook strip panels	41
10.6	Calculation for open-hook strip panels.....	41
10.7	Example calculation of total non-blanked area for a panel-mount screen	41
11	Shale shaker screen labelling	42
11.1	API screen designation	42
11.2	Label and tag format.....	44
11.3	API Screen Designation Label examples	45
11.4	Other screen label and tags	47
Annex A	(informative) Derivation of capture equation	48
A.1	Principle.....	48
A.2	Procedure of derivation.....	48
Annex B	(informative) Finder's method	50
B.1	Principle.....	50
B.2	Materials and reagents	50
B.3	Apparatus	50
B.4	Procedure	50
B.5	Calculation.....	51
Bibliography	52

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 13501 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for the petroleum, petrochemical and natural gas industries*, Subcommittee SC 3, *Drilling and completion fluids, and wellbore cements*.

This fourth edition cancels and replaces the third edition (ISO 13501:2005), which has been technically revised.

Introduction

This International Standard covers equipment which is commonly used in petroleum and natural gas drilling fluids processing. This equipment can be purchased or rented from multiple sources, and is available worldwide. No single-source or limited-source equipment is included, either by inference or reference.

International Standards are published to facilitate communications between purchasers and manufacturers, or provide interchangeability between similar equipment and materials purchased from different manufacturers and/or at different times, and to provide an adequate level of safety when the equipment or materials are utilized in the manner and for the purposes intended. This International Standard provides minimum requirements and is not intended to inhibit anyone from purchasing or using equipment made to other standards. This International Standard is subject to periodic review and can be revised or withdrawn at such time as deemed appropriate.

The purpose of this International Standard is to provide a method of assessing the performance of solids control equipment systems in the field. It includes procedures for evaluation of shale shakers, centrifugal pumps, degassers, hydrocyclones, mud cleaners and centrifuges, as well as an entire system evaluation. Shale-shaker screen labelling and separation potential of shale-shaker screens have been addressed as part of this International Standard.

This International Standard is based on API RP 13C, third edition, December 2004 (for drilling fluid processing equipment) and shale-shaker screen API RP 13E, third edition, May 1, 1993 (for shale-shaker screens).

ISO publications may be used by anyone desiring to do so. Every effort has been made to assure the accuracy and reliability of the data contained in them; however, no representation, warrant or guarantee in connection with this publication is made by ISO. ISO hereby expressly disclaims any liability, or responsibility for loss or damage resulting from use of this International Standard or for the violation of any federal, state or municipal regulation with which this publication may conflict.

Standards are published to facilitate the broad availability of proven, sound engineering and operating practices. Users of this International Standard should be aware that further or differing requirements may be needed for individual applications. This International Standard is not intended to inhibit a vendor from offering, or the purchaser from accepting, alternative equipment or engineering solutions for the individual application. This may be particularly applicable where there is innovative or developing technology. Where an alternative is offered, the vendor should identify any variations from this International Standard and provide details.”

Any manufacturer marking equipment or materials in conformance with the marking requirements is solely responsible for complying with all the applicable requirements of that standard. ISO does not represent, warrant, or guarantee that such products do in fact conform to the applicable International Standard.

Petroleum and natural gas industries – Drilling fluids processing systems evaluation

1 Scope

This International Standard provides a standard procedure for assessing and modifying performance of solids control equipment systems commonly used in the field in petroleum and natural gas drilling fluids processing.

This procedure is not intended for the comparison of similar types of individual pieces of equipment.

Clause 11 in this document replaces Clause 11 currently in the ISO 13501:2005. It specifies a different labelling requirement for shale shaker screens that will be permanently attached to the screen. It also covers the marking of shipping containers for shale shaker screens.

This International Standard Annex B provides a standard procedure for quick assessment of a solids control screen sizing. The method can be used in the field or laboratory for identification of an unknown screen approximate size range. It is provided for information only and does not replace or supplement the normative testing shown in Clauses 9 through Clause 11 in this document.

This procedure is not intended for the operating comparison or ranking of similar types of individual pieces of equipment.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3310-1, *Test sieves — Technical requirements and testing — Part 1: Test sieves of metal wire cloth*

ANSI/AWWA Standard C700, *Cold-water meters — Displacement type, bronze main case*

API, *Manual of Petroleum Measurement Standards*, Chapter 5.3—*Measurement of Liquid Hydrocarbon by Turbine Meters*

3 Terms, definitions, symbols and abbreviated terms

For the purposes of this document, the following terms and definitions apply.

3.1 Terms and definitions

3.1.1

addition section

compartment(s) in the surface drilling fluid system between the removal section and the suction section which provides a well-agitated compartment(s) for the addition of commercial products such as chemicals, necessary solids and liquids

3.1.2

agitator mechanical stirrer

mechanically driven mixer that stirs the drilling fluid by turning an impeller near the bottom of a mud compartment to blend additives, suspend solids and maintain a uniform consistency of the drilling fluid