

# Welding of Pipelines and Related Facilities

API STANDARD 1104  
NINETEENTH EDITION, SEPTEMBER 1999  
ERRATA 1, OCTOBER 31, 2001



American  
Petroleum  
Institute

**Helping You  
Get The Job  
Done Right.<sup>SM</sup>**



# **Welding of Pipelines and Related Facilities**

**Pipeline Segment**

API STANDARD 1104  
NINETEENTH EDITION, SEPTEMBER 1999  
ERRATA 1, OCTOBER 31, 2001



**Helping You  
Get The Job  
Done Right.<sup>SM</sup>**

## SPECIAL NOTES

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations under local, state, or federal laws.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. Sometimes a one-time extension of up to two years will be added to this review cycle. This publication will no longer be in effect five years after its publication date as an operative API standard or, where an extension has been granted, upon republication. Status of the publication can be ascertained from the API Pipeline Segment [telephone (202) 682-8000]. A catalog of API publications and materials is published annually and updated quarterly by API, 1220 L Street, N.W., Washington, D.C. 20005.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this standard or comments and questions concerning the procedures under which this standard was developed should be directed in writing to the general manager of the Pipeline Segment, American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the general manager.

API standards are published to facilitate the broad availability of proven, sound engineering and operating practices. These standards are not intended to obviate the need for applying sound engineering judgment regarding when and where these standards should be utilized. The formulation and publication of API standards is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

*All rights reserved. No part of this work may be reproduced, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, N.W., Washington, D.C. 20005.*

## FOREWORD

This standard was prepared by a formulating committee that included representatives of the American Petroleum Institute, the American Gas Association, the Pipe Line Contractors Association, the American Welding Society, and the American Society for Nondestructive Testing, as well as representatives of pipe manufacturers and individuals associated with related industries.

The purpose of this standard is to present methods for the production of high-quality welds through the use of qualified welders using approved welding procedures, materials, and equipment. Its purpose is also to present inspection methods to ensure the proper analysis of welding quality through the use of qualified technicians and approved methods and equipment. It applies to both new construction and in-service welding.

The use of this standard is entirely voluntary and is intended to apply to welding of piping used in the compression, pumping, and transmission of crude petroleum, petroleum products, fuel gases, carbon dioxide, and nitrogen and, where applicable, to distribution systems.

This standard represents the combined efforts of many engineers who are responsible for the design, construction, and operation of oil and gas pipelines, and the committee appreciatively acknowledges their wholehearted and valuable assistance.

From time to time, revisions of this standard will be necessary to keep current with technological developments. The committee is always anxious to improve this standard and will give full consideration to all comments received.

An appeal of any API standards action by an interested party shall be directed to the API.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any federal, state, or municipal regulation with which this publication may conflict.

Suggested revisions are invited and should be submitted to the general manager of the Pipeline Segment, American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005.

*ATTENTION USERS:* Portions of this standard have been changed from the previous edition. The locations of changes have been marked with a bar in the margin, as shown to the left of this paragraph. In some cases, the changes are significant, while in other cases the changes reflect minor editorial adjustments. The bar notations are provided as an aid to users as to those parts of the standard that have been changed from the previous edition, but API makes no warranty as to the accuracy of such bar notations.

# **API-AGA JOINT COMMITTEE ON OIL AND GAS PIPELINE FIELD WELDING PRACTICES**

H. Charles Price, Chairman  
George K. Hickox, Vice-Chairman  
Frank R. Orr, Secretary

## **American Petroleum Institute**

Donald Drake  
Gary E. Merritt  
David Noble  
Gary Perkins

## **American Gas Association**

Marshall L. Farley  
Alan C. Holk  
Frank R. Orr  
Eugene L. Smith

## **American Society for Nondestructive Testing**

David L. Culbertson  
C. P. Woodruff, Jr.  
Scott M. Metzger  
William R. Tignor

## **American Welding Society**

W. L. Ballis  
George K. Hickox  
Chuck Brashears  
Robert R. Wright

## **National Electrical Manufacturers Association**

Craig Dallman

## **Pipe Manufacturers**

Frank M. Christensen  
Murali D. Tumuluru  
Martin A. Francis  
James P. Snyder, II

## **Pipeline Contractors Association**

Ralph Pendarvis  
H. Charles Price  
Don Thorn  
Bill Marhofer

## **Members Emeritus**

John K. McCarron  
R. B. Gwin  
M. Jordan Hunter  
E. L. Von Rosenberg  
Dale Wilson

# CONTENTS

	Page
1 GENERAL.....	1
1.1 Scope.....	1
2 REFERENCED PUBLICATIONS.....	1
3 DEFINITION OF TERMS.....	2
3.1 General.....	2
3.2 Definitions.....	2
4 SPECIFICATIONS.....	2
4.1 Equipment.....	2
4.2 Materials.....	2
5 QUALIFICATION OF WELDING PROCEDURES FOR WELDS CONTAINING FILLER-METAL ADDITIVES.....	3
5.1 Procedure Qualification.....	3
5.2 Record.....	3
5.3 Procedure Specification.....	3
5.4 Essential Variables.....	6
5.5 Welding of Test Joints—Butt Welds.....	7
5.6 Testing of Welded Joints—Butt Welds.....	8
5.7 Welding of Test Joints—Fillet Welds.....	13
5.8 Testing of Welded Joints—Fillet Welds.....	15
6 QUALIFICATION OF WELDERS.....	15
6.1 General.....	15
6.2 Single Qualification.....	15
6.3 Multiple Qualification.....	16
6.4 Visual Examination.....	16
6.5 Destructive Testing.....	18
6.6 Radiography—Butt Welds Only.....	19
6.7 Retesting.....	19
6.8 Records.....	19
7 DESIGN AND PREPARATION OF A JOINT FOR PRODUCTION WELDING..	19
7.1 General.....	19
7.2 Alignment.....	19
7.3 Use of Lineup Clamp for Butt Welds.....	19
7.4 Bevel.....	19
7.5 Weather Conditions.....	19
7.6 Clearance.....	19
7.7 Cleaning Between Beads.....	20
7.8 Position Welding.....	20
7.9 Roll Welding.....	20
7.10 Identification of Welds.....	20
7.11 Pre- and Post-Heat Treatment.....	20
8 INSPECTION AND TESTING OF PRODUCTION WELDS.....	20
8.1 Rights of Inspection.....	20

	Page	
8.2	Methods of Inspection . . . . .	20
8.3	Qualification of Inspection Personnel . . . . .	20
8.4	Certification of Nondestructive Testing Personnel . . . . .	21
9	ACCEPTANCE STANDARDS FOR NONDESTRUCTIVE TESTING. . . . .	21
9.1	General . . . . .	21
9.2	Rights of Rejection. . . . .	21
9.3	Radiographic Testing . . . . .	21
9.4	Magnetic Particle Testing. . . . .	27
9.5	Liquid Penetrant Testing . . . . .	27
9.6	Ultrasonic Testing. . . . .	27
9.7	Visual Acceptance Standards for Undercutting . . . . .	28
10	REPAIR AND REMOVAL OF DEFECTS . . . . .	29
10.1	Authorization for Repair . . . . .	29
10.2	Repair Procedure . . . . .	29
10.3	Acceptance Criteria . . . . .	29
10.4	Supervision. . . . .	29
10.5	Welder. . . . .	29
11	PROCEDURES FOR NONDESTRUCTIVE TESTING . . . . .	29
11.1	Radiographic Test Methods . . . . .	29
11.2	Magnetic Particle Test Method . . . . .	34
11.3	Liquid Penetrant Test Method . . . . .	34
11.4	Ultrasonic Test Methods. . . . .	34
12	AUTOMATIC WELDING . . . . .	37
12.1	Acceptable Processes . . . . .	37
12.2	Procedure Qualification . . . . .	38
12.3	Record. . . . .	38
12.4	Procedure Specification . . . . .	38
12.5	Essential Variables . . . . .	39
12.6	Qualification of Welding Equipment and Operators . . . . .	40
12.7	Records of Qualified Operators . . . . .	40
12.8	Inspection and Testing of Production Welds . . . . .	40
12.9	Acceptance Standards for Nondestructive Testing . . . . .	40
12.10	Repair and Removal of Defects . . . . .	40
12.11	Radiographic Testing . . . . .	40
13	AUTOMATIC WELDING WITHOUT FILLER-METAL ADDITIONS . . . . .	40
13.1	Acceptable Processes . . . . .	40
13.2	Procedure Qualification . . . . .	40
13.3	Record. . . . .	46
13.4	Procedure Specification . . . . .	46
13.5	Essential Variables . . . . .	46
13.6	Qualification of Equipment and Operators . . . . .	46
13.7	Records of Qualified Operators . . . . .	46
13.8	Quality Assurance of Production Welds . . . . .	46
13.9	Acceptance Standards for Nondestructive Testing . . . . .	47
13.10	Repair and Removal of Defects . . . . .	47
13.11	Radiographic Procedure. . . . .	47

APPENDIX A	ALTERNATIVE ACCEPTANCE STANDARDS FOR	
	GIRTH WELDS . . . . .	49
A.1	General . . . . .	49
A.2	Additional Requirements for Stress Analysis . . . . .	49
A.3	Welding Procedure . . . . .	50
A.4	Qualification of Welders . . . . .	54
A.5	Inspection and Acceptable Limits . . . . .	54
A.6	Record . . . . .	55
A.7	Example . . . . .	55
A.8	Repairs . . . . .	59
A.9	Nomenclature . . . . .	59
APPENDIX B	IN-SERVICE WELDING . . . . .	61
B.1	General . . . . .	61
B.2	Qualification of In-Service Welding Procedures . . . . .	62
B.3	In-Service Welder Qualification . . . . .	63
B.4	Suggested In-Service Welding Practices . . . . .	64
B.5	Inspection and Testing of In-Service Welds . . . . .	67
B.6	Standards of Acceptability: Nondestructive Testing (Including Visual) . . . . .	67
B.7	Repair and Removal of Defects . . . . .	67

#### Figures

1	Sample Procedure Specification Form . . . . .	4
2	Sample Coupon Test Report . . . . .	5
3	Location of Test Butt-Weld Specimens for Procedure Qualification Test . . . . .	9
4	Tensile-Strength Test Specimen . . . . .	10
5	Nick-Break Test Specimen . . . . .	10
6	Root- and Face-Bend Test Specimen: Wall Thicknesses Less Than or Equal to 0.500 in. (12.7 mm) . . . . .	11
7	Side-Bend Test Specimen: Wall Thicknesses Greater than 0.500 in. (12.7 mm) . . . . .	12
8	Dimensioning of Imperfections in Exposed Weld Surfaces . . . . .	12
9	Jig for Guided-Bend Tests . . . . .	13
10	Location of Nick-Break Test Specimens: Fillet-Weld Procedure and Welder Qualification Test Welds . . . . .	14
11	Location of Nick-Break Test Specimens: Fillet-Weld Procedure and Welder Qualification Test Welds, Including Size-to-Size, Branch-Connection Welder Qualification Test . . . . .	14
12	Location of Test Butt-Weld Specimens for Welder Qualification Test . . . . .	17
13	Inadequate Penetration Without High-Low (IP) . . . . .	21
14	Inadequate Penetration Due to High-Low (IPD) . . . . .	23
15	Inadequate Cross Penetration (ICP) . . . . .	23
16	Incomplete Fusion at Root of Bead or Top of Joint (IF) . . . . .	23
17	Incomplete Fusion Due to Cold Lap (IFD) . . . . .	23
18	Internal Concavity (IC) . . . . .	23
19	Maximum Distribution of Gas Pockets: Wall Thicknesses Less Than or Equal to 0.500 in. (12.7 mm) . . . . .	25
20	Maximum Distribution of Gas Pockets: Wall Thicknesses Greater Than 0.500 in. (12.7 mm) . . . . .	26
21	Standard Penetrameter . . . . .	32
22A	Reference Block for Manual UT . . . . .	36
22B	Establishing Distance, Refracted Angle, and Velocity . . . . .	37

	Page	
22C	Transfer Procedure . . . . .	37
23	Location of Test Butt-Weld Specimens for Flash-Weld Procedure Qualification Test: Outside Diameter Greater Than 18 in. (457 mm) but Less Than or Equal to 24 in. (610 mm) . . . . .	42
24	Location of Test Butt-Weld Specimens for Flash-Weld Procedure Qualification Test: Outside Diameter Greater Than 24 in. (610 mm) but Less Than or Equal to 30 in. (762 mm) . . . . .	43
25	Location of Test Butt-Weld Specimens for Flash-Weld Procedure Qualification Test: Outside Diameter Greater Than 30 in. (762 mm) . . . . .	44
26	Two-Inch Nick-Break Test Specimen . . . . .	45
A-1	Location of CTOD Test Specimens . . . . .	51
A-2	Machining Objective for CTOD Test Specimen With Respect to Pipe Wall . . . . .	52
A-3	Location of Notch for Weld-Metal Specimen . . . . .	52
A-4	Location of Notch for Heat-Affected Zone Specimen . . . . .	52
A-5	Alternative Acceptance Criteria for Circumferential Planar Imperfections . . . . .	53
A-6	Criteria for Evaluation of Imperfection Interaction . . . . .	56
A-7	Length Limit for Deep Imperfections in Heavy-Wall Pipe . . . . .	58
A-8	Nomenclature for Dimensions of Surface and Buried Imperfections . . . . .	59
B-1	Examples of Typical Temper-Bead Deposition Sequences . . . . .	61
B-2	Suggested Procedure and Welder Qualification Test Assembly . . . . .	64
B-3	Location of Test Specimens—In-Service Welding Procedure Qualification Test . . . . .	65
B-4	Macro Test Specimen—In-Service Welds . . . . .	66
B-5	Face-Bend Test Specimen . . . . .	66
B-6	Reinforcing Pad . . . . .	67
B-7	Reinforcing Saddle . . . . .	68
B-8	Encirclement Sleeve . . . . .	68
B-9	Encirclement Tee . . . . .	69
B-10	Encirclement Sleeve and Saddle . . . . .	69
B-11	Encirclement Saddle . . . . .	70
 Tables		
1	Filler Metal Groups . . . . .	7
2	Type and Number of Test Specimens for Procedure Qualification Test . . . . .	8
3	Type and Number of Butt-Weld Test Specimens per Welder for Welder Qualification Test and Destructive Testing of Production Welds . . . . .	18
4	Maximum Dimensions of Undercutting . . . . .	29
5	Thickness of Pipe Versus Thickness of ASTM E 1025 Penetrameter . . . . .	31
6	Thickness of Pipe Versus Thickness of Penetrameter . . . . .	32
7	Thickness of Pipe Versus Diameter of ASTM E 747 Wire Penetrameter . . . . .	32
8	Type and Number of Test Specimens for Procedure Qualification Test (Flash Weld Only) . . . . .	41
A-1	Acceptance Limits for Buried Volumetric Imperfections . . . . .	54
A-2	Acceptance Limits for Unrepaired Arc Burns . . . . .	55
A-3	Imperfection Length Limits . . . . .	57
A-4	Allowable Imperfection Dimensions for Example . . . . .	58
A-5	Acceptable Planar Imperfection Dimensions for Example . . . . .	58
A-6	Example Alternative Acceptance Criteria . . . . .	59
B-1	Type and Number of Specimens—In-Service Welding Procedure Qualification Test . . . . .	65

# Welding of Pipelines and Related Facilities

## 1 General

### 1.1 SCOPE

This standard covers the gas and arc welding of butt, fillet, and socket welds in carbon and low-alloy steel piping used in the compression, pumping, and transmission of crude petroleum, petroleum products, fuel gases, carbon dioxide, and nitrogen and, where applicable, covers welding on distribution systems. It applies to both new construction and in-service welding. The welding may be done by a shielded metal-arc welding, submerged arc welding, gas tungsten-arc welding, gas metal-arc welding, flux-cored arc welding, plasma arc welding, oxyacetylene welding, or flash butt welding process or by a combination of these processes using a manual, semi-automatic, or automatic welding technique or a combination of these techniques. The welds may be produced by position or roll welding or by a combination of position and roll welding.

This standard also covers the procedures for radiographic, magnetic particle, liquid penetrant, and ultrasonic testing as well as the acceptance standards to be applied to production welds tested to destruction or inspected by radiographic, magnetic particle, liquid penetrant, ultrasonic, and visual testing methods.

The values stated in either inch-pound units or SI units are to be regarded separately as standard. Each system is to be used independently of the other, without combining values in any way.

Processes other than those described above will be considered for inclusion in this standard. Persons who wish to have other processes included shall submit, as a minimum, the following information for the committee's consideration:

- a. A description of the welding process.
- b. A proposal on the essential variables.
- c. A welding procedure specification.
- d. Weld inspection methods.
- e. Types of weld imperfections and their proposed acceptance limits.
- f. Repair procedures.

It is intended that all work performed in accordance with this standard shall meet or exceed the requirements of this standard.

## 2 Referenced Publications

The following standards, codes, and specifications are cited in this standard:

API

Spec 5L      *Specification for Line Pipe*

ASNT<sup>1</sup>

RP SNT-TC-1A *Personnel Qualification and Certification in Nondestructive Testing*

ACCP      *ASNT Central Certification Program*

ASTM<sup>2</sup>

E 164      *Standard Practice for Ultrasonic Contact Examination of Weldments*

E 165      *Standard Test for Liquid Penetrant Examination*

E 709      *Standard Guide for Magnetic Particle Examination*

E 747      *Standard Practice for Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology*

E 1025      *Standard Practice for Design, Manufacture, and Material Grouping Classification of Hole-Type Image Quality Indicators (IQI) Used for Radiology*

AWS<sup>3</sup>

A3.0      *Welding, Terms and Definitions*

A5.1      *Covered Carbon Steel Arc Welding Electrodes*

A5.2      *Iron and Steel Oxyfuel Gas Welding Rods*

A5.5      *Low Alloy Steel Covered Arc Welding Electrodes*

A5.17      *Carbon Steel Electrodes and Fluxes for Submerged Arc Welding*

A5.18      *Carbon Steel Filler Metals for Gas Shielded Arc Welding*

A5.20      *Carbon Steel Electrodes for Flux Cored Arc Welding*

A5.28      *Low Alloy Steel Filler Metals for Gas Shielded Arc Welding*

A5.29      *Low Alloy Steel Electrodes for Flux Cored Arc Welding*

BSI<sup>4</sup>

BS 7448: Part 2 *Fracture Mechanics Toughness Tests Part 2, Method for Determination of  $K_{Ic}$  Critical CTOD and Critical J Values of Welds in Metallic Materials*

<sup>1</sup>American Society for Nondestructive Testing, Inc., 1711 Arlingate Lane, P.O. Box 28518, Columbus, Ohio 43228-0518.

<sup>2</sup>American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, Pennsylvania 19428-2959.

<sup>3</sup>American Welding Society, 550 N.W. LeJeune Road, Miami, Florida 33126.

<sup>4</sup>British Standards Institution, British Standards House, 389 Chiswick High Road, London, W4 4AL, United Kingdom.