

Operation, Maintenance, Surveillance, and Troubleshooting of Gas-lift Installations

API RECOMMENDED PRACTICE 19G5
FIRST EDITION, JULY 2019



AMERICAN PETROLEUM INSTITUTE

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Copyright © 2019 American Petroleum Institute

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

- the term “shall” denotes a minimum requirement in order to conform to the standard;
- the term “should” denotes a recommendation or that which is advised but not required in order to conform to the standard;
- the term “may” is used to express permission or a provision that is optional;
- the term “can” is used to express possibility or capability.

Informative elements—As used in a standard, “informative” denotes elements that identify the document, introduce its content, and explain its background, development, and its relationship with other documents or provide additional information intended to assist the understanding or use of the document.

Normative elements—As used in a standard, “normative” denotes elements that describe the scope of the document and that set out provisions that are required to implement the standard.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

Page

| | | |
|------|---|----|
| 1 | Scope | 1 |
| 2 | Terms, Definitions, and Abbreviations | 1 |
| 2.1 | Terms and Definitions | 1 |
| 2.2 | Abbreviations | 2 |
| 3 | Gas-lift Operating System Components and Potential Problems | 2 |
| 3.1 | Purpose | 2 |
| 3.2 | Gas-lift System Components | 3 |
| 3.3 | Gas-lift System Operating Problems | 3 |
| 3.4 | Surface Facility Problems | 4 |
| 3.5 | Metering and Control Problems | 5 |
| 3.6 | Gas-lift Valve Problems | 6 |
| 3.7 | Well Equipment Problems | 6 |
| 3.8 | Gathering System Problems | 7 |
| 3.9 | Well Testing Problems | 8 |
| 3.10 | Production Handling Problems | 8 |
| 3.11 | Information Handling Problems | 9 |
| 3.12 | Surveillance and Control Problems | 10 |
| 4 | Gas-lift Operating Problems | 10 |
| 4.1 | Purpose | 10 |
| 4.2 | Under-lifted and Over-lifted Wells | 11 |
| 4.3 | Ineffective Gas Distribution | 18 |
| 4.4 | Unstable Gas-lift Operation | 18 |
| 4.5 | Types and Causes of Unstable Operation | 20 |
| 4.6 | Other Problems | 23 |
| 5 | Surface Gas-lift Compression, Dehydration, and Distribution | 24 |
| 5.1 | Purpose ²⁴ | |
| 5.2 | Compression Facility | 25 |
| 5.3 | Gas Dehydration Facility | 27 |
| 5.4 | Gas-lift Distribution System | 29 |
| 6 | Gas Injection Metering and Control | 31 |
| 6.1 | Purpose | 31 |
| 6.2 | Gas Metering | 31 |
| 6.3 | Injection Control | 33 |
| 7 | Gas-lift Valves | 36 |
| 7.1 | Purpose | 36 |
| 7.2 | Unloading Valves | 36 |
| 7.3 | Operating Valve(s) | 38 |
| 8 | Well Equipment Tubulars, Completion, and Wellhead | 39 |
| 8.1 | Purpose | 39 |
| 8.2 | Casing/Tubing Annulus | 39 |
| 8.3 | Tubing | 41 |
| 8.4 | Completion | 42 |
| 8.5 | Wellhead | 44 |
| 8.6 | Wellhead Monitoring and Control | 45 |
| 9 | Gathering System-flowline and Manifold | 47 |

Contents

| | Page |
|----------------|--|
| 9.1 | Purpose 47 |
| 9.2 | Flowline 48 |
| 9.3 | Manifold 50 |
| 10 | Well Production Rate Testing 51 |
| 10.1 | Purpose 51 |
| 10.2 | Well Testing 51 |
| 10.3 | Well Test Equipment 57 |
| 10.4 | Well Test Measurements 59 |
| 11 | Production Handling System 61 |
| 11.1 | Purpose 61 |
| 11.2 | Oil Handling System 62 |
| 11.3 | Water Handling System 62 |
| 11.4 | Gas Handling System 62 |
| 12 | Guidelines for Collecting and Using Operating Information 63 |
| 12.1 | Purpose 63 |
| 12.2 | Well Test Information 63 |
| 12.3 | Downtime Information 66 |
| 12.4 | Pressure and Temperature Surveys 67 |
| 12.5 | Injection Pressure and Rate Measurements 73 |
| 12.6 | Wellhead Production Pressure, Temperature, and Rate 74 |
| 13 | Manual and Automated Well Operation and Control 76 |
| 13.1 | Purpose 76 |
| 13.2 | Manual Operations 76 |
| 13.3 | Automated Operations 77 |
| 14 | Procedures for Initial Unloading and Kickoff 79 |
| 14.1 | Purpose 79 |
| 14.2 | General Unloading Recommendations 79 |
| 14.3 | Unloading Continuous Gas-lift Wells 80 |
| 14.4 | Restarting (Kick-off) Continuous Gas-lift Wells 82 |
| 14.5 | Unloading Intermittent Gas-lift Wells 82 |
| 14.6 | Restarting (Kick-off) Intermittent Gas-lift Wells 84 |
| 15 | Procedures for Adjusting (Fine-tuning) Gas-lift Injection Rates 84 |
| 15.1 | Purpose 84 |
| 15.2 | Continuous Gas-lift Wells with Steady Pressure 84 |
| 15.3 | Continuous Gas-lift Wells with Variable Injection Pressures 85 |
| 15.4 | Intermittent Wells with Time Cycle Control 85 |
| 15.5 | Intermittent Wells with Choke Control 86 |
| 15.6 | Intermittent Wells with Automatic Control 87 |
| 15.7 | Flowline Chokes 87 |
| | Bibliography 88 |
| Figures | |
| 1 | Gas-lift System Components 5 |
| 2 | Problem of Injecting Gas through an Upper Gas-lift Valve 13 |
| 3 | Problem of Under-injection—Injecting Too Little Gas 14 |

Contents

| | Page |
|------------|---|
| 4 | Over-injection of Gas 15 |
| 5 | Determining the Optimum Gas Injection Rate. 16 |
| 6 | High Injection Pressure Causing an Upper Valve to Open 17 |
| 7 | Under-injection—Causing Operating Valve to Flood 22 |
| 8 | Hydrate Conditions..... 27 |
| 9 | Water Content vs Temperature and Pressure 28 |
| 10 | Finger Distribution System 29 |
| 11 | Looped Distribution System 30 |
| 12 | Adjustable Choke for Continuous Gas-lift Control. 84 |
| Tables | |
| 1 | Well Test Data Expressed in Oil Field Units 65 |
| 2 | Well Test Data Expressed in Metric Units 65 |

Introduction

These recommended practices and requirements are offered to assist gas-lift system operators, analysts, technicians, engineers, and others in understanding how to effectively plan, operate, maintain, troubleshoot, and provide surveillance of gas-lift systems and gas-lift wells.

These recommended practices discuss continuous gas-lift with injection down the casing/tubing annulus and production up the tubing. Annular flow gas-lift (injection down the tubing and production up the annulus), dual gas-lift (two tubing strings in the same casing), and intermittent gas-lift are mentioned; however, most of the discussion focuses on conventional continuous gas-lift. Many of the recommended practices in this document can be pertinent to the other forms of gas-lift, but they should be considered and used with caution. Other API recommended practices address dual gas-lift (API 19G9) and intermittent gas-lift (API 19G10).

This document includes the following.

- Gas-lift operating system components and potential problems.

Sections 3 through 13 describe the several components of an operating gas-lift system and discuss a number of problems that can be encountered and addressed to operate a gas-lift system effectively and efficiently. These sections may be used for:

- part of a training course dealing with gas-lift system operation;
 - a review before beginning a major gas-lift system study;
 - a review before designing or modeling a gas-lift system, or both;
 - a review before trying to troubleshoot difficult gas-lift system problems.
- Recommended practices for gas-lift operation, maintenance, surveillance, and troubleshooting.

Sections 14 and 15 are revisions/upgrades of information that has been in existence since the first edition of this document. These sections contain recommended practices for common gas-lift operations:

- initial unloading of the completion or workover fluid from the annulus of the gas-lift well;
- restarting or kickoff after a period of downtime;
- adjusting or fine-tuning the gas injection rate for optimum operation.

These sections discuss commonly used gas-lift troubleshooting tools. They conclude with sections that review the potential locations of gas-lift problems, a table of possible causes and cures of some common gas-lift system problems, and a troubleshooting checklist.

These sections are recommended for use as:

- part of a training course dealing with gas-lift system operation;
- part of a training course dealing with gas-lift system maintenance;
- a review before trying to troubleshoot a difficult gas-lift operating problem.

Operation, Maintenance, Surveillance, and Troubleshooting of Gas-lift Installations

1 Scope

This recommended practice (RP) provides guidance, background, and requirements for the application and use of gas-lift wells and their related systems. Discussion is included for operation, maintenance, surveillance, and troubleshooting of gas-lift wells and installations.

This RP is intended for use by managers, production technologists, reservoir engineers, facilities engineers, production engineers, well testing engineers, well analysts, operators, and researchers who want to gain a general understanding of gas-lift wells and gas-lift operations. It can be used to prepare and present courses on gas-lift wells and operations.

This RP focuses primarily on continuous gas-lift. However, use of intermittent gas-lift, dual gas-lift, and gas-lift for gas wells is mentioned.

2 Terms, Definitions, and Abbreviations

2.1 Terms and Definitions

For the purposes of this document, the following definitions apply.

2.1.1

bottomhole pressure

BHP

The pressure measured at the midpoint of the perforated interval.

2.1.2

flowing bottomhole pressure

FBHP

The pressure measured at the bottom of the well, at the midpoint of the perforations, when the well is on production.

2.1.3

inflow performance relationship

IPR

The ratio of production rate (expressed in bbl/day or m³/day) divided by the pressure drawdown (static bottomhole pressure minus flowing bottomhole pressure).

2.1.4

injection pressure operated gas-lift valve

IPO gas-lift valve

A gas-lift valve where the primary opening pressure is provided by the injection pressure.

NOTE The injection pressure is provided by the casing pressure.

2.1.5

production pressure operated gas-lift valve

PPO gas-lift valve

A gas-lift valve where the primary opening pressure is provided by the production pressure.

NOTE The production pressure is provided by the tubing pressure.