

AS 4192:2022



Illuminated flashing arrow signs



AS 4192:2022

This Australian Standard ® was prepared by LG-006, Road Traffic Signals. It was approved on behalf of the Council of Standards Australia on 2 June 2022.

This Standard was published on 17 June 2022.

The following are represented on Committee LG-006:

- Australian Industry Group
- CIE Australia
- Department for Infrastructure and Transport, SA
- Department of Transport, VIC
- Department of Transport and Main Roads, Qld
- Intelligent Transport Systems Australia
- Main Roads Western Australia
- Traffic Management and Safety — Roads, ACT
- Transport for NSW

This Standard was issued in draft form for comment as DR AS 4192:2022.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

ISBN 978 1 76113 828 7

Illuminated flashing arrow signs

Originated as AS/NZS 4192:1994.
Revised and redesignated as AS 4192—2006.
Third edition 2022.

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2022

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

Preface

This Standard was prepared by Standards Australia Committee LG-006, Road Traffic Signals, to supersede AS 4192—2006.

The objective of this document is to specify requirements for the design, construction and performance of signs intended to display specific patterns of flashing yellow, circular lit elements, including arrows, typically used for the temporary diversion of vehicular traffic on roads. It specifies three sizes of signs, which are typically mounted on either a motor vehicle or trailer.

The major changes in this edition are as follows:

- (a) To allow for the use of other technologies as well as 5 mm LED.
- (b) Revision of detailed requirements for photometric and colourmetric measurements.
- (c) Re-format of document in line with new standard requirements.

The use of illuminated flashing arrow signs is subject to regulation by traffic control authorities. Guidance on their use is provided in AS 1742.3.

The terms “normative” and “informative” are used in Standards to define the application of the appendices to which they apply. A “normative” appendix is an integral part of a Standard, whereas an “informative” appendix is only for information and guidance.

Contents

Preface	ii
Section 1 Scope and general	1
1.1 Scope	1
1.2 Normative references	1
1.3 Terms and definitions	1
1.4 Sign classification	2
Section 2 Design	4
2.1 Markings and labels	4
2.1.1 General	4
2.1.2 Display panel and controller	4
2.1.3 Operating instructions	4
2.1.4 Trailer mounted signs	4
Section 3 Mechanical requirements	5
3.1 General construction	5
3.2 Surface finish	5
3.3 Mounting and screening of light-emitting elements	5
3.4 Maintainability	5
Section 4 Electrical requirements	6
4.1 Lamp supply voltage	6
4.2 Low voltage protection	6
4.3 Drive current	6
4.4 Overload protection	6
4.5 Electromagnetic compatibility	6
4.5.1 Immunity	6
4.5.2 Electromagnetic emissions	6
Section 5 Display and optical requirements	7
5.1 Display requirements	7
5.1.1 Sign sizes and viewing distances	7
5.1.2 Dimensions and element layout	7
5.2 Optical requirements	9
5.2.1 Appearance	9
5.2.2 Size	10
5.2.3 Luminous intensity	10
5.2.4 Correlation of axes	10
5.2.5 Colour	10
5.2.6 Sun phantom and veiling reflections	13
Section 6 Operation and control	14
6.1 Lamp switching sequences	14
6.2 Provision for fail-safe operation	14
6.3 Operator controls	14
6.4 Light sensor	14
6.5 Automatic dimming facility	17
6.6 Element luminous intensity of the unlit state	17
6.7 Operations and maintenance manual	17
Section 7 Environmental requirements	18
7.1 Temperature and humidity	18
7.2 Enclosure protection	18
7.3 Wind loading	18
Section 8 Particular requirements for vehicle-mounted signs	19
8.1 Arrangement	19
8.2 Mounting facilities	19
8.3 Power supply	19

8.4	Interconnecting cables.....	19
Section 9	Particular requirements for trailer-mounted signs	20
9.1	Arrangement.....	20
9.2	Security	20
9.3	Power supply system.....	20
9.4	Trailer design.....	21
Appendix A	(informative) Purchasing guidelines.....	22
Appendix B	(normative) Test conditions and procedures for photometric and colorimetric measurements.....	23
Bibliography	30

Australian Standard®

Illuminated flashing arrow signs

Section 1 Scope and general

1.1 Scope

This document specifies requirements for the design, construction and performance of signs intended to display specific patterns of flashing yellow, circular lit elements, including arrows, typically used for the temporary diversion of vehicular traffic on roads. It specifies three sizes of signs which are typically mounted on either a motor vehicle or trailer.

This document states the intended maximum viewing distance for each type of sign specified. It does not cover the appropriate use of each type of sign.

NOTE 1 Refer to AS 1742.3 and the relevant traffic authority regulation for the appropriate use of each type of sign.

NOTE 2 See [Appendix A](#) for details of the information that should be supplied with an enquiry or order for illuminated flashing arrow signs to this document.

1.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

NOTE Documents referenced for informative purposes are listed in the Bibliography.

AS 1742.3, *Manual of uniform traffic control devices, Part 3: Traffic control for works on roads*

AS 60529, *Degrees of protection provided by enclosures (IP Code)*

AS/NZS 1170.2, *Structural design actions, Part 2: Wind actions*

AS/NZS 2633, *Guide to the specification of colours*

AS/NZS 4509, *Stand-alone power systems, Part 1: Safety and installation, Part 2: System design*

AS/NZS 5033, *Installation and safety requirements for photovoltaic (PV) arrays*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

ISO/CIE 19476, *Characterization of the performance of illuminance meters and luminance meters*

CIE 15, *Colorimetry*

CIE 18.2, *Basis of Physical Photometry*

CIE 70, *Measurement of Absolute Luminous Intensity Distributions*

CIE 127, *Measurements of LEDs*

CIE 233, *Calibration, Characterization and Use of Array Spectroradiometers*

1.3 Terms and definitions

For the purpose of this document, the following terms and definitions apply.