


An ACI Technical Publication

SYMPOSIUM VOLUME



Advances in Repair/Retrofit/Strengthening,
Design and Analysis of Structures

SP-358

Editor:
M Shahria Alam



American Concrete Institute
Always advancing

Advances in Repair/Retrofit/ Strengthening, Design and Analysis of Structures

Sponsored by
ACI Committees 341 and 441

ACI Concrete Convention
April 2-6, 2023
San Francisco, CA

Editor:
M Shahria Alam



American Concrete Institute
Always advancing

SP-358

First printing, October 2023

Discussion is welcomed for all materials published in this issue and will appear ten months from this journal's date if the discussion is received within four months of the paper's print publication. Discussion of material received after specified dates will be considered individually for publication or private response. ACI Standards published in ACI Journals for public comment have discussion due dates printed with the Standard.

The Institute is not responsible for the statements or opinions expressed in its publications. Institute publications are not able to, nor intended to, supplant individual training, responsibility, or judgment of the user, or the supplier, of the information presented.

The papers in this volume have been reviewed under Institute publication procedures by individuals expert in the subject areas of the papers.

Copyright © 2023
AMERICAN CONCRETE INSTITUTE
38800 Country Club Dr.
Farmington Hills, Michigan 48331

All rights reserved, including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by any electronic or mechanical device, printed or written or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

Printed in the United States of America

Editorial production: Ryan M Jay

ISBN-13: 978-1-64195-229-3

Advances in Repair/Retrofit/Strengthening, Design and Analysis of Structures

With the aging and deterioration of infrastructure, the need for repair, strengthening, and rehabilitation of existing structures continues to increase. Climate change makes extending the service life of our infrastructure critical since any demolition and new construction will trigger substantial amounts of carbon emissions. Research related to repairing and strengthening existing infrastructure is seeing major developments as new green materials and technologies become available. Improved assessment and retrofit of deficient structures, and performance-based design of new structures are also in high demand. Despite the progress, there are many challenges yet to be addressed. The main objective of this Special Publication is to present results from recent research studies (experimental/numerical/analytical) on the retrofit and repair of structural elements along with the assessment, analysis, and design of structures. Several of these papers were presented at the ACI Fall Convention “Seismic Repair/Retrofit/Strengthening of Bridges at the Element or System Level: Parts 1 and 2.”

The presented studies cover various aspects of structural retrofitting and strengthening techniques including the use of rubberized engineered cementitious composite for enhancing the properties of lightweight concrete elements, high-performance concrete jacketing to strengthen reinforced concrete piers/columns, and the behavior of fiber-reinforced-polymer-wrapped concrete cylinders under different environmental conditions. Additionally, the research explores the behavior of concrete-filled FRP tubes under axial compression, innovative bridge retrofit technologies, and retrofit techniques for deficient reinforced concrete columns. There is also a focus on evaluating the seismic response of retrofitted structures, designing guidelines for seismic retrofitting using tension-hardening fiber-reinforced concrete, strengthening unreinforced masonry walls with ferrocement overlays, and developing seismically resilient concrete piers reinforced with titanium alloy bars. The seismic response of a retrofitted curved bridge was also presented where elastomeric bearings of the as-built bridge were replaced by high damping rubber bearings as a part of the seismic retrofit. Recommendations for nonlinear finite element analysis of reinforced concrete columns under seismic loading are also presented to simulate their behavior up to collapse.

Overall, the presented studies in this Special Publication demonstrate the potential of new materials, methods, and technologies to improve the performance of various structural elements under different loading conditions, including seismic and environmental loads. These studies are expected to help our practitioners and researchers not only develop more effective and sustainable methods for repairing and strengthening of structures but also improve their analysis and design skills.

TABLE OF CONTENTS

SP-358-1:

Use of Rubberized ECC in repair/strengthening lightweight concrete elements 1-20
Authors: Basem H. AbdelAleem and Assem A. A. Hassan

SP-358-2:

Strengthening of Reinforced Concrete Piers with High Performance Concretes.....21-40
Authors: Khandaker M. A. Hossain, Ali E. Yeganeh, and Philip Loh

SP-358-3:

Behavior Of Frp Wrapped Cylinders Under Various Environmental Conditions..... 41-61
Authors: Muhammad Faizan Qureshi, Shamim A. Sheikh, Zahra Kharal

SP-358-4:

Behavior of High Strength Concrete - Filled Hybrid Recyclable Large - Small Rupture
Strains FRP Tubes under Cyclic Compression62-86
Authors: Monika Nain, Mohanad M. Abdulazeez, and Mohamed A. ElGawady

SP-358-5:

Transverse Prestressing of Bridge Columns for Seismic Retrofit and Repair.....87-105
Authors: Murat Saatcioglu

SP-358-6:

Active Confinement of RC Columns with External Post-tensioned Clamps106-125
Authors: Julián D. Rincón, Kinsey C. Skillen, Santiago Pujol, Yu-Mei Chen, Aishwarya Y. Puranam,
and Shyh-Jiann Hwang

SP-358-7:

Seismic Performance Assessment of Retrofitted Curved RC Bridge: A Case Study 126-157
Authors: Mohammad Raihan Mukhlis, Sohel Rana, and M. Abdur R. Bhuiyan

SP-358-8:

Design of Bridge Pier Seismic Retrofit Using THFRC..... 158-178
Authors: Ismail Mohammed, Konstantinos Tsiotsias and S. J. Pantazopoulou

SP-358-9:

Review of Tests on Ferrocement Retrofitted Unreinforced Masonry179-205
Authors: Raquib Ahsan, Shegufta Zahan, and Jannatun Nahar

SP-358-10:

A Seismic Resilient Concrete Pier System Incorporating Titanium Alloy Bars and Comparison with
Conventional Reinforced Concrete206-229
Authors: Mahesh Acharya, Jose Duran, and Mustafa Mashal

SP-357-11:

Recommendations for Nonlinear Finite Element Analyses of Reinforced Concrete Columns Under
Seismic Loading up to Collapse230-250
Authors: Seyed Sasan Khedmatgozar Dolati, Adolfo Matamoros, and Wassim Ghannoum

SP-358_01

Use of Rubberized ECC in repair/strengthening lightweight concrete elements

Basem H. AbdelAleem and Assem A. A. Hassan

Synopsis: This study aims to present a new technology for repairing/strengthening lightweight concrete (LWC) elements. Rubberized engineered cementitious composite (RECC) was used to repair/strengthen LWC specimens to develop a lightweight composite with superior mechanical properties and impact resistance. Two different sizes of rubber aggregate were used in RECC: crumb rubber (CR) and powder rubber (PR). The studied parameters included different RECC layer thicknesses and different cross-section locations. The tested properties were compressive strength, splitting tensile strength, flexural strength, drop weight impact resistance, and flexural impact resistance. The bond strength at the interface between LWC and RECC was also investigated. The results revealed that repair/strengthening LWC with RECC layer showed a promising lightweight composite with enhanced mechanical properties and impact resistance. Using CR in the RECC repair layer showed better enhancement in the drop weight impact resistance than using PR, while using PR was more significant in enhancing the composite's static flexural strength and flexural impact resistance. The results also revealed that the flexural impact resistance of the sample was significantly enhanced when RECC layer was placed on the tension side (bottom side), while the drop-weight impact resistance was noticeably improved when RECC was placed on the compression side (top side).

List of notations

LWC	Lightweight concrete
RECC	Rubberized Engineered cementitious composites
CR	Crumb rubber
PR	Powder Rubber
CRECC	Crumb rubber-Engineered cementitious composites
PRECC	Powder rubber-Engineered cementitious composites
MK	Metakaolin
FA	Fly Ash
C	Cement
BC	Binder content
SCM	Supplementary cementing materials
S	Normal sand
SS	Silica Sand
PVA	Polyvinyl Alcohol fibers
STS	Splitting tensile strength
f_c	Compressive strength
B-CRECC	LWC sample with a bottom layer of CRECC
B-PRECC	LWC sample with a bottom layer of PRECC
T-CRECC	LWC sample with a top layer of CRECC
T-PRECC	LWC sample with a top layer of PRECC

Keywords: Rubberized engineered cementitious composites; impact resistance; drop-weight impacts; lightweight concrete; mechanical properties; Crumb rubber; powder rubber; supplementary cementing materials.