

Standard for Subsea Production and Processing Control Systems

API STANDARD 17F
FIFTH EDITION, APRIL 2023



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Copyright © 2023 American Petroleum Institute

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

1	Scope.....	1
2	Normative References	1
3	Terms, Definitions, Acronyms, Abbreviations, and Symbols	4
3.1	Terms and Definitions	4
3.2	Acronyms, Abbreviations, and Symbols	10
4	System Requirements	14
4.1	General	14
4.2	Subsea Control System Functionality Requirements	17
4.3	General Requirements	20
4.4	Functional Requirements	32
4.5	Design Requirements	38
5	Surface Equipment	45
5.1	General	45
5.2	General Requirements	45
5.3	Functional Requirements	46
5.4	Design Requirements	46
6	Subsea Equipment.....	52
6.1	General	52
6.2	General Requirements	53
6.3	Functional Requirements	53
6.4	Design Requirements	54
7	Interfaces	67
7.1	General	67
7.2	Interface to Host Facility	67
7.3	Interface to Subsea Power and Communications Infrastructure.....	68
7.4	Interface to Workover Control System	68
7.5	Interface to Subsea Control and Monitoring Devices	68
8	Materials and Fabrication.....	70
8.1	General	70
8.2	Materials.....	70
8.3	Fabrication	71
9	Testing.....	72
9.1	General	72
9.2	Qualification Testing.....	73
9.3	Factory Acceptance Tests	83
9.4	Documentation	89
10	Marking, Packaging, Storage, and Shipping.....	89
10.1	Marking	89
10.2	Packaging	89
10.3	Storage and Shipping	90
	Annex A (normative) Obsolescence Management.....	92
	Annex B (normative) Subsea Electrical and Optical Connectors and Flying Leads	99
	Annex C (normative) Property Requirements of Control Fluids	170

Annex D (normative) Analog Devices—SIIS Level 1	209
Annex E (normative) Digital Serial Devices—SIIS Level 2	210
Annex F (normative) Digital Serial Devices—SIIS Level 2 Test Specification	222
Annex G (normative) Intelligent Well Devices, Intelligent Well Interface Standardization	253
Annex H (normative) Ethernet TCP/IP Devices—SIIS Level 3	264
Annex I (normative) SIIS Device Data Sheet	270
Annex J (informative) MCS to DCS Interface Standardization	272
Annex K (normative) Insulation Resistance Testing	273
Bibliography	274

Figures

1	Typical Subsea Control System Elements	16
2	Hydraulic Power Unit Pressure Specification Overview	22
3	Hydraulic System Operating Pressures Overview	23
4	Internal Hydrostatic Test Pressure Calculation	74
5	Acceleration, <i>g</i>, over Mechanical Vibration Frequency	80
6	Acceleration Spectral Density over Frequency Range	88
A.1	IEC 62402—Obsolescence Management Activities	94
A.2	IEC 62402—Obsolescence Management versus Product Life Cycle	94
B.1	Principal Components of a Connector Assembly	103
B.2	SIIS Twisted-pair Link Segment	158
B.3	SCM Sensor Test Points	162
B.4	Subsea Link Segment Assembly Test Points	163
C.1	Test Setup	193
C.2	Schematic of Falex Tester	207
E.1	Overview of Digital Serial Interface	210
E.2	Bit-timing Illustration	212
E.3	Example Topologies for Digital Service Interface with FT-CAN Interface	213
E.4	Example Topologies for Digital Service Interface with HS-CAN Interface #1	213
E.5	Example Topologies for Digital Service Interface with HS-CAN Interface #2	214
E.6	Transparent Communication Channel Reference System	216
E.7	Sequence Diagram of Valid Read/Write Operation	219
E.8	Sequence Diagram of Invalid Read/Write Operation	219
F.1	Instrument Test Setup	222
F.2	Inrush Current Test Setup	223
F.3	Power Consumption Test Setup	223
G.1	Typical Communication Port Interface	256
G.2	Hydraulic Interface Direct Control	259
G.3	Physical Option 3 Hydraulic Module	260
G.4	Example Systems Physical Flow Diagram	262
H.1	SIIS Level 3 Overview	264
H.2	Transparent SIIS Level 3 Data Flow Diagram	265
H.3	Data Aware SIIS Level 3 Data Flow Diagram	266
H.4	Reuse of Physical Connection	267

Tables

1	Temperature Rating—Subsea-installed Equipment	21
2	Pressure Relations.....	24
3	Contaminated Fluid Cycle Testing—Cycles.....	76
4	Contaminated Fluid Cycle Testing—Minimum Concentration Limits	76
5	EMC Test Matrix	82
B.1	Performance Parameters Summary	101
B.2	Summary of Connector Qualification Testing.....	110
B.3	Summary of Hose and Hose Termination Qualification Testing.....	110
B.4	Summary of Flying Lead Assembly Qualification Testing	111
B.5	Summary of Connector Qualification Testing (Dry-mate)	111
B.6	Summary of Flying Lead Assembly Qualification Testing (Dry-mate)	112
B.7	General Material Qualification and Batch Testing.....	112
B.8	Connector Duration Testing	123
B.9	Turbid Tank Testing Sequence.....	125
B.10	Flooded Connector Back-end Testing	128
B.11	Flooded Connector Front-end Testing	129
B.12	Simulated Deployment Testing	139
B.13	Summary of FAT Requirements (Wet-mate).....	144
B.14	Summary of FAT Requirements (Dry-mate)	145
B.15	Summary of FAT Requirements (Flying Lead Assemblies).....	145
B.16	Summary of FAT Requirements (Dry-mate Flying Lead Assemblies).....	146
B.17	Single-connector Hyperbaric Testing	153
B.18	Single-connector Hyperbaric Testing (Mated)	155
B.19	Flying Lead Assembly Hyperbaric Testing	156
B.20	Dry-mate Flying Lead Assembly Hyperbaric Testing (Mated) Pressure	157
B.21	SIIS Twisted-pair Link Segment Test Points	158
B.22	SIIS Twisted-pair Link Segment Return Loss	160
B.23	Connecting Hardware Insertion Loss, Worst Pair	161
B.24	Connecting Hardware Return Loss.....	161
B.25	TP1–TP3 and TP4–TP6 Return Loss	163
B.26	Link Segment Assembly Return Loss	164
B.27	Cable Structural Return Loss, Worst Pair	165
B.28	Cable Return Loss, Worst Pair	165
B.29	Acceptance Criteria for Qualification Testing.....	167
B.30	Acceptance Criteria for FAT on SCM (TP1–TP3), Cable with Connectors (TP2–TP5), Intelligent Seabed Device (TP4–TP6).....	168
C.1	Test Setup.....	191
C.2	Stock Concentrations	194
C.3	Overview of Test Materials and Sample Size—Aqueous-based Fluids.....	196
C.4	Overview of Test Materials and Sample Size—Synthetic Oil-based Fluids	197
C.5	Recommended Procedures for Chemical Cleaning of the Specimens	200
C.6	Transformation of Corrosion Mass Loss into Corrosion Rate in Micrometers per Year ...	201
C.7	Fluid and Solids Standard Descriptors.....	206
C.8	Tabulation Chart for Falex Lubricant Test.....	208
E.1	Topside Interface Parameters.....	211
E.2	Subsea Interface Parameters.....	211
E.3	SIIS Level 2 Connector Pin Layout.....	214
E.4	Commands Specified in CiA-309-3.....	216
F.1	Test Equipment List.....	224

F.2	Instrument—Identification	225
F.3	Supported CAN Transceiver and Bit Rates	225
F.4	Instrument—Initial Settings	226
F.5	Instrument—Configure Node-ID	226
F.6	Instrument—Configure Bit Rate	228
F.7	Instrument—NMT Control	230
F.8	Instrument—Verify OD of Bootloader	232
F.9	Instrument—Verify OD of Application	233
F.10	Instrument—Verify PDO Transfer.....	235
F.11	Instrument—Verify PDO Inhibit Time.....	236
F.12	Instrument—Firmware Update, Locked Application	237
F.13	Instrument—Firmware Update, Locked Application, Invalid Key	238
F.14	Instrument—Firmware Update, Unerased Application	239
F.15	Instrument—Firmware Update, Corrupt File	240
F.16	Instrument—Firmware Update, Valid File.....	241
F.17	Instrument—Boot-up Time.....	242
F.18	Instrument—SDO Response Time	243
F.19	Instrument—Flash Access Delay	244
F.20	Instrument—Accuracy of Periodic Messages.....	245
F.21	Instrument—Message Interval.....	246
F.22	Instrument—High Busload.....	247
F.23	Instrument—Power Consumption.....	248
F.24	Instrument—Inrush Current.....	249
F.25	Instrument—Fault Tolerance	250
F.26	Instrument—Multiplex PDO Transfer	251
G.1	Euro Connector DIN 41612-2	254
G.2	Electrical Power Interface	257
H.1	Autonegotiation Advertisement Settings	268
I.1	General Information for SII5 Devices.....	270
I.2	Additional Information for SII5 Level 2 Devices	270
I.3	Additional Information for SII5 Level 3 Devices	271
K.1	Subsea Electrical Distribution IR Values.....	273

Standard for Subsea Production and Processing Control Systems

1 Scope

This standard is applicable to the design, fabrication, testing, installation, and operation of subsea production and processing control systems (SPCS).

This standard covers surface control system equipment, subsea-installed control system equipment, and control fluids. This equipment is used for control of subsea production and process of oil and gas and for subsea water and gas injection services. Where applicable, this standard can be used for secondary users.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Specification 6A, *Specification for Wellhead and Tree Equipment*

API Recommended Practice 17A, *Design and Operation of Subsea Production Systems—General Requirements and Recommendations*

API Specification 17D (2011), *Specification for Design and Operation of Subsea Production Systems—Subsea Wellhead and Tree Equipment*

API Specification 17E, *Specification for Subsea Umbilicals*

API Specification 17H, *Remotely Operated Tools and Interfaces on Subsea Production Systems*

API Recommended Practice 17P, *Recommended Practice for Subsea Structures and Manifolds*

API Specification Q1, *Specification for Quality Management System Requirements for Manufacturing Organizations for the Petroleum and Natural Gas Industry*

API Standard 520, *Sizing, Selection, and Installation of Pressure-relieving Devices*

API Standard 521, *Pressure-relieving and Depressuring Systems*

API Standard 670, *Machinery Protection Systems*

ASME Boiler and Pressure Vessel Code ¹, *Section V: Nondestructive Examination*

ASME Boiler and Pressure Vessel Code, *Section VIII: Rules for Construction of Pressure Vessels, Division 1*

ASME Boiler and Pressure Vessel Code, *Section IX: Welding, Brazing, and Fusing Qualifications*

ASME B31.3, *Process Piping*

ASTM D97 ², *Standard Test Method for Pour Point of Petroleum Products*

ASTM D903-98, *Standard Test Method for Peel or Stripping Strength of Adhesive Bonds*

¹ American Society of Mechanical Engineers, Two Park Avenue, New York, New York 10016, www.asme.org.

² ASTM International, 100 Barr Harbor Drive, West Conshohocken, Pennsylvania 19428, www.astm.org.