

Manual of Petroleum Measurement Standards Chapter 17.2

Measurement of Cargoes On Board Tank Vessels

THIRD EDITION, JANUARY 2023



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be used. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Users of this standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgement should be used in employing the information contained herein.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001-5571.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

	Page
1	Scope..... 1
2	Normative References 1
3	Terms, Definitions, Acronyms, and Abbreviations 1
3.1	Terms and Definitions 1
3.2	Acronyms and Abbreviations 6
4	Safety and Health Considerations 7
4.1	General 7
4.2	Static Electricity Hazards 7
4.3	Health Hazards 8
5	Differences Between Liquid Petroleum Gas/Liquid Natural Gas and Other Liquid Petroleum Products 8
5.1	General 8
5.2	Liquid Natural Gas/Liquid Petroleum Gas Quantity Measurements 9
5.3	Voyage Reconciliation 10
6	Open Measurement Equipment and Procedures for Liquid Products 10
6.1	General 10
6.2	Open Manual Sampling 10
6.3	Open Manual Gauging..... 10
6.4	Open Temperature Determination..... 11
7	Closed and Restricted Measurement 12
7.1	General 12
7.2	Manual Closed and Restricted Systems 12
7.3	Automatic Closed Systems 15
8	Sampling and Sample Handling 16
8.1	General 16
8.2	Manual Sampling Concepts and Objective 16
8.3	Dynamic Sampling 19
8.4	Manifold (Spot Line) Samples..... 19
8.5	Handling of Samples..... 19
8.6	Labeling of Samples 19
9	Data Collection, Tables, Basic Calculations, Records, and Reports..... 20
9.1	General 20
9.2	Data Collection 20
9.3	Observations, Measurements, and Calculations 20
9.4	Volume Correction Tables and Calculations 20
10	Special Considerations 21
10.1	General 21
10.2	High-viscosity and High-pour-point Cargoes 21
10.3	Heated Cargoes..... 21
10.4	Measurement On Board Rolling Marine Tank Vessels..... 21
10.5	Spiked Crudes 22
10.6	High Vapor Pressure Cargoes 22
10.7	Solidified OBQ/ROB 22

Contents

	Page
10.8 Out-of-Trim Vessels	22
10.9 Static Accumulator Cargoes	22
Annex A (informative) Physical Characteristics and Fire Considerations	23
Annex B (informative) Additional Instructions and Cautionary Notes	24
Bibliography.....	35

Figures

1	Typical Gauge Tapes, Bobs, and Water Gauge Bar	11
2	Example of a Portable Electronic Thermometer	12
3	Vapor Control Valves	13
4	Portable Measurement Unit (PMU).....	14
5	Illustration of Common Spot Sample Positions.....	17
6	Typical Portable Installation	19
B.1	Typical Double Hull Cross Section.....	25
B.2	Typical Mid-deck Very Large Crude Carrier (VLCC) Design.....	26
B.3	Typical OBO Cross Section	26
B.4	Typical ORO Cross Section	27
B.5	Draft Readings: U.S. Customary (USC) Unit	29
B.6	Draft Readings: Metric (SI) Unit.....	29
B.7	Method to Calculate Vessel's List Using Midships Draft Readings.....	30
B.8	Calculating a Trim Correction	31
B.9	Method to Calculate List Correction.....	32
B.10	Examples of Typical Special Weighted Bar and Bob Units.....	33

Introduction

This publication is intended to encourage the development of uniform practices for measurement of cargoes aboard marine tank vessels. It presents current methods of cargo measurement, but this is not intended to preclude the use of any new technology or the revision of the methods presented. To gain a better understanding of the methods described in this publication, the reader should review in detail the latest editions of the referenced publications.

Metric (SI) units are listed in this document in a manner that reflects current marine practice.

Nothing contained in this publication is intended to supersede any operating practices recommended by organizations such as the Oil Companies International Marine Forum (OCIMF) or individual operating companies nor is the publication intended to conflict with any safety or environmental considerations, local conditions, or the specific provisions of any contract.

All procedures described in this publication should be performed by or in the presence of the ship's master, the barge captain, or their representatives. For reasons of safety, only nonsparking equipment shall be used for measurements on board marine tank vessels.

Based on present technology, manual gauging, temperature measurement, and sampling are the most accurate overall methods for measuring quantities of cargo, free water, and onboard quantity (OBQ) and/or remaining on board (ROB) on marine tank vessels. Automatic gauging may be as accurate as manual gauging for measuring overall volumes if the manufacturer's instructions are followed and equipment is periodically calibrated and checked using manual gauging as a reference.

Safety and environmental regulations by all levels of government and other regulatory agencies worldwide are limiting and/or prohibiting the release of hydrocarbon vapors to the atmosphere with regard to tank vessel operations. Consequently, numerous measurement methods and devices are now being used, along with the development of new equipment that allow the necessary cargo measurements and samples to be taken without opening the vessel's gauge hatches.

The objective of this publication is to provide guidance to vessel and shore personnel on the generally accepted methods of determining cargo quantities on board marine tank vessels using open, closed, and restricted methods. This publication describes suggested techniques and procedures for measuring, calculating, reporting, and keeping records of quantities of crude oils and petroleum products transported in marine tank vessels.

Measurement of Cargoes On Board Tank Vessels

1 Scope

The determination of the quantity and quality of cargo on board marine tank vessels is frequently complex. It is necessary to accurately gauge, ascertain the temperature of, collect samples of, and calculate the amount of all materials contained in the vessel's lines, cargo tanks, and slop tanks. Other spaces on the vessel may also contain cargo, such as ballast tanks, double bottoms, cofferdams, and numerous other nondesignated cargo spaces, all of which have to be checked, and any volumes contained in them calculated. Measurement accountability (quantity and quality) has to further take into account conditions such as, but not limited to, OBQ/ROB, line fullness, preloading tank inspection, closed measurement and sampling systems, and special procedures for chemical and gas cargoes. Reconciliation of the foregoing may be required if gains or losses exceed expected tolerances.

The detailed requirements for performing all of these actions are contained in numerous *MPMS* standards. This publication identifies the methods for performing these procedures on crude oils; petroleum products; chemical cargoes; LPG and LNG, normally carried on board marine tank vessels; and guides the user to the appropriate standard/guidance document within the *MPMS* suite of standards.

2 Normative References

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any addenda) applies.

API Manual of Petroleum Measurement Standards Chapter 3.1A, Manual Gauging of Petroleum and Petroleum Products

API Manual of Petroleum Measurement Standards Chapter 7.3, Fixed Automatic Tank Temperature Systems

API Manual of Petroleum Measurement Standards Chapter 8.2/ASTM D4177,¹ Automatic Sampling of Petroleum and Petroleum Products

API Manual of Petroleum Measurement Standards Chapter 17.4, Method for Quantification of Small Volumes on Marine Vessels (OBQ/ROB)

3 Terms, Definitions, Acronyms, and Abbreviations

3.1 Terms and Definitions

For the purpose of this document, the following terms and definitions apply. Terms of more general use may be found in API *MPMS* Chapter 1, *Online Terms and Definitions Database*.

3.1.1 all levels sample

A sample obtained by lowering the closed sampling device to the bottom of the outlet suction level, but always above free water, then opening the sampler and raising it at a uniform rate such that it is between 70 % and 85 % full when withdrawn from the product.

¹ American Society for Testing and Materials (ASTM), 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, Pennsylvania 19428-2959, www.astm.org.