




**A3000-18**  
National Standard of Canada



# Cementitious materials compendium



# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# Revision History

## A3000-18, Cementitious materials compendium

Update No. 1 — May 2021	Revision symbol (in margin)
<p><b><u>A3001-18</u></b> Clauses <a href="#">2</a>, <a href="#">3</a>, <a href="#">4.1</a>, <a href="#">4.2.1</a>, <a href="#">5.7</a>, and <a href="#">C.2</a> Tables <a href="#">3</a>, <a href="#">4</a>, <a href="#">5</a>, <a href="#">6</a>, <a href="#">7</a>, <a href="#">8</a>, <a href="#">A.1</a>, and <a href="#">A.3</a></p> <p><b><u>A3002-18</u></b> Table <a href="#">1</a></p> <p><b><u>A3003-18</u></b> Clause <a href="#">12.9.1</a></p> <p><b><u>A3004-18</u></b> Clauses <a href="#">1</a>, <a href="#">7.2</a>, <a href="#">6.1.1</a>, and <a href="#">6.1.2</a> Test Methods <a href="#">A3004-A1</a>, <a href="#">A3004-B1</a>, <a href="#">A3004-B5</a>, <a href="#">A3004-B7</a>, and <a href="#">A3004-E1</a> Tables <a href="#">A.1</a>, <a href="#">A.2</a>, and <a href="#">2</a></p> <p><b><u>A3005-18</u></b> Clauses <a href="#">4.6</a>, <a href="#">4.24</a>, <a href="#">4.24.4</a>, <a href="#">4.25</a>, and <a href="#">4.26</a></p> <p><b><u>A3000-18</u></b> <a href="#">Index</a></p>	①

# ***Standards Update Service***

***A3000-18***

***November 2018***

**Title:** *Cementitious materials compendium*

To register for e-mail notification about any updates to this publication

- go to [www.csagroup.org/store/](http://www.csagroup.org/store/)
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2426020**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.

**Canadian Standards Association (operating as “CSA Group”)**, under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to  
CSA Group  
178 Rexdale Boulevard  
Toronto, Ontario, M9W 1R3  
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at [www.scc.ca](http://www.scc.ca).

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at [www.scc.ca](http://www.scc.ca).

Standards Council of Canada  
600-55 Metcalfe Street  
Ottawa, Ontario, K1P 6L5  
Canada



Cette Norme Nationale du Canada est disponible en versions française et anglaise.

*Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.*

*®A trademark of the Canadian Standards Association, operating as “CSA Group”*

# *National Standard of Canada*

## *A3000-18*

### ***Cementitious materials compendium***



*®A trademark of the Canadian Standards Association,  
operating as "CSA Group"*



*Published in November 2018 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at [www.csagroup.org/store/](http://www.csagroup.org/store/)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 91.100.10  
ISBN 978-1-4883-1323-3*

*© 2018 Canadian Standards Association  
All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.*

# Contents

Technical Committee on Cementitious Materials Compendium 8

Preface 13

## **A3001-18, Cementitious materials for use in concrete**

**1 Scope 16**

**2 Reference publications 16**

**3 Definitions 22**

**4 Requirements for portland cement, portland-limestone cement, and blended hydraulic cement 26**

4.1 Types 26

4.2 Nomenclature, proportions, and tolerances for components of blended hydraulic cement 27

4.2.1 Nomenclature 27

4.2.2 Proportions 27

4.2.3 Tolerances 27

4.3 Proportions and tolerances of portland-limestone cement 28

4.3.1 Proportions 28

4.3.2 Tolerances 28

4.4 Chemical requirements for portland cement, portland-limestone cement, and blended hydraulic cement 28

4.4.1 General 28

4.4.2 Limestone addition to hydraulic cement 28

4.4.3 Limestone addition to portland cement 28

4.4.4 Limestone addition to portland-limestone and blended portland-limestone cement 28

4.4.5 Cement and clinker requirements for use in blended hydraulic cements 28

4.4.6 Cement and clinker requirements for use in portland-limestone cements 29

4.4.7 Blended portland cement 29

4.4.8 Blended portland-limestone cement 29

4.4.9 Total equivalent alkali ( $\text{Na}_2\text{O}_{\text{eq}}$ ) in portland cement, portland-limestone cement, and blended hydraulic cement 29

4.5 Physical requirements for portland cement, portland-limestone cement, and blended hydraulic cement 29

4.6 Processing additions for portland cement, portland-limestone cement, and blended hydraulic cement 29

4.6.1 General 29

4.6.2 Identification and reporting 30

4.7 Compressive strength uniformity requirements for portland cement, portland-limestone cement, and blended hydraulic cement 30

4.7.1 General 30

4.7.2 Time of test 30

4.7.3 Uniformity calculations 30

<b>5</b>	<b>Requirements for supplementary cementitious materials and blended supplementary cementitious materials</b>	<b>31</b>
5.1	Types	31
5.2	Proportions of blended supplementary cementitious materials	32
5.2.1	Nomenclature	32
5.2.2	Tolerances	32
5.3	Special requirements	32
5.4	Chemical requirements	32
5.4.1	General	32
5.4.2	Chemical requirements for slag	33
5.4.3	Total equivalent alkali (Na <sub>2</sub> O <sub>eq</sub> )	33
5.5	Physical requirements	33
5.6	Processing additions	34
5.6.1	Fly ash and natural pozzolan	34
5.6.2	Slag	34
5.7	Materials and manufacture	34
5.7.1	General	34
5.7.2	Harvested ash	34
<b>6</b>	<b>Sampling, testing, and inspection</b>	<b>35</b>
<b>7</b>	<b>Units, packaging, marking, storage, and reporting</b>	<b>35</b>
7.1	General	35
7.2	Reporting	35
<b>Annexes</b>		
Annex A (informative)	— Optional requirements	44
Annex B (informative)	— Guidelines for the use of supplementary cementitious materials in concrete	48
Annex C (informative)	— Explanation of changes to types and nomenclature for portland cement, portland-limestone cement, and blended hydraulic cement	49
Annex D (informative)	— Sustainable development and the cement industry	51

---

## **A3002-18, *Masonry and mortar cement***

<b>1</b>	<b>Scope</b>	<b>61</b>
<b>2</b>	<b>Reference publications</b>	<b>61</b>
<b>3</b>	<b>Definitions</b>	<b>61</b>
<b>4</b>	<b>Masonry and mortar cement types</b>	<b>61</b>
<b>5</b>	<b>Test requirements</b>	<b>62</b>
5.1	General	62
5.2	Mortar proportions	62
5.3	Chloride in masonry and mortar cement	62
<b>6</b>	<b>Sampling, testing, and inspection</b>	<b>62</b>

- 6.1 General 62
- 6.2 Sampling 62
- 7 Packaging, marking, storage, and reporting 62**

**Annexes**

- Annex A (informative) — Optional requirements 64

---

**A3003-18, Chemical test methods for cementitious materials for use in concrete and masonry**

- 1 Scope 66**
  - 1.1 General 66
- 2 Reference publications 66**
- 3 Definitions 66**
- 4 Qualification criteria 66**
- 5 Qualification requirements and procedures 67**
- 6 Qualification procedure for rapid test methods 67**
  - 6.1 Qualification of instrument and procedure 67
  - 6.2 Instrument replacement 67
  - 6.3 Determinations 68
  - 6.4 Maximum permissible variations for acceptance as a qualified method 68
- 7 Equipment 68**
- 8 Reagents 68**
  - 8.1 General 68
  - 8.2 Water 68
  - 8.3 Concentrated reagents 68
  - 8.4 Dilute reagents 69
  - 8.5 Standard potassium dichromate ( $K_2Cr_2O_7$ ) solution 69
  - 8.6 Non-standard solutions 69
    - 8.6.1 General 69
    - 8.6.2 Ammonium nitrate ( $NH_4NO_3$ ) wash solution (100 g/L) 69
    - 8.6.3 Stannous chloride dihydrate ( $SnCl_2 \cdot 2H_2O$ ) solution (50 g/L) 69
  - 8.7 Standard liquids 69
  - 8.8 Indicators 69
    - 8.8.1 Methyl red (1 g/L) 69
    - 8.8.2 Barium diphenylamine sulphonate ( $Ba(C_6H_5NHC_6H_4SO_3)_2$ , 3 g/L) 69
- 9 General procedures 70**
  - 9.1 Weighing 70
  - 9.2 Tared or weighed crucibles 70
  - 9.3 Constancy of mass of ignited residues 70
  - 9.4 Procedure to avoid bumping of liquids being heated 70

9.5 Calculation 70

**10 Insoluble residue 70**

**11 Moisture content and loss on ignition 71**

11.1 General 71

11.2 Moisture content 72

11.3 Loss on ignition — Supplementary cementitious materials 72

11.3.1 Supplementary cementitious materials except  $G_H$  and  $G_L$  72

11.3.2  $G_H$  and  $G_L$  72

11.4 Loss on ignition — Hydraulic cements 72

11.5 Reporting of results 72

**12 Determination of the major oxides and tricalcium aluminate contents 72**

12.1 General 72

12.2 Procedure 73

12.3 Silicon dioxide ( $SiO_2$ ) 73

12.4 Combined oxides of the ammonium hydroxide ( $NH_4OH$ ) group 74

12.5 Calcium oxide ( $CaO$ ) 74

12.6 Magnesium oxide ( $MgO$ ) 75

12.7 Ferric oxide ( $Fe_2O_3$ ) 76

12.8 Aluminum oxide ( $Al_2O_3$ ) 77

12.9 Tricalcium aluminate ( $C_3A$ ) 77

**13 Determination of minor components 77**

13.1 General 77

13.2 Phosphorous pentoxide ( $P_2O_5$ ) 78

13.3 Titanium dioxide ( $TiO_2$ ) 78

13.4 Zinc oxide ( $ZnO$ ) 78

13.5 Manganese oxide ( $Mn_2O_3$ ) 78

13.6 Chloride ( $Cl$ ) 78

13.7 Free calcium oxide ( $FCaO$ ) 78

13.8 Alkali determination and total equivalent alkali calculation 78

13.8.1 Sodium and potassium oxides ( $Na_2O$ ,  $K_2O$ ) and total equivalent alkali ( $Na_2O_{eq}$ ) 78

13.8.2 Water soluble alkali ( $Alk_{sol}$ ) 78

13.8.3 Equivalent alkali (expressed as  $Na_2O$ ) 79

**14 Sulphur 79**

14.1 General 79

14.2 Sulphur trioxide ( $SO_3$ ) 79

14.3 Sulphide sulphur ( $S$ ) 80

---

**A3004-18, Test methods and standard practices for cementitious materials for use in concrete and masonry**

**1 Scope 83**

**2 Reference publications 83**

**3 Definitions 84****4 Equipment and materials 84****Annexes**

- A3004-A1 — Standard practice for sampling, testing, and inspection 85
- A3004-A2 — Test method for determination of density 96
- A3004-A3 — Test method for determination of fineness by wet sieving 99
- A3004-A4 — Glass content by the modified McMaster method 102
- A3004-A5 — Rapid test method for determining the tendency of silica fume to entrap air in mortar or concrete 104
- A3004-A6 — Test method for verification of sand 105
- A3004-B1 — Standard practice for mechanical mixing of hydraulic cement pastes and test method for determination of normal consistency 108
- A3004-B2 — Test method for time of set of hydraulic cement paste — Vicat needle 110
- A3004-B3 — Test method for time of set of hydraulic cement paste — Gillmore needles 113
- A3004-B4 — Test method for determination of atmospheric steam expansion 116
- A3004-B5 — Deleted — 118
- A3004-B6 — Test method for determination of early stiffening of cement paste 119
- A3004-B7 — Deleted — 122
- A3004-B8 — Test method for determination of heat of hydration by isothermal conduction calorimetry 123
- A3004-C1 — Standard practice for mechanical mixing of hydraulic cement mortars and test method for determination of flow 129
- A3004-C2 — Test method for determination of compressive strengths 131
- A3004-C3 — Test method for determination of water retention of masonry mortar 140
- A3004-C4 — Test method for determination of air content 142
- A3004-C5 — Test method for determination of expansion of hydraulic cement mortar bars due to internal cement sulphate attack 146
- A3004-C6 — Test method for determination of expansion of portland cement mortar bars due to external sulphate 150
- A3004-C7 — Test method for determination of 28-day activity index (ground granulated blast-furnace slag with portland cement) 154
- A3004-C8 — Test method for determination of expansion of blended hydraulic cement mortar bars due to external sulphate attack 157
- A3004-C9 — Test method for determination of flexural bond strength 162
- A3004-D1 — Methylene blue adsorption test of limestone for use in portland-limestone cement 167
- A3004-E1 — Standard practice for the evaluation of alternative supplementary cementitious materials (ASCMs) for use in concrete as SCMs 173

**A3005-18, Test equipment and materials for cementitious materials for use in concrete and masonry****1 Scope 185****2 Reference publications 185****3 Definitions 185**

- 4 Equipment and materials 185**
- 4.1 General 185
- 4.2 Environmental conditions of laboratory 186
  - 4.2.1 Temperature 186
  - 4.2.2 Humidity 186
- 4.3 Weighing equipment 186
  - 4.3.1 Analytical balance 186
  - 4.3.2 Scale 186
  - 4.3.3 Weights 186
- 4.4 Glassware 187
- 4.5 Graduated cylinders 187
- 4.6 — Deleted 187
- 4.7 Cube moulds 187
  - 4.7.1 Cube moulds 187
  - 4.7.2 Base plates 187
  - 4.7.3 Mould assembly and lubrication 187
- 4.8 Mixer and accessories 188
  - 4.8.1 Mixer 188
  - 4.8.2 Paddle 188
  - 4.8.3 Bowl 189
  - 4.8.4 Lid 189
  - 4.8.5 Scraper 189
- 4.9 Flow table 189
  - 4.9.1 Table top and frame 189
  - 4.9.2 Cam and shaft 189
  - 4.9.3 Supporting frame and drive 190
  - 4.9.4 Supporting pedestal 190
  - 4.9.5 Levelling and stability 190
  - 4.9.6 Lubrication 190
  - 4.9.7 Calibration 190
  - 4.9.8 Flow table mould 191
  - 4.9.9 Flow table caliper 191
- 4.10 Tamper 191
- 4.11 Trowel 191
- 4.12 Compression testing machine 191
  - 4.12.1 Compression machine 191
  - 4.12.2 Verification of calibration 192
- 4.13 Conditioning equipment 192
  - 4.13.1 Temperature and humidity 192
  - 4.13.2 Moist cabinet 192
  - 4.13.3 Moist room 193
  - 4.13.4 Water storage tanks 193
- 4.14 Le Chatelier flask 193
- 4.15 Sampling tube 194
- 4.16 Sieves 194
- 4.17 Non-absorptive plates 194
- 4.18 Vicat and Gillmore test equipment 194
  - 4.18.1 Vicat apparatus 194
  - 4.18.2 Gillmore needles 194

- 4.19 Volume measure 194
  - 4.20 Water retention test apparatus 195
  - 4.21 Wet-sieving equipment 195
    - 4.21.1 Pressure gauge for wet sieving 195
    - 4.21.2 45 µm sieve for wet sieving 195
    - 4.21.3 Spray nozzle for wet sieving 196
  - 4.22 Heat of hydration calorimeter and accessories 196
    - 4.22.1 Calorimeter 196
    - 4.22.2 Insulated container 196
    - 4.22.3 Differential and reference thermometer 196
    - 4.22.4 Funnel 196
    - 4.22.5 Stirring assembly 196
    - 4.22.6 Mixer 197
    - 4.22.7 Plastic vials 197
  - 4.23 Flexural bond strength apparatus and accessories 197
    - 4.23.1 Cone penetrometer 197
    - 4.23.2 Standard masonry unit for flexural bond strength test 197
    - 4.23.3 Flexural bond jigs and testing apparatus 198
  - 4.24 Length comparator 198
  - 4.25 Bar moulds 199
    - 4.25.1 Description 199
    - 4.25.2 Assembly and lubrication 199
  - 4.26 Steam bath 200
- 5 Materials 200**
- 5.1 Sand 200
    - 5.1.1 General 200
    - 5.1.2 Sand gradation 200
    - 5.1.3 Sand verification procedure 200
  - 5.2 Water 200
    - 5.2.1 Chemical analysis 200
    - 5.2.2 Physical tests 200
    - 5.2.3 Saturated lime water (lime water) 201
  - 5.3 Gypsum for sulphate resistance test 201

---

**A3000-18, Index**

# ① Preface

This is the fifth edition of CSA A3000, *Cementitious materials compendium*. It supersedes the previous editions published in 2013, 2008, 2003, and 1998.

Significant changes from the previous edition include the following:

- a) Ground glass pozzolans have been introduced as new supplementary cementitious materials.
- b) Addition of a new Annex A, *Evaluation guidelines for the adequacy of alternative sampling and testing frequencies*, to A3004-A1, *Standard practice for sampling, testing, and inspection*, to provide guidance to manufacturers for the evaluation of the adequacy of an alternate testing frequency using accepted statistical practices.
- c) New requirements have been added for reporting chloride contents of cementitious materials.
- d) The requirement for total organic carbon testing for limestone has been removed.
- e) There have been revisions to A3004-E1, *Standard practice for the evaluation of alternative supplementary cementitious materials (ASCMS) for use in concrete as SCMs*.
- f) Based on the limited data available at the time of publishing and in an effort to provide an additional measure of protection when portland-limestone cement was to be used in combination with a SCM in sulphate environment, the 2013 edition of CSA A3004-C8 was originally separated into the original test, identified as Procedure A, and a new low temperature test, identified as Procedure B. Subsequent data has found the results of Procedure B not to relate to sulphate resistance in concrete, and that meeting the CSA A3004-C8 Procedure A expansion limits in combination with the requirements in Table 5 was sufficient to show good sulphate resistance in concrete. Therefore, Procedure B was withdrawn in Update 5 of the 2013 edition.
- g) Harvested ash processed to meet the specification can is considered to fall under the definition of “fly ash”, provided the harvested ash meets the physical and chemical requirements of CSA A3001 and additional requirements detailed in the new “Materials and manufacture” clause for harvested ash.
- h) Low heat and moderate heat portland cements, blended cements, and portland -limestone cements designations have been deleted.
- i) Reporting of B8 isothermal calorimetry of portland cements, blended cements, portland-limestone cements, and supplementary cementitious materials is reported upon request.
- j) Portland-limestone cements are qualified as MSL or HSL cements based on A3004-C8 testing, removing the requirement to use supplementary cementitious materials.
- k) Other changes have been made to harmonize with various ASTM and ACI publications, including change of terminology from supplementary cementing materials to supplementary cementitious materials.

CSA Group acknowledges that the development of this Standard was made possible, in part, by the financial support of the Cement Association of Canada.

These Standards were prepared by the Technical Committee on Cementitious Materials Compendium, under the jurisdiction of the Strategic Steering Committee on Construction and Civil Infrastructure, and have been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

## Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*

- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:*
  - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
  - b) *provide an explanation of circumstances surrounding the actual field condition; and*
  - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

*Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).*

- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Proposal for change” in the subject line:*
  - a) *Standard designation (number);*
  - b) *relevant clause, table, and/or figure number;*
  - c) *wording of the proposed change; and*
  - d) *rationale for the change.*

# *National Standard of Canada*

## *A3001-18*

# *Cementitious materials for use in concrete*



*®A trademark of the Canadian Standards Association,  
operating as "CSA Group"*



*Published in November 2018 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at [www.csagroup.org/store/](http://www.csagroup.org/store/)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 91.100.10  
ISBN 978-1-4883-1323-3*

*© 2018 Canadian Standards Association  
All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.*

# A3001-18

## ***Cementitious materials for use in concrete***

### **1 Scope**

#### **1.1**

This Standard addresses the following aspects of cementitious materials:

- a) their definitions;
- b) their chemical, physical, and uniformity requirements;
- c) the tests required;
- d) the procedures for inspection and sampling; and
- e) the units of measurement, packaging, marking, and storage.

#### **1.2**

The cementitious materials for use in concrete are classified as follows in this Standard:

- a) portland cement;
- b) blended hydraulic cement;
- c) portland-limestone cement;
- d) supplementary cementitious materials; and
- e) blended supplementary cementitious materials.

#### **1.3**

In these Standards, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the Standards; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the Standards.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.

#### **1.4**

The values given in SI units are the units of record for the purposes of these Standards. The values given in parentheses are for information and comparison only.

### **① 2 Reference publications**

This Standard refers to the following publications, and where such reference is made, it shall be to the edition listed below, including all amendments published thereto.