

# TABLE OF CONTENTS

|  |             |
|--|-------------|
| <b>Dedication</b>                                      | <b>iii</b>  |
| <b>Preface to the First Edition</b>                    | <b>xiii</b> |
| <b>Preface to the Second Edition</b>                   | <b>xv</b>   |
| <b>Forewords</b>                                       | <b>xvii</b> |
| <b>Acknowledgment</b>                                  | <b>xix</b>  |
| <hr/>  |             |
| <b>Chapter 1 Introduction to Pipeline Systems</b>      | <b>1</b>    |
| 1.1 Introduction                                       | 1           |
| 1.2 Liquid Pipelines                                   | 1           |
| 1.2.1 Liquid Pipeline System                           | 1           |
| 1.2.2 Liquid Pipelines and Pumping                     | 3           |
| 1.3 Gas Pipelines                                      | 6           |
| 1.3.1 Gas Pipeline Systems                             | 6           |
| 1.3.2 Gas Pipelines and Compression                    | 8           |
| 1.4 Dependability of Pipeline Systems                  | 9           |
| 1.4.1 Dependability                                    | 9           |
| 1.4.2 The Value of Dependability for Pipelines         | 12          |
| 1.4.3 Dependability for Pumping and Compression        | 12          |
| References   | 14          |
| <hr/>  |             |
| <b>Chapter 2 Liquid Pipeline Pumping System Design</b> | <b>17</b>   |
| 2.1 Liquid Pipeline Design                             | 17          |
| 2.1.1 Hydraulic Gradient                               | 17          |
| 2.1.2 Pipe Size Selection                              | 17          |
| 2.1.3 Pipeline System Head Curve                       | 19          |
| 2.1.4 Pipeline System Curve Development Example        | 21          |
| 2.1.5 Pipeline Considerations for System Curves        | 22          |
| 2.2 Liquid Flow Equations                              | 22          |
| 2.2.1 Laminar Flow                                     | 22          |
| 2.2.2 Colebrook–White Equation                         | 26          |
| 2.2.3 Hazen–Williams Equation                          | 27          |
| 2.3 Number of Pumps and Pump Configurations            | 28          |
| 2.3.1 Number of Pumps                                  | 28          |
| 2.3.2 Pumps in Series                                  | 29          |
| 2.3.3 Pumps in Parallel                                | 29          |
| 2.3.4 Pump Station Configuration                       | 30          |

|  |    |
|--|----|
| 2.3.5 Piping for Minimum Flow Protection | 32 |
| 2.3.6 Number of Units                    | 34 |
| 2.3.7 Exercise                           | 37 |
| 2.4 Pipeline Pressure                    | 38 |
| References                               | 40 |

---

|  |           |
|--|-----------|
| <b>Chapter 3 Gas Pipeline Compression System Design</b>                              | <b>41</b> |
| 3.1 Gas Pipeline Design  | 41        |
| 3.1.1 Hydrocarbons and Natural Gas   | 41        |
| 3.1.2 Gas Compression Calculations   | 41        |
| 3.1.3 Driver Power   | 45        |
| 3.1.4 Principles of Gas Pipeline Hydraulics  | 45        |
| 3.2 Gas Flow Equations   | 46        |
| 3.2.1 General Flow Properties  | 46        |
| 3.2.2 Principles of Fluid Flow   | 49        |
| 3.2.3 Thermal and Thermodynamic Effects  | 50        |
| 3.2.4 Pipe-Related Parameters  | 51        |
| 3.2.5 Friction Factor and Flow Regimes   | 52        |
| 3.2.6 General Gas Flow Equations   | 54        |
| 3.2.7 Generalized Isothermal Flow of Gas in Pipelines                                | 56        |
| 3.2.8 Industry-Used Flow Equations   | 57        |
| 3.2.9 Examples   | 58        |
| 3.2.10 Maximum (Sonic) Velocity of Compressible Fluids in Pipeline Systems           | 59        |
| 3.3 Pipeline Design and Optimization for Compression                                 | 61        |
| 3.3.1 Optimization With Respect to Compression                                       | 61        |
| 3.3.2 Pipeline Looping and Compression (Location and Spacing)                        | 64        |
| 3.3.3 Hydraulic Simulation   | 65        |
| 3.3.4 Driver Power   | 68        |
| 3.3.5 Cost of Compressor Operation   | 69        |
| 3.4 General Compressor Station Configuration   | 69        |
| 3.4.1 Operating Considerations   | 69        |
| 3.4.2 Types of Compression Equipment   | 70        |
| 3.4.3 Parallel and Series Configuration  | 71        |
| 3.4.4 Number of Units  | 73        |
| 3.4.5 Case Study: NPV Comparison Between Immediate and Deferred<br>Unit Installation | 74        |
| 3.4.6 Standby Units  | 74        |
| 3.4.7 Environmental Considerations   | 77        |
| 3.4.8 Case Study: Comparison of Different Usage Scenarios for Pipeline Stations      | 77        |
| 3.4.9 Compressor Requirements  | 81        |
| 3.4.10 Driver Requirements   | 83        |
| 3.5 Station Layout and Facilities  | 84        |
| 3.5.1 General  | 84        |
| 3.5.2 Station Layout   | 84        |
| 3.5.3 Station Piping Layout  | 84        |
| 3.5.4 Scrubbers and Filters  | 86        |
| 3.5.5 Gas Coolers  | 87        |
| 3.5.6 Station and Unit Auxiliary Systems   | 88        |
| 3.5.7 Station and Unit Control Systems   | 88        |

|   |    |
|---|----|
| 3.5.8 Buildings and Weather Protection          | 90 |
| 3.5.9 Safety Systems and Environmental Controls | 90 |
| 3.5.10 Codes and Standards                      | 90 |
| References                                      | 92 |

---

|  |           |
|--|-----------|
| <b>Chapter 4 Design and Operation of Pumps</b> | <b>95</b> |
| 4.1 Pumps for Liquid Pipeline Stations         | 95        |
| 4.2 Pump History                               | 96        |
| 4.3 Centrifugal Pumps                          | 100       |
| 4.3.1 Types of Centrifugal Pumps               | 100       |
| 4.3.2 Centrifugal Pump Design                  | 102       |
| 4.3.3 Centrifugal Pump Mechanical Seals        | 105       |
| 4.3.4 Centrifugal Pump Station Piping Design   | 108       |
| 4.3.5 Centrifugal Pump Nozzle Loading          | 110       |
| 4.3.6 Pump Operational Hazards and Risk        | 114       |
| 4.4 Positive Displacement Pumps                | 115       |
| 4.4.1 Rotary Pumps                             | 115       |
| 4.4.2 Reciprocating Pumps                      | 118       |
| 4.4.3 Pulsation Dampeners                      | 121       |
| 4.4.4 Other Pump Design Considerations         | 123       |
| References                                     | 126       |

---

|  |            |
|--|------------|
| <b>Chapter 5 Performance of Pumps</b>                        | <b>127</b> |
| 5.1 Pump and System Design Standards                         | 127        |
| 5.2 System Head  | 128        |
| 5.3 American Petroleum Institute Gravity and SG Relationship | 129        |
| 5.4 Performance of Centrifugal Pumps                         | 133        |
| 5.4.1 Performance Curves                                     | 133        |
| 5.4.2 Centrifugal Pumps Coverage Chart                       | 134        |
| 5.4.3 Impeller Selection                                     | 134        |
| 5.4.4 Pump Head-Flow and System Head Flow Curves             | 136        |
| 5.4.5 Centrifugal Impeller Design Theory                     | 137        |
| 5.4.6 Specific Speed   | 140        |
| 5.4.7 Impeller Curve Characteristics                         | 141        |
| 5.4.8 Affinity Laws  | 144        |
| 5.4.9 Pipeline-Pump Operational Control                      | 144        |
| 5.4.10 Pump Sizing and Selection                             | 146        |
| 5.4.11 Pump Power and Efficiency                             | 146        |
| 5.4.12 Performance Modifications                             | 146        |
| 5.5 Cavitation in Centrifugal Pumps                          | 148        |
| 5.5.1 Cavitation   | 148        |
| 5.5.2 Net Positive Suction Head                              | 153        |
| 5.5.3 Net Positive Suction Head Available                    | 154        |
| 5.5.4 Net Positive Suction Head Required                     | 156        |
| 5.5.5 Correcting for Inadequate Suction Conditions           | 156        |
| 5.5.6 NPSHA–NPHSR Criteria                                   | 157        |
| 5.6 Centrifugal Pumps and Viscous Liquids                    | 157        |
| 5.7 Centrifugal Pump Limits                                  | 160        |
| 5.7.1 Minimum Flow   | 160        |

|   |     |
|---|-----|
| 5.7.2 Temperature Rise                                  | 161 |
| 5.7.3 Re-Circulation in Centrifugal Pumps               | 161 |
| 5.8 Pump Surge in System Operation                      | 163 |
| 5.9 Performance of Positive Displacement Pumps          | 164 |
| 5.9.1 Rotary Pump Performance Chart                     | 164 |
| 5.9.2 Pump Power and Efficiency                         | 165 |
| 5.9.3 Net Positive Suction Heads for Rotary Pumps       | 167 |
| 5.9.4 Rotary Pump Slips and Clearance                   | 167 |
| 5.9.5 System Head Curves and Rotary Pump Curve          | 167 |
| 5.9.6 Reciprocating Pump Flow Characteristics           | 168 |
| 5.9.7 Reciprocating Pump Acceleration Head              | 169 |
| 5.9.8 Net Positive Pressures                            | 170 |
| 5.9.9 Reciprocating Pump Selection                      | 171 |
| 5.10 Measurement Units and Conversion Factors for Pumps | 173 |
| References  | 176 |

---

|  |            |
|--|------------|
| <b>Chapter 6 Design and Operation of Compressors</b> | <b>177</b> |
| 6.1 Introduction to Pipeline Compressors             | 177        |
| 6.2 Compressor Types and Uses                        | 177        |
| 6.2.1 Classification of Compressors                  | 177        |
| 6.2.2 Reciprocating Compressors                      | 177        |
| 6.2.3 Rotary Compressors                             | 179        |
| 6.2.4 Centrifugal Compressors                        | 180        |
| 6.3 Reciprocating Compressors                        | 182        |
| 6.3.1 General Design                                 | 182        |
| 6.3.2 Running Gear                                   | 183        |
| 6.3.3 Frame and Cylinders                            | 183        |
| 6.3.4 Capacity Control                               | 188        |
| 6.3.5 Valves   | 188        |
| 6.3.6 Packings                                       | 190        |
| 6.3.7 Bearings and Lubrication Systems               | 190        |
| 6.3.8 Controls and Monitoring                        | 192        |
| 6.3.9 Gas Cooling                                    | 193        |
| 6.3.10 Operation and Optimization                    | 193        |
| 6.3.11 Design Standards                              | 198        |
| 6.4 Centrifugal Compressors                          | 198        |
| 6.4.1 General Design                                 | 198        |
| 6.4.2 Compressor Internals and Sealing               | 199        |
| 6.4.3 Bearings and Lubrication Systems               | 201        |
| 6.4.4 Sealing System                                 | 204        |
| 6.4.5 Controls and Monitoring                        | 207        |
| 6.4.6 Physical Operation                             | 211        |
| 6.4.7 Design Standards                               | 215        |
| 6.5 Screw Compressors                                | 216        |
| 6.5.1 Screw Compressor Design                        | 216        |
| 6.5.2 Screw Compressor Operation                     | 217        |
| References   | 218        |

---

|  |            |
|--|------------|
| <b>Chapter 7 Performance of Compressors</b>  | <b>221</b> |
| 7.1 Introduction to Compressor Performance   | 221        |
| 7.2 Basic Aspects of Performance             | 221        |
| 7.2.1 General                                | 221        |
| 7.2.2 Nomenclature                           | 221        |
| 7.2.3 Gas Properties                         | 221        |
| 7.2.4 Compression Behavior                   | 224        |
| 7.2.5 Head                                   | 226        |
| 7.2.6 Efficiency                             | 226        |
| 7.2.7 Flow                                   | 226        |
| 7.2.8 Power                                  | 227        |
| 7.3 Performance of Reciprocating Compressors | 228        |
| 7.3.1 General                                | 228        |
| 7.3.2 Flow                                   | 228        |
| 7.3.3 Power                                  | 230        |
| 7.3.4 Discharge Temperature                  | 232        |
| 7.3.5 Performance Maps                       | 232        |
| 7.3.6 Piston Speed                           | 235        |
| 7.4 Performance of Centrifugal Compressors   | 236        |
| 7.4.1 General                                | 236        |
| 7.4.2 Dynamic Performance Characteristics    | 236        |
| 7.4.3 Selection and Sizing                   | 239        |
| 7.4.4 Performance Testing                    | 241        |
| 7.5 System Characteristics                   | 242        |
| 7.5.1 General                                | 242        |
| 7.5.2 System Curves                          | 243        |
| 7.5.3 Compressor Performance Comparison      | 245        |
| 7.5.4 Operating Limitations                  | 247        |
| 7.5.5 Compressor Performance Adjustments     | 248        |
| 7.5.6 Operating Considerations               | 249        |
| References                                   | 252        |

---

|  |            |
|--|------------|
| <b>Chapter 8 Pump and Compressor Drivers</b> | <b>253</b> |
| 8.1 Introduction to Drivers                  | 253        |
| 8.2 Gas Turbines                             | 254        |
| 8.2.1 Types of Gas Turbines                  | 254        |
| 8.2.2 Basic Design of a Gas Turbine          | 257        |
| 8.2.3 Design Standards                       | 260        |
| 8.2.4 Performance Characteristics            | 261        |
| 8.2.5 Fuel System                            | 263        |
| 8.2.6 Lubrication System                     | 267        |
| 8.2.7 Waste Heat Recovery                    | 268        |
| 8.3 Electric Motors                          | 269        |
| 8.3.1 General                                | 269        |
| 8.3.2 Types of Motors                        | 269        |
| 8.3.3 Motor Design Considerations            | 270        |
| 8.3.4 Variable Speed Motors                  | 273        |

|   |     |
|---|-----|
| 8.3.5 Hermetic Compressors              | 275 |
| 8.3.6 Driver Economics                  | 276 |
| 8.4 Internal Combustion Engines         | 278 |
| 8.4.1 General                           | 278 |
| 8.4.2 Internal Combustion Engine Design | 279 |
| 8.4.3 Separable Engine/Compressors      | 282 |
| 8.5 Couplings                           | 282 |
| 8.5.1 Functions of Couplings            | 282 |
| 8.5.2 Coupling Selection                | 283 |
| 8.5.3 Gear Couplings                    | 285 |
| 8.5.4 Flexible Couplings                | 285 |
| 8.5.5 Elastomeric Soft Couplings        | 286 |
| 8.5.6 Steel-Spring Soft Couplings       | 287 |
| 8.5.7 Coupling Standards                | 290 |
| References                              | 290 |

---

|  |            |
|--|------------|
| <b>Chapter 9 Dynamic Behavior of Pumping Systems</b>     | <b>293</b> |
| 9.1 Introduction   | 293        |
| 9.2 Unsteady Governing Equations and Solution Techniques | 293        |
| 9.2.1 Governing Equation for Constant Area Pipes         | 293        |
| 9.2.2 Solution Techniques                                | 295        |
| 9.3 Boundary Conditions                                  | 296        |
| 9.3.1 Flow Transients Across Other Elements              | 297        |
| 9.3.2 Flow Transients of an Accumulator                  | 298        |
| 9.4 Dynamics Behaviour of Centrifugal Pumps              | 300        |
| 9.4.1 Homologous Relations                               | 300        |
| 9.4.2 Full Pump Characteristics                          | 301        |
| 9.4.3 Dynamic Equation                                   | 303        |
| 9.4.4 Pump and Motor Inertias                            | 305        |
| 9.5 Water Hammer, Cavitation, and Column Separation      | 307        |
| 9.5.1 Water Hammer                                       | 307        |
| 9.6 Cavitation and Column Separation                     | 308        |
| 9.6.1 Steam Condensation-Induced Water Hammer            | 310        |
| 9.7 Examples and Case Studies                            | 311        |
| 9.7.1 Styrene Transfer System                            | 311        |
| 9.7.2 Lube Oil System for a Large Process Gas Compressor | 318        |
| 9.7.3 Pump Characteristics                               | 320        |
| 9.7.4 Control Valves                                     | 321        |
| 9.7.5 First Problem                                      | 323        |
| 9.7.6 Second Problem                                     | 331        |
| References   | 333        |

---

|   |            |
|---|------------|
| <b>Chapter 10 Dynamics of Centrifugal Compression Systems</b>     | <b>335</b> |
| 10.1 Introduction   | 335        |
| 10.2 Fundamentals of Dynamic Instabilities of Compression Systems | 336        |
| 10.2.1 Simple Compression Systems                                 | 336        |
| 10.2.2 Complex Compression Systems                                | 339        |
| 10.2.3 Control Dynamics   | 343        |

|   |     |
|---|-----|
| 10.2.4 Solution Techniques  | 346 |
| 10.3 Emergency Shut Down  | 350 |
| 10.3.1 Effects of Compressor Performance Characteristics                    | 353 |
| 10.3.2 Effects of Rotor Inertia   | 357 |
| 10.3.3 Example of Dynamic Instabilities in an Industrial Compression System | 358 |
| 10.3.4 Concept of Inertia Number  | 365 |
| 10.4 Check Valve Dynamics   | 370 |
| 10.4.1 Dynamics of Swing Type Check Valves                                  | 372 |
| 10.4.2 Slamming Characteristics of Swing Check Valves                       | 375 |
| 10.4.3 Effects of Counterbalance on Maximum Reverse Velocity                | 381 |
| 10.4.4 Dynamics of Piston Type Check Valves                                 | 382 |
| 10.4.5 Dynamics of Wafer Type Check Valves                                  | 383 |
| 10.4.6 Effects of Check Valves of Compression Recycle System                | 385 |
| 10.5 Relief Valve Dynamics  | 387 |
| 10.5.1 Dynamics of Pilot-Operated Relief Valves                             | 390 |
| 10.5.2 Solution Technique   | 394 |
| 10.5.3 Example  | 397 |
| 10.5.4 Field Tests  | 402 |
| 10.6 Station and Gas Pipeline Blowdown                                      | 405 |
| 10.6.1 Volume Model   | 406 |
| 10.6.2 Pipe Model   | 409 |
| 10.6.3 Comparison Between Models  | 410 |
| 10.6.4 Non-Isothermal Blowdown  | 413 |
| References  | 418 |

---

|   |            |
|---|------------|
| <b>Chapter 11 Pulsation and Vibration Analysis of Compression and Pumping Systems</b> | <b>423</b> |
| 11.1 Introduction   | 423        |
| 11.2 Pulsation Transmission Through Piping Elements                                   | 423        |
| 11.2.1 Acoustic Transfer Matrix for a Pipe Element                                    | 424        |
| 11.2.2 Acoustic Transfer Matrix for a Throttle Element                                | 432        |
| 11.2.3 Acoustic Transfer Matrix for a Volume Element                                  | 437        |
| 11.2.4 Acoustic Transfer Matrix for a Centrifugal Compressor                          | 438        |
| 11.3 Pulsation Generation   | 440        |
| 11.3.1 Flow-Generated Pulsation from Throttling Elements                              | 440        |
| 11.3.2 Flow-Generated Single-Tone Pulsation from Closed End Side Branch               | 442        |
| 11.3.3 Pulsation Generated by Reciprocating Compressors and Pumps                     | 445        |
| 11.4 Solution Techniques  | 448        |
| 11.5 Acoustic Boundary Conditions and Resonance                                       | 448        |
| 11.6 Techniques for Pulsation Suppression   | 450        |
| 11.6.1 Reactive Silencers   | 450        |
| 11.6.2 Spoilers for Pulsation Suppression at Source                                   | 455        |
| 11.6.3 Suppression of Noise From Blowdown Stacks                                      | 455        |
| 11.7 Liquid versus Gas Applications   | 459        |
| 11.8 Standards and Guidelines   | 462        |
| 11.8.1 API 618 Standard   | 462        |
| 11.8.2 API 674 Standard   | 471        |
| 11.8.3 Shaking Forces Arising from Pressure Pulsation                                 | 472        |

|  |            |
|--|------------|
| 11.9 Case Study Examples   | 474        |
| 11.9.1 Case Study #1: Single-Source Pulsation                                  | 475        |
| 11.9.2 Case Study #2: Multiple Source Pulsation                                | 476        |
| 11.9.3 Case Study #3: Pulsation Generated by a Reciprocating Compressor        | 478        |
| 11.9.4 Case Study #4: Pulsation Generated by Plunger Pumps                     | 482        |
| References   | 486        |
| <hr/>  |            |
| <b>Chapter 12 Mechanical Analysis</b>  | <b>489</b> |
| 12.1 Introduction To Mechanical Analysis                                       | 489        |
| 12.2 Basic Aspects Of Vibration  | 489        |
| 12.2.1 General   | 489        |
| 12.2.2 Mechanical Natural Frequency and Resonance                              | 491        |
| 12.3 Mechanical Analysis of Rotating Equipment                                 | 493        |
| 12.3.1 General   | 493        |
| 12.3.2 Lateral Rotordynamics   | 493        |
| 12.3.3 Stability   | 497        |
| 12.3.4 Torsional Rotordynamics   | 498        |
| 12.3.5 Specific Machinery Considerations for Rotordynamics                     | 507        |
| 12.3.6 Balancing   | 517        |
| 12.4 Mechanical Analysis of Piping Systems                                     | 520        |
| 12.4.1 Excitation Mechanisms   | 520        |
| 12.4.2 Vibration and Stress  | 520        |
| 12.4.3 Unbalanced Forces   | 522        |
| 12.4.4 Small-Bore Attachments  | 524        |
| 12.4.5 Thermal Analysis  | 527        |
| 12.4.6 Centrifugal Compressors   | 527        |
| References   | 531        |
| <hr/>  |            |
| <b>Chapter 13 Environmental Issues Related to Compressor and Pump Stations</b> | <b>533</b> |
| 13.1 Introduction  | 533        |
| 13.2 Compressor and Pump Station Noise   | 533        |
| 13.2.1 Noise Level Parameters  | 534        |
| 13.2.2 Noise Criteria Limits   | 536        |
| 13.2.3 Predictions of Noise Level Form Compressor Stations                     | 540        |
| 13.3 Noise Survey at Compressor and Pump Stations                              | 548        |
| 13.3.1 Noise Mapping Methodology   | 549        |
| 13.3.2 Example Application on a Compressor Station                             | 550        |
| 13.4 NO <sub>x</sub> Emissions from Gas Turbines                               | 552        |
| 13.4.1 AP-42 Emission Factors  | 554        |
| 13.4.2 CEM Measurements  | 554        |
| 13.4.3 Neural Network Based PEM Models   | 556        |
| 13.4.4 PEM Implementation  | 559        |
| 13.5 Innovations in Capturing Vent Gas from Dry Gas Seals                      | 560        |
| 13.5.1 Dry-Gas Seal Leakage Rates  | 565        |
| 13.5.2 Primary Challenges of Supersonic Ejectors                               | 566        |
| 13.5.3 Description of the Two Stages of the Ejector                            | 566        |
| 13.5.4 Performance of the Integrated Two-Stage Supersonic Ejector              | 569        |
| 13.5.5 Supersonic Ejector in Operation   | 572        |
| References   | 575        |