

Manual of Petroleum Measurement Standards Chapter 18.2

Custody Transfer of Crude Oil from Lease Tanks Using Alternative Measurement Methods

FIRST EDITION, JULY 2016

REAFFIRMED, SEPTEMBER 2021



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Classified areas may vary depending on the location, conditions, equipment, and substances involved in any given situation. Users of this standard should consult with the appropriate authorities having jurisdiction.

Users of this standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

The examples used in the standard are merely examples for illustration purposes only. (Each company should develop its own approach.) They are not to be considered exclusive or exhaustive in nature. API makes no warranties, express or implied, for reliance on or any omissions from the information contained in this document.

Users of instructions should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Where applicable, authorities having jurisdiction should be consulted.

Work sites and equipment operations may differ. Users are solely responsible for assessing their specific equipment and premises in determining the appropriateness of applying the instructions. At all times users should employ sound business, scientific, engineering, and judgment safety when using this standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher.
Contact the publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Washington, DC 20001.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Washington, DC 20001, standards@api.org.

Contents

1	Scope	1
2	Normative References	1
3	Terms and Definitions	2
4	Safety	2
5	Selection of Methods for Quantity and Quality Determinations Using Available Equipment in Zones ..	3
6	General Responsibilities for Production Operators and Crude Oil Truck Drivers	4
6.1	General	4
6.2	Production Operators	4
6.3	Crude Oil Truck Drivers	5
7	Maintenance and Calibration of Equipment	5
8	Assessing Oil Merchantability	5
9	Measurement Equipment for the Trailer Zone	5
10	Measurement Equipment for the Transition Zone	6
10.1	General	6
10.2	Quality Determination	7
11	Measurement Equipment for the Tank Zone	10
11.1	General	10
11.2	Static Measurement	10
11.3	Tank Calibration	10
11.4	Automatic Tank Gauging Systems	10
11.5	Hydrostatic Tank Gauging	12
11.6	Measurement System Installation, Initial Verification, and Calibration	13
11.7	Measurement System Commissioning	13
12	Record Keeping	13
13	Capability and Uncertainty	13
13.1	General	13
13.2	Procedures	14
14	Run Tickets and Tank Turndowns	24
14.1	Run Tickets or Measurement Tickets	24
14.2	Tank Turndowns	24
	Annex A (informative) Zone Matrices	25
	Annex B (normative) Uncertainty Determination Development	26
	Bibliography	29
	Figure	
1	Zones	4
	Table	
1	Applicable Standard for Meter	7

Introduction

The API *Manual of Petroleum Measurement Standards (MPMS)* covers individual standards for sampling, temperature determination, gauging, and quality testing. This publication integrates these standards, by reference, into a framework that may be applied during custody transfer of crude oil from lease tanks to a tank truck without requiring direct access to the tank thief gauge hatch. Many of the individual standards have guidelines defining the frequency and tolerances for installation, verification, and calibration of the specified equipment under controlled or ideal conditions allowing for uncertainty within custody transfer requirements. However, with the conditions encountered in many of today's applications, the installation, verification, and calibration of measurement devices may have higher uncertainties due to the operational characteristics and limited access available at the lease site. In the interest of safety and environmental concerns, these higher uncertainties may still provide acceptable measurement for custody transfer of crude oil from tanks using the defined alternate methods. The alternate measurement methods discussed in this standard are intended to minimize uncertainty and bias while encouraging consistent measurement and testing practices using existing technologies within API standards that are available at the time of the development of this standard. They are not intended to interfere with business contracts, existing API standards, or the development of new technologies or to comprise the only acceptable alternate methods of custody transfer of crude oil by trucks.

Custody Transfer of Crude Oil from Lease Tanks Using Alternative Measurement Methods

1 Scope

This standard defines the minimum equipment and methods used to determine the quantity and quality of crude oil being loaded from a lease tank to a truck trailer without requiring direct access to a lease tank gauge hatch. Methods and equipment described are grouped by tank zone, trailer zone, and the transition zone between the two (see Section 5). The equipment used for measurement is dependent on the existing design of the lease equipment, the equipment used to transport the product, or a combination of the two. Some sites may require measurements from multiple zones in order to arrive at an accurate load quantity and quality.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API MPMS Chapter 2, *Tank Calibration – All relevant sections*

API MPMS Chapter 3.1A, *Standard Practice for the Manual Gauging of Petroleum and Petroleum Products*

API MPMS Chapter 3.1B, *Standard Practice for Level Measurement of Liquid Hydrocarbons in Stationary Tanks by Automatic Tank Gauging*

API MPMS Chapter 3.6, *Measurement of Liquid Hydrocarbons by Hybrid Tank Measurement Systems*

API MPMS Chapter 4, *Proving Systems – All relevant sections*

API MPMS Chapter 5.2, *Measurement of Liquid Hydrocarbons by Displacement Meters*

API MPMS Chapter 5.3, *Measurement of Liquid Hydrocarbons by Turbine Meters*

API MPMS Chapter 5.6, *Measurement of Liquid Hydrocarbons by Coriolis Meters*

API MPMS Chapter 5.8, *Measurement of Liquid Hydrocarbons by Ultrasonic Flow Meters*

API MPMS Chapter 6.1, *Lease Automatic Custody Transfer (LACT) Systems*

API MPMS Chapter 7, *Temperature Determination – All relevant sections*

API MPMS Chapter 7.3, *Temperature Determination—Fixed Automatic Tank Temperature Systems*

API MPMS Chapter 8.2, *Standard Practice for Automatic Sampling of Liquid Petroleum and Petroleum Products*

API MPMS Chapter 9, *Density Determination – All relevant sections*

API MPMS Chapter 10, *Sediment and Water – All relevant sections*

API MPMS Chapter 12, *Calculation of Petroleum Quantities – All relevant sections*

API MPMS Chapter 14.3, *Orifice Metering of Natural Gas and Other Related Hydrocarbon Fluids—Concentric, Square-edged Orifice Meters – All relevant parts*

API MPMS Chapter 16.2, *Mass Measurement of Liquid Hydrocarbons in Vertical Cylindrical Storage Tanks by Hydrostatic Tank Gauging*

API MPMS Chapter 21.2, *Electronic Liquid Volume Measurement Using Positive Displacement and Turbine Meters*

API MPMS Chapter 22.2, *Testing Protocols—Differential Pressure Flow Measurement Devices*