



Installation code for propane fuel systems and containers on motor vehicles



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA B149.5:20 January 2020

Title: *Installation code for propane fuel systems and containers on motor vehicles*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2427298**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada



A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Standards Council of Canada
Conseil canadien des normes

Cette Norme Nationale du Canada est disponible en versions française et anglaise.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

National Standard of Canada

CSA B149.5:20

***Installation code for propane fuel
systems and containers on motor
vehicles***

IGAC

Interprovincial Gas Advisory Council



®A trademark of the Canadian Standards Association, operating as "CSA Group"



*Approved on October 25, 2019 by IGAC
Published in January 2020 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 75.160.30
ISBN 978-1-4883-2261-7*

*© 2020 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

| | |
|---|-----------|
| Interprovincial Gas Advisory Council (IGAC) | 3 |
| Technical Committee on Autopropane | 5 |
| Preface | 8 |
| 1 Scope | 10 |
| 2 Reference publications | 11 |
| 3 Definitions and abbreviations | 13 |
| 3.1 Definitions | 13 |
| 3.2 Abbreviations | 15 |
| 4 General | 16 |
| 4.1 Application | 16 |
| 4.2 Approval of accessories, components, equipment, and material | 16 |
| 4.3 Responsibilities of the installer | 17 |
| 4.4 Training and quality of labour | 17 |
| 4.5 Smoking | 17 |
| 4.6 Isolation of safety devices | 18 |
| 4.7 Leak detection | 18 |
| 5 Installation of propane fuel systems and tanks on motor vehicles | 18 |
| 5.1 General | 18 |
| 5.2 Fuel tanks | 19 |
| 5.3 Fuel container equipment | 21 |
| 5.3.1 Containers | 21 |
| 5.3.2 Relief valves | 21 |
| 5.3.3 Liquid-level gauges | 22 |
| 5.3.4 Excess-flow and back check valves | 22 |
| 5.3.5 Shut-off and stop-fill valves | 23 |
| 5.3.6 Float gauges | 24 |
| 5.3.7 Fuel pumps | 24 |
| 5.3.8 Electrical installation | 25 |
| 5.3.9 Propane injectors | 25 |
| 5.3.10 Fuel rails and injector blocks | 25 |
| 5.4 Container installation | 25 |
| 5.5 Container and equipment protection | 27 |
| 5.6 Containers located within vehicles | 29 |
| 5.7 Piping and tubing systems, hose, and fittings | 30 |
| 5.7.1 Piping | 30 |
| 5.7.2 Tubing | 31 |
| 5.7.3 Hose | 31 |
| 5.7.4 Size | 31 |
| 5.7.5 Distribution blocks | 32 |
| 5.7.6 Piping, tubing, and hose practices | 32 |

| | | |
|--------|---|----|
| 5.7.7 | Joints and connections | 32 |
| 5.7.8 | General requirements and prohibitions | 33 |
| 5.7.9 | Protection of piping, tubing, and hose | 34 |
| 5.7.10 | Testing of piping, tubing, hose, and fittings | 34 |
| 5.8 | Discharge lines from tank relief valves and hydrostatic relief valves | 35 |
| 5.9 | Vaporizers, pressure regulators, and valves | 35 |
| 5.10 | Fuel lock-offs | 36 |
| 5.11 | Wiring | 37 |
| 5.12 | Marking and labelling | 37 |
| 5.13 | Servicing, parking, and display of vehicles indoors | 38 |

| | | |
|-----------------------|---|----|
| Annex A (informative) | — Purging air and moisture using propane vapour | 39 |
| Annex B (informative) | — Guide for motor fuel tank installations | 43 |
| Annex C (informative) | — Recommended vehicle labels | 46 |
| Annex D (normative) | — Standards and accreditations | 49 |
| Annex E (informative) | — Non-mandatory inspection/re-examination checklist | 51 |
| Annex F (informative) | — Metric conversions | 58 |

Preface

This is the sixth edition of CSA B149.5, *Installation code for propane fuel systems and containers on motor vehicles*. It supersedes the previous editions published in 2015, 2010, 2005, and 2000 by CSA Group as CAN/CSA-B149.5, and in 1995 by the Canadian Gas Association (CGA) as CAN/CGA-B149.5, under the title *Installation code for propane fuel systems and tanks on highway vehicles*.

These requirements for the installation of propane fuel systems and tanks on motor vehicles were originally published in 1982 as an amendment to CAN/CGA-B149.2-80, *Propane Installation Code*, and were subsequently incorporated as Part 15 in the editions of CAN/CGA-B149.2 published in 1986 and 1991. In 1995, the Part 15 requirements were removed from CAN/CGA-B149.2 to create CAN/CGA-B149.5 for the convenience of those individuals involved with converting propane vehicles who do not require the CSA B149.1 and B149.2 Codes.

The following are the major changes to this edition:

- change made to method of confirmation of OEM status;
- changed to metric;
- reference added to ISO 19825 and UL 1337;
- rationalization of installation and design requirements with CSA B51;
- requirement for the pressure rating of container appurtenances to match the container PRV;
- elimination of second fixed liquid level gauge at remote fill location;
- added requirements for return connections to a fuel tank
- changes to the requirements for filling of multiple tanks on a vehicle;
- updated tank mounting requirements to address bolting and dissimilar metals;
- prohibit the use of gear clamps with propane hoses;
- changes to the angle of venting for PRVs;
- changes to purging requirements and container decommissioning; and
- addition of OEM window label.

CSA Group acknowledges that the development of this Standard was made possible, in part, by the financial support of Natural Resources Canada.

This Code was prepared by the Technical Committee on Autopropane, under the jurisdiction of the Strategic Steering Committee on Fuel and Appliances, and has been formally approved by the Technical Committee. This Code has also been formally approved by the Interprovincial Gas Advisory Council.

This Code has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*

- b) provide an explanation of circumstances surrounding the actual field condition; and
- c) where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.

- 5) This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:
 - a) Standard designation (number);
 - b) relevant clause, table, and/or figure number;
 - c) wording of the proposed change; and
 - d) rationale for the change.

CSA B149.5:20

Installation code for propane fuel systems and containers on motor vehicles

1 Scope

1.1

This Code applies to

- a) the installation, servicing, and repair of propane fuel system *components* and *containers* on motor vehicles for the provision of motive power; and
- b) the installation of containers on motor vehicles such as *recreational vehicles*, outdoor food service units, and *wash-mobiles* when propane is to be used for fuel purposes (other than motive power).

Note: “Motor vehicles” include cases where propane is used as an engine fuel in other than highway vehicles, such as ice resurfacing machines, lift trucks, lawnmowers, etc.

1.2

This Code does not apply to

- a) vehicles qualified under the Canada Motor Vehicle Safety Regulations;*
- b) propane used on boats; and
- c) the installation of appliances.

* For confirmation of CMVSS compliance, you can contact the vehicle manufacturer.

1.3

Where the term “propane” is used, the requirements of this Code include, and apply equally to, any material that is composed predominantly of any of the following hydrocarbons or a mixture of them: propane, propylene, butane (normal butane or isobutane), and butylenes.

1.4

This Code and any Standards referenced in it do not make or imply any assurance or guarantee with respect to the life expectancy, durability, or operating performance of equipment and materials referenced in the Code.

1.5

The values shown are in SI (metric) units. The Code contains yard/pound equivalents so the code can be used in these units also. The conversion of yard/pound to SI is in accordance with Table [F.1](#). All pressures are gauge unless otherwise noted.

1.6

In this Code, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the Code; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the Code.