



ATIS STANDARD

ATIS-0404110-0036

**Unified Ordering Model - Access Service Request
(UOM-ASR)**

Volume I

Business Requirements

For An

Electronic Ordering Interface

Based on the consensus of the OBF ASO Committee, the delay of the implementation of ASOG V60 (due to COVID-19) has been rescheduled for September 19, 2020. ASOG V60 will be implemented concurrently with ASOG V61 on this date. OBF ASO will be closely be monitoring ongoing risk assessment with these releases until their implementation.



As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global ICT companies to advance the industry's most pressing business priorities. ATIS' nearly 200 member companies are currently working to address the All-IP transition, network functions virtualization, big data analytics, cloud services, device solutions, emergency services, M2M, cyber security, network evolution, quality of service, billing support, operations, and much more. These priorities follow a fast-track development lifecycle — from design and innovation through standards, specifications, requirements, business use cases, software toolkits, open source solutions, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). The organization is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of the oneM2M global initiative, a member of and major U.S. contributor to the International Telecommunication Union (ITU), as well as a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

ATIS – 0404110-0036

Unified Ordering Model - Access Service Request (UOM-ASR) – Business Requirements for an Electronic Ordering Interface

Is an ATIS standard developed by the Access Service Ordering Committee under the ATIS Ordering and Billing Forum (OBF)

Published by

Alliance for Telecommunications Industry Solutions

1200 G Street, NW, Suite 500

Washington, DC 20005

Copyright © 2020 by the Alliance for Telecommunications Industry Solutions, Inc. All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202-628-6380. ATIS is online at < <http://www.atis.org> >.

Limited Exception for “Customized” Forms. In recognition of the business needs and processes implemented by companies throughout the industry, ATIS grants the following limited exception to the copyright policy. The forms contained within, once “Customized,” may be reproduced, distributed and used by an individual or company provided that the following is placed on all “Customized” forms:

“This form/screen is based upon the Ordering and Billing Forum’s (OBF) industry consensus approved guidelines, found in the Access Service Ordering Guidelines (ASOG) document. The ASOG may be obtained by contacting the Alliance for Telecommunications Industry Solutions (ATIS) at 1-800-387-2199 or: <http://www.atis.org/docstore/default.aspx>.”

For purposes of this limited exception, the term “Customized” means, the modification, by a company, of an ASOG form to be issued to a trading partner to make it company specific by, for example, adding a company logo, graying-out optional fields not required by that specific issuing company, and converting into an electronic format/screen. This limited exception does not affect the ASOG document itself which remains copyrighted and may not be reproduced in whole or part.

Telcordia Technologies, Inc. was formerly known as Bell Communications Research, Inc. or Bellcore. Portions of this document, previously published by Bellcore, may still reflect the former name as it was embedded in the documentation under a prior license from the owners of the BELL trademark, which license has now expired. The use of this name does not suggest that Telcordia Technologies has licensed the names BELL, Bell Communications Research, or Bellcore for new uses or that the owners of the BELL trademark sponsor, endorse or are affiliated with Telcordia Technologies or its products.

Printed in the United States of America.

Notice of Disclaimer and Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY ATIS FOR THIS DOCUMENT, WITH RESPECT TO ANY CLAIM, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES ANY AND ALL USE OF OR RELIANCE UPON THIS INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

Table of Contents

SECTION	PAGE
1 INTRODUCTION TO UOM	4
2 UML	6
2.1 INTRODUCTION	6
3 UOM-ASR	6
3.1 UOM-ASR BUSINESS REQUIREMENTS PROCESS	8
4 UOM-ASR HIGH LEVEL PROCESS OVERVIEW	9
4.1 UOM-ASR FUNCTIONAL STEPS	11
4.1.1 <i>Description:</i>	12
4.1.2 <i>Process Steps (an example):</i>	12
5 INTRODUCTION TO UOM-ASR PROCESS STEPS	14
5.1 UOM-ASR PRE-ORDERING ACTIVITIES	14
5.2 UOM-ASR SERVICE REQUEST PLACEMENT ACTIVITIES (SINGLE PROVIDER).....	15
5.3 UOM-ASR POST-CONFIRMATION NOTICE ACTIVITIES	16
5.3.1 <i>Retrieve Service Request Information Activities</i>	17
6 UOM-ASR USE CASES: HIGH LEVEL OVERVIEW	18
6.1 UOM-ASR ACTORS	18
6.2 HIGH LEVEL OVERVIEW OF THE UOM-ASR PROCESS USE CASES	19
7 UOM-ASR PRE-ORDERING USE CASES	20
7.1 LOCATION INQUIRY USE CASE.....	21
7.2 SERVICE AVAILABILITY INQUIRY USE CASE	22
7.3 CFA INQUIRY USE CASE	24
7.4 ETHERNET SERVICE INQUIRY CASE	25
8 UOM-ASR SERVICE REQUEST PROCESS USE CASES	26
8.1 SERVICE REQUEST PLACEMENT/PRE-VALIDATION USE CASE.....	29
8.2 CLARIFICATION/NOTIFICATION REQUEST USE CASE	32
8.3 SERVICE REQUEST SUPPLEMENT USE CASE	33
8.4 CONFIRMATION NOTICE USE CASE	34
8.5 MEC EXCHANGE USE CASE	35
8.5.1 <i>OEC Ready Inquiry Use Case</i>	37
8.5.2 <i>OEC Ready Response Use Case</i>	38
8.5.3 <i>OEC Information Inquiry Use Case</i>	39
8.5.4 <i>OEC Information Response Use Case</i>	40
8.5.5 <i>ASC-EC Confirmation Notification Use Case</i>	41
8.6 MEC ERROR NOTIFICATION USE CASE	42
8.7 MEC CANCEL NOTIFICATION USE CASES.....	43
8.8 MEC DISCONNECT USE CASES.....	46
8.8.1 <i>MEC Disconnect Receipt Inquiry Use Case</i>	46
8.8.2 <i>MEC Disconnect Receipt Response Use Case</i>	47
9 UOM-ASR POST-CONFIRMATION USE CASES	48
9.1 ADDRESS MODIFICATION C/NR NOTIFICATION USE CASES	49
9.2 JEOPARDY C/NR NOTIFICATION USE CASES.....	51
9.3 CUSTOMER RETRIEVE SERVICE REQUEST INFORMATION USE CASE.....	53
9.4 PROVIDER TEST ACCEPTANCE (PTA) NOTIFICATION USE CASE.....	54

9.5	COMPLETION NOTIFICATION USE CASE	55
9.6	DESIGN LAYOUT REPORT NOTIFICATION USE CASE.....	56
APPENDIX A: UML INTRODUCTION		57
A.1	SCOPE.....	57
A.2	USE CASE(S).....	57
A.3	ACTORS	57
A.4	USE CASE	57
A.4.1	<i>Level of Detail.....</i>	<i>58</i>
A.5	USE CASE DIAGRAMS	58
A.6	USE CASE TECHNIQUES.....	61
A.6.1	<i>Identify all actors.....</i>	<i>61</i>
A.6.2	<i>Identify all use cases.....</i>	<i>61</i>
A.6.3	<i>Create use case diagram.....</i>	<i>61</i>
A.6.4	<i>Document all primary use cases using the use case template.....</i>	<i>61</i>
A.6.5	<i>Document the use case scenarios.....</i>	<i>62</i>
A.6.6	<i>Verify all use cases with users.....</i>	<i>62</i>
A.7	TIPS FOR ACTORS	62
A.8	TIPS FOR PRIMARY USE CASES	62
A.9	TIPS FOR USE CASE SCENARIOS	63
A.10	TIPS FOR USE CASE RELATIONSHIPS.....	63
A.11	SEQUENCE DIAGRAMS	63
A.12	STATE DIAGRAMS.....	64
A.13	ACTIVITY DIAGRAMS	65
A.13.1	<i>Uses for Activity Diagrams.....</i>	<i>65</i>
A.13.2	<i>Activity Diagram Technique</i>	<i>66</i>
APPENDIX B: UOM-ASR DATA DICTIONARY		69
APPENDIX B.1: UOM VALIDATION AND TRANSPORT DATA DICTIONARY.....		107
APPENDIX C: UOM-ASR FUNCTIONAL DATA MATRIX		108
APPENDIX D: UOM-ASR FATAL ERROR FUNCTIONAL DATA MATRIX		128
APPENDIX E: UNIFIED ORDERING - ASR SERVICE PACKAGES.....		130
10	BIBLIOGRAPHY.....	ERROR! BOOKMARK NOT DEFINED.

Table of Figures

FIGURE 1 – UOM-ASR PROCESS AND DOCUMENT DEVELOPMENT.....	5
FIGURE 2 – ACCESS ORDERING RELATIONSHIPS AND DELIVERABLES	7
FIGURE 3 – UOM-ASR LOGICAL STAGES	9
FIGURE 4 – UOM-ASR BUSINESS FUNCTIONS.....	11
FIGURE 5 – UOM-ASR PRE-ORDERING ACTIVITIES	14
FIGURE 6 – UOM-ASR SERVICE REQUEST PLACEMENT ACTIVITIES	15
FIGURE 7 – UOM-ASR POST- CONFIRMATION ACTIVITIES	16
FIGURE 8 – UOM-ASR CUSTOMER RETRIEVE SERVICE REQUEST INFORMATION ACTIVITIES.....	17
FIGURE 9 – UOM-ASR PROCESS BUSINESS REQUIREMENT USE CASES.....	19
FIGURE 10 – UOM-ASR PRE-ORDERING BUSINESS REQUIREMENT USE CASES	20
FIGURE 11 – UOM-ASR PERFORM LOCATION INQUIRY USE CASE.....	21
FIGURE 12 – UOM-ASR PERFORM SERVICE AVAILABILITY INQUIRY USE CASE.....	23
FIGURE 13 – UOM-ASR PERFORM CFA INQUIRY USE CASE	24
FIGURE 14 – UOM-ASR ETHERNET SERVICE INQUIRY USE CASE	25
FIGURE 15 – UOM-ASR SERVICE REQUEST PROCESS BUSINESS REQUIREMENT USE CASES	28
FIGURE 16 – UOM-ASR PERFORM SERVICE REQUEST PLACEMENT/PRE-VALIDATION USE CASE	30

FIGURE 17 – UOM-ASR PERFORM FATAL ERROR PROCESSING USE CASE	31
FIGURE 18 – UOM-ASR PERFORM CLARIFICATION/NOTIFICATION REQUEST USE CASE.....	32
FIGURE 19 – UOM-ASR PERFORM SERVICE REQUEST SUPPLEMENT USE CASE.....	33
FIGURE 20 – UOM-ASR PERFORM CONFIRMATION NOTICE USE CASE	34
FIGURE 21 – UOM-ASR PERFORM MEC EXCHANGE USE CASE	35
FIGURE 22 – UOM-ASR PERFORM OEC READY INQUIRY USE CASE	37
FIGURE 23 – UOM-ASR PERFORM OEC READY RESPONSE USE CASE.....	38
FIGURE 24 – UOM-ASR PERFORM OEC INFORMATION INQUIRY USE CASE.....	39
FIGURE 25 – UOM-ASR PERFORM OEC INFORMATION RESPONSE USE CASE	40
FIGURE 26 – UOM-ASR PERFORM ASC-EC CONFIRMATION NOTIFICATION USE CASE.....	41
FIGURE 27 – UOM-ASR PERFORM MEC ERROR NOTIFICATION USE CASE	42
FIGURE 28 – UOM-ASR PERFORM MEC CANCEL NOTIFICATION USE CASE (CUSTOMER INITIATED).....	43
FIGURE 29 – UOM-ASR PERFORM MEC CANCEL NOTIFICATION USE CASE (ASC-EC INITIATED)	44
FIGURE 30 – UOM-ASR PERFORM MEC CANCEL NOTIFICATION USE CASE (OEC INITIATED)	45
FIGURE 31 – UOM-ASR PERFORM MEC DISCONNECT RECEIPT INQUIRY USE CASE	46
FIGURE 32 – UOM-ASR PERFORM MEC DISCONNECT RECEIPT RESPONSE USE CASE.....	47
FIGURE 33 – UOM-ASR POST-CONFIRMATION BUSINESS REQUIREMENTS USE CASE.....	48
FIGURE 34 – UOM-ASR PERFORM ADDRESS MODIFICATION C/NR NOTIFICATION USE CASE	49
FIGURE 35 – UOM-ASR PERFORM ADDRESS MODIFICATION C/NR NOTIFICATION CLEAR USE CASE	50
FIGURE 34 – UOM-ASR PERFORM JEOPARDY C/NR NOTIFICATION USE CASE	51
FIGURE 35 – UOM-ASR PERFORM JEOPARDY C/NR NOTIFICATION CLEAR USE CASE	52
FIGURE 36 – UOM-ASR PERFORM CUSTOMER RETRIEVE SERVICE REQUEST INFORMATION USE CASE.....	53
FIGURE 37 – UOM-ASR PERFORM PROVIDER TEST ACCEPTANCE (PTA) NOTIFICATION USE CASE	54
FIGURE 38 – UOM-ASR PERFORM COMPLETION USE CASE	55
FIGURE 39 – UOM-ASR – DESIGN LAYOUT REPORT NOTIFICATION USE CASE	56
FIGURE 40 – USE CASE DIAGRAM	59
FIGURE 41 – USE CASE EXAMPLE	60
FIGURE 42 – SEQUENCE DIAGRAM.....	64
FIGURE 43 – STATE DIAGRAM	65
FIGURE 44 – ACTIVITY DIAGRAM – NO BRANCHING.....	66
FIGURE 45 – ACTIVITY DIAGRAM – WITH BRANCHING	67
FIGURE 46 – ACTIVITY DIAGRAM – WITH DECISION BOX	67
FIGURE 47 – ACTIVITY DIAGRAM – CONCURRENT PATHS	68

UOM-ASR VOLUME I ASOG V61 SYNOPSIS OF CHANGES

UOM-ASR VOLUME I ASOG V61 CHANGES - ISSUES INCLUDED IN THIS SYNOPSIS	
ISSUE NUMBER	DESCRIPTION
3645	UOM: Remove occurrences of CDLRD, FCDLRD from UOM Vol I, II, and III

ISSUES ASSOCIATED WITH ASOG V61	
ISSUE NUMBER	DESCRIPTION
3639	ASOG: Modify ASR (001) practice to revise RORD field based on changes made in ASOG 60
3640	UOM-ASR: Modify UOM-ASR Vol II to rectify inconsistent metadata definition
3641	ASOG: Update Introductory Verbiage in Sections 1 and 3 of EVC Form to reflect addition of OAM Section
3642	ASOG: Update the UREF field (EVC-016) Usage Note2 to clarify Issue 3633 from ASOG 60
3645	UOM: Remove occurrences of CDLRD, FCDLRD from UOM Vol and II
3646	ASOG: Remove Verizon Specific Fields from ECI Documentation

UOM-ASR VOLUME I ASOG V61 SYNOPSIS OF CHANGES

The following table depicts the type of change category definitions:		
TYPE OF CHANGE	=	CATEGORY DEFINITIONS
NEW	=	Adding a new field
REM	=	Removing an existing field
FN	=	Field/Tag name change (e.g., EXEMPT REASON changed to ER)
FORMAT	=	Field format change (e.g., moved to another section of the form, etc.)
DEF	=	Definition change
DEFN	=	Definition notes addition, change, deletion
VE	=	Valid entries addition, change, deletion
VEN	=	Valid entry notes addition, change, deletion
USE	=	Usage statement change
USEN	=	Usage notes addition, change, deletion
DC	=	Data characteristics change (e.g., change from numeric to alpha/numeric)
DCL	=	Data characteristics length change
DCN	=	Data characteristics note addition, change, deletion
EX	=	Example addition, change, deletion
EXN	=	Example notes addition, change, deletion
FORM	=	Changes made to the ASR forms (i.e., additions, rearrangements, field length changes or deletions of fields)
GLOSSARY	=	Identifies changes within the glossary sections (i.e., additions or deletions of fields)
TEXT	=	Identifies changes within the text of a section (i.e., additions or deletions of fields)

UOM-ASR VOLUME I ASOG V61 SYNOPSIS OF CHANGES

UOM-ASR VOLUME I – SYNOPSIS OF CHANGES FOR ASOG V61					
PRAC #	ISSUE #	Field/Section	Type Of Change	Description of Change	Field Length
Vol 1	3645	Appendix B	REM	CDLRD within OEC Information Response	
Vol 1	3645	Appendix B	REM	FCDLRD within OEC Information Response	
Vol 1	3645	Appendix C	REM	CDLRD within OEC Information Inquiry	
Vol 1	3645	Appendix C	REM	CDLRD within ASC-EC Confirmation Notification	
Vol 1	3645	Appendix C	REM	CDLRD within OEC Information Response	
Vol 1	3645	Appendix C	REM	FCDLRD within ASC-EC Confirmation Notification	
Vol 1	3645	Appendix C	REM	FCDLRD within OEC Information Inquiry	
Vol 1	3645	Appendix C	REM	FCDLRD within OEC Information Response	
NOTES:					
The following non-substantive global changes were made to the document:					
<ul style="list-style-type: none"> • Change all ASOG 60 to ASOG 61; Version 60 to Version 61; Issue 35 to Issue 36 • Change ATIS document number from ATIS-0404110-0035 to ATIS-0404110-0036 • Update Issue Date • Update all Figure numbers and references as applicable 					

1 Introduction to UOM

The intent of Unified Ordering Model (UOM) is to develop a complete set of system documentation using an end-to-end structured methodology. The scope of UOM encompasses business requirements, analysis, design and implementation. Logically, these components are defined within the UOM in four volumes.

UOM-ASR Volume I

Provides an explanation of the business requirements and a conceptual overview of the solution. This conceptual overview is high-level. It defines “what” the user initially sees as the problem and “how” the user sees the business solution.

UOM Volume II

Analysis may be seen as using the requirements and developing a more detailed understanding of the scope. In effect, this step defines “what” the proposed technical resolution needs to support. It is a logical view of the proposed solution, which meets the business need, and it is not based on any particular software protocol.

UOM Volume III

The logical view of the proposed resolution (model), created in the *Analysis Phase*, is translated into the language appropriate for the selected implementation technology. Design focuses on “how” the implementation shall resolve the business requirements. It may be necessary to repeat the *Design Phase* if more than one implementation technology is selected.

UOM Volume IV

Resolves any outstanding implementation specifications that must be addressed before the system specifications can be realized using the selected implementation technology. As with the *Design Phase*, the *Implementation Phase* may also have to be repeated in order to provide support for multiple technologies.